

REFERENCES :

- Alhassid, Y., Gursev, F. and Iachello, F. (1983a). Potential scattering, transfer matrix and group theory. *Phys. Rev. Lett.*, **50** (12), 873-876.
- Alhassid, Y., Gursev, F. and Iachello, F. (1983b). Group theory approach to scattering. *Ann. Phys.*, **148**, 346-380.
- Alhassid, Y., Gursev, F. and Iachello, F. (1986). Group theory approach to scattering. II. The euclidean connection. *Ann. Phys.*, **167**, 181-200.
- Arima, A. and Iachello, F. (1975). Collective nuclear states as representations of a SU(6) group. *Phys. Rev. Lett.*, **35** (16), 1069-1072.
- Arima, A. and Iachello, F. (1976). Interacting boson model of collective states I: The vibrational limit. *Ann. Phys. (NY)*, **99**, 253-317.
- Arima, A. and Iachello, F. (1978). Interacting boson model of collective states II: The rotational limit. *Ann. Phys. (NY)*, **111**, 201-238.
- Arima, A. and Iachello, F. (1979). Interacting boson model of collective nuclear states IV. The O(6) limit. *Ann. Phys. (NY)*, **123**, 468-492.
- Banwell, C. N. (1992). *Fundamentals of Molecular Spectroscopy*. Tata McGraw-Hill, New Delhi.
- Barrow, G. M. (1962). *Introduction to Molecular Spectroscopy*. McGraw-Hill, New York.
- Bassi, D., Corbo, C., Lubich, L., Oss, S. and Scotoni, M. (1997). Infrared spectroscopy of the CH Stretching Mode of partially F substituted Benzene III. The first overtone of Fluorobenzene. *J. Chem. Phys.* **107** (4), 1106
- Bassi, D., Menegotti, S., Oss, S., Scotoni, M., and Iachello, F., (1993). The $3 \leftarrow 0$ stress overtone of Benzene. *Chem. Phys. Lett.* **207**, 169
- Benjamin, I. and Levine, R. D. (1983). Overtone spectrum in terms of normal or equivalent modes with application to H₂O. *Chem. Phys. Lett.*, **101** (6), 518-523.
- Bitto, H. and Huber, J. R. (1992). Molecular Quantum beats. High-resolution spectroscopy in the time domain. *Acc. Chem. Res.* **25** (2), 65-71
- Bray, R.G., Berry, M. J. (1979), *J. Chem. Phys.* **71**, 4909
- Bruno, A.E., Reidie, E. and Neusser, H. (1986) *Chem. Phys. Lett.* **126**, 558.
- Bunker, P. R. (1979). *Molecular Symmetry and Spectroscopy*, Academic Press, New York.
- Casati, G. ed. (1985). *Chaotic Behaviour in Quantum System. Theory & Applications*, New York, Plenum, Lefebvre, R.
- Champion, J. M. Tamsamani, M. A. and Oss, S. (1999). *Chem. Phys. Lett.* **308**, 274.

- Chandrasekaran.V., Biennier, L., Arunan, E., Talbi, D. and Georges, R. (2011), *J. Phys. Chem* **A115**, 11263
- Chen, J. Q., Iachello, F. and Ping, J. L. (1996). *J. Chem. Phys.*, **104**, 815.
- Child, M. S. and Lawton, R. T. (1982). Local mode degeneracies in the vibrational spectrum of H₂O. *Chem. Phys. Lett.*, **87** (3), 217-220.
- Child, M. S. and Zhu, Q. (1998). Vibration-rotation Hamiltonian of tetrahedral molecules in the local mode model. *Chem. Phys. Lett.* **184** (1, 2, 3), 41-44.
- Choudhury, J., Karumuri, S. R. Sarkar, N. K. and Bhattacharjee, R. (2008b). Vibrational spectroscopy of SnBr₄ and CCl₄ using Lie algebraic approach. *Pramana J. Phys.*, **71** (3), 439-445.
- Choudhury, J., Karumuri, S. R., Sarkar, N. K. and R. Bhattacharjee, R. (2009a). Vibrational spectrum of CF₄ isotopes in an algebraic model. *Pramana J. Phys.*, **73** (5), 881-887.
- Choudhury, J., Sarkar, N. K., Karumuri, S. R., Bhattacharjee, R. (2009b). Vibrational spectrum of CH/CD stretches in propadiene; An algebraic approach, *Chin. Phys. Lett.* **26(2)**, 020308-1-3
- Choudhury, J., Karumuri, S. R., Sinha, R., Sarkar, N. K. and Bhattacharjee, R. (2010). Vibrational spectra of H₂O and CF₄ molecules using Lie algebraic approach. *Ind. J. Phys.*, **84** (6), 659-664.
- Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2008a). Algebraic approach to analyse the vibrational spectra of tetrahedral molecules. *Ind. J. Phys.*, **82** (5), 561-565.
- Choudhury, J., Sarkar, N. K., Karumuri, S. R. and Bhattacharjee, R. (2009b). Vibrational spectroscopy of CH/CD stretches in propadiene: An algebraic. *Chin. Phys. Lett.*, **26** (2), 020308-1-3.
- Collomon, J. H., Dunn, T. N. and Mills, J. M. (1966), *Phil. Trans R., Soc., Lond. A* 259, 499
- Cornwell, J. F. (1997). *Group Theory in Physics – An Introduction*. Academic Press.
- Das, R., Roy, S. G., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2010). Analysis of vibrational spectra of buckminster fullerene (C₆₀). using Lie Algebra. *Assam Univ. J. Sc. Tech.*, 6 (2), 62-63.
- Das, R., Roy, S. G., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2011). Lie algebraic approach to vibrational spectra of C–C stretches in Buckminsterfullerene (C₆₀). *Assam Univ. J. Sc. Tech.*, 7 (2): 62-65.
- Ding, S. and Zheng, Y. (1999). Lie algebraic approach to potential energy surface for symmetric triatomic molecules . *J. Chem. Phys.*, **111** (10), 4466-4471.
- Dordrecht, Reidel; Stechel, E. B., Heller, E. J. (1984). *Annu. Rev. Phys. Chem.* 35, 563
- Dunham, J. L. (1932). *Phys. Rev.*, **41**, 721-731.

- Elliot, J. P., Dawber, P. G. (1979). Vol 1, Oxford University press., Oxford.
- Feng, H., Zheng, Y. and Ding, S. (2007). Study on infrared multiphoton excitation of the linear triatomic molecule by the Lie-algebra approach. *Euro. Phys. J. D*, **42** (2), 227-234.
- Frank, A. and Isacker, P. van. (1994). *Algebraic Methods in Molecular and Nuclear Structure Physics*, Wiley, New York.
- Frank, A., Lemus, R. and Bijker, R. (1996). A general algebraic model for molecular vibrational spectroscopy. *Ann. Phys.*, **252**, 211-238.
- Frank, A., Lemus, R., Perez-Bernal, F. and Bijker, R. (1999). *J. Mol. Spectroscopy*. **196**(2), 329-334.
- Gray, D. L and Robiette, A. G. (1979). Anharmonic-force field and equilibrium structure of methane. *Mol. Phys.* **37**, 1901-1920.
- Goodman, L., Ozkabak, A.G. and Thakur, S. N. (1991), *J. Phys. Chem.* **95**, 9044
- Halonen, L. and Child, M. S. (1982). *Mol. Phys.* **46**, 239- 255
- Hayward, R. J. Henry, B. R. Siebrand, W. (1973), *J. Mol. Spectrosc.* **46**, 207
- Heisenberg, W. (1925). *Z. Physik.* **33**, 879.
- Henry, B. R., Siebrand, W. (1968), *J. Chem. Phys.* **49**, 5369
- Herzberg, G. (1945). *Molecular Spectra and Molecular Structure. II. Infrared and Raman Spectra of Polyatomic Molecules*. Van Nostrand Reinhold, New York.
- Herzberg, G. (1950). *Molecular Spectra and Molecular Structure. I. Spectra of Diatomic Molecules*. Van Nostrand Reinhold, New York.
- Herzberg, G. (1971). *The spectra and Structures of Simple Free Radicals – An Introduction to Molecular Spectroscopy*, Cornell University Press, Ithaca .
- Hollenberg, J. L.(1970). *J. Chem. Educ.* **47**, 2.
- Hollinger, A. B. and Welsh, H. L. (1978), *Can. J. Phys.* **56**, 974
- Huber, K.P., and Herzberg, G. (1979). *Molecular Spectra and Molecular Structure IV : Constants of Diatomic Molecules*, (New York : Van Nostrand Reinhold Co.).
- Iachello, F and Truini, P. (1999). *Ann. Phys. (N.Y.)* **299**, 35.
- Iachello, F. (1981). Algebraic methods for molecular rotation-vibration spectra. *Chem. Phys. Lett.*, **78** (3), 581-585.
- Iachello, F. (2004) . *Eur. Phys. J. A* , **20**, 1-3.

- Iachello, F. and Arima, A. (1974). *Phys. Lett. B* **53**, 309.
- Iachello, F. and Arima, A. (1987). *The Interacting Boson Model*, Cambridge Press, Cambridge.
- Iachello, F. and Isacker, P. van. (1991). *The Interacting Boson-Fermion Model*. Cambridge University Press, Cambridge.
- Iachello, F. and Levine, R. D. (1982). Algebraic approach to molecular rotation-vibration spectra I. diatomic molecules. *J. Chem. Phys.*, **77** (6), 3046-3055.
- Iachello, F. and Levine, R. D. (1995). *Algebraic Theory of Molecules*. Oxford University Press, Oxford.
- Iachello, F. and Oss, S. (1991). *Phys. Rev. Lett.* **66**, 2976-2979.
- Iachello, F. and Oss, S. (1993). *Chem. Phys. Lett.* **205**, 285.
- Iachello, F. and Oss, S. (1995). Spectroscopy of benzene dimers in the algebraic model. *J. Chem. Phys.*, **102** (3): 1141-1148.
- Iachello, F. and Oss, S. (1996). Algebraic approach to molecular spectra: Two dimensional problems. *J. Chem. Phys.*, **104** (18): 6956-6963.
- Iachello, F., Leviatan, A. and Mengoni, A. (1991). Algebraic approach to molecular rotation-vibration spectra. III. Infrared intensities. *J. Chem. Phys.*, **95** (3): 1449-1455.
- Iachello, F., Oss, S. and Viola, L. (1995). Algebraic approach to molecular rotation-vibration spectra: rotation-vibration interactions. *J. Chem. Phys.*, **101** (5): 3531-3537.
- Iachello, F., Perez-Bernal, F., Muller, T. and Vaccaro, P.H. (2000). *J. Chem. Phys.* **112**: 6507.
- Iachello, F. and Arima, A. (1987). *The Interacting Boson Model*. Cambridge University Press, Cambridge.
- Iachello, F. and Arima, A. (1974). *Phys. Lett. B*, **53** : 309.
- Iachello, F. and Oss, S. (1992). *J. Mol. Spectrosc.* **153**, 225-239
- Jacobson, M.P., Seibert, R.J., and Field, R. (1999). *J. Chem. Phys.* **110**, 845.
- Jensen, H. B. and Brodersen, S. (1979), *J. Raman Spectrosc* **8**, 103
- Joshi, A. W. (2005). *Elements of Group Theory for Physicists*. New Age International Publishers.
- Karumuri, S. R., Sarkar, N. K., Choudhury J. and Bhattacharjee, R. (2008a). Vibrational Spectroscopy of C_m-H , $C_\beta - C_\beta$ stretching vibrations of Nickel Metalowporphyrins; An algebraic approach. *Mol. Phys.*, **106** (14), 1733 - 1737

- Karumuri, S. R., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2009a). Vibrational Spectroscopy of Stretching and Bending Modes of Nickel Tetraphenyl Porphyrin: an Algebraic Approach. *Chin. Phys. Lett.*, **26** (9), 093301-1- 4.
- Karumuri, S. R., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2009c). Vibrational spectra of nickel metalloporphyrins: An algebraic approach. *Pramana J. Phys.*, **72** (3): 517-525.
- Karumuri, S. R., Choudhury, J., Sarkar, N. K., Gogoi, B. and Bhattacharjee, R. (2010a). Vibrational spectroscopy of bio-molecules: an algebraic approach. *Ind. J. Phys.*, **84** (6), 647-652.
- Karumuri, S. R., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2010b). Vibrational spectroscopy of $Cm-C/Cb-Cb$ stretching vibrations of copper tetramesityl porphyrin: An algebraic approach. *Pramana J. Phys.*, **74** (1), 57-66.
- Karumuri, S. R., *Indian J. Phys.*, **86**, 1147.
- Kellman, M. E. (1985). Vibrational dynamics of ABA triatomics in a semiclassical algebraic approach. *Chem. Phys. Lett.*, **113** (5), 489-491.
- Kellman, M.E.(1995). *Annu. Rev. Phys. Chem.*, **46**: 395.
- Kim, Shoon K. (2004). *Group Theoretical Methods and Applications to Molecules & Crystals*. Cambridge Univ. Press.
- King, G. W. (1964). *Spectroscopy and Molecular Structure*. Holt, Rinehart and Winston, Inc., New York.
- Lemus, R. and Frank, A.(1994). *J. Chem.Phys.*, **101**, 8321.
- Lemus, R. and Frank, A. (1991). An algebraic model for molecular electronic excitations in diatomic molecules. *Ann. Phys.*, **206**, 122-192.
- Lemus, R. and Frank, A. (1994). Algebraic description of a linear chain of coupled anharmonic oscillators. **49** (18), 12738-12747.
- Leroy, C. and Michelot, F. (1992), *J. Mol. Spectroscopy*, **151**, 71
- Levine, R. D. and Wulfman, C. E. (1979). Energy transfer to a Morse oscillator. *Chem. Phys. Lett.*, **60** (3), 372-376.
- Levine, R. D. and Cooper, I. L. (1991). *J. Mol. Spectrosc.* 148, 391-414.
- Lubich, L. and Oss, S. (1996), *J. Chem. Phys.*, **106**, 5379
- Michelot, F. and Moret-Bailly, J. (1987), *J. Physique*, **48**, 51.
- Morse, P. M., (1929), The Atomic Molecules according to Wave Mechanics II, Vibrational Levels, *Phys. Rev.*, **34**, 57
- Mukamel, S. eds. (1987), Stochasticity and Intramolecular Redistribution of Energy.
- Mukherjee, V., Singh, K., Singh, N.P. and Yadav, R.A. (2008), Quantum Chemical determination of molecular geometric and interpretation of FTIR and

- Raman Spectra for 2, 3, 4 – and 2, 3, 6 - tri-fluoro benzo nitrile, *Vibrational Spectroscopy*, **47**; 26-37.
- Mukherjee, V., Singh, N.P. and Yadav, R.A. (2009), FTIR and Raman Spectra, DFT and normal coordinate computations of 2, 4, 5 - and 2, 4, 6 - trifluoroaniline, *Spectrochimica Acta, Part - A*, **73**, 249-256.
- Mukherjee, V., Singh, N.P. and Yadav, R.A. (2010), "FTIR and Raman Spectra, DFT and SQMFF, calculation for geometrical interpretation and vibrational analysis of some trifluorobenzoic acid dimmers", *Vibrational Spectroscopy*, **52**, 163-173.
- Muller, T. Vaccaro, P. Perez-Bernal, F. and Iachello, F. (1999). *J.Chem.Phys.* **111**, 5038
- Nakamoto, K. (1997), *Infrared and Raman Spectra of Inorganic and coordination compounds part-A; Theory and applications in inorganic chemistry*, Jhon Wiley and Sons, Inc.
- Ogilvie, J. E. (1978). *J. Mol. Spectroscopy*, **69**, 169-172.
- Oss, S. and Tamsamani, M. A. (1998). *J.Chem.Phys.***108**: 1773 .
- Oss, S.(1996). *Algebraic Models in Molecular Spectroscopy*, Dipartimento di Fisica-Universita di Trento and Istituto Nazionale di Fisica della Materia, Unita di Trento, Povo(TN), Italy.
- Page, R. H., Shen, Y. R. and Lee Y. T. (1987), *Phys. Reg. Lett.*, **59**, 1293
- Page, R. H., Shen, Y. R. and Lee Y. T. (1988), *J. Chem. Phys.*, **88**, 4621-5362
- Perez-Bernal, F., Arias, J. M., Frank, A., Lemus, R. and . Bijker, R.(1997). *J. Mol. Spec.*, **184**, 1.
- Ping, J. L. (1997) *J. Q. Chem, Ann. Phys. (N.Y.)*, **255**, 75
- Quack, M. (1990). *Ann. Rev. Phys. Chem.*, **41**, 839.
- Raynes, W.T., Lazzeretti, P., Zanasi, R., Sadlej, A.J. and Fowler, P.W. (1987). *Mol. Phys.* **60**: 509
- Roosmalen, O. S. van, Dieperink, A. E. L. and Iachello, F. (1982). A dynamic algebra for rotation-vibration spectra of complex molecules. *Chem. Phys. Lett.*, **85** (1): 32-36.
- Roosmalen, O. S. van, Levine, R. D. and Dieperink, A. E. L. (1983a). The geometrical-classical limit of algebraic Hamiltonians for molecular vibrational spectra. *Chem. Phys. Lett.*, **101** (6), 512-517.
-

- Roosmalen, O. S. van, Iachello, F., Levine, R. D. and Dipertink, A. E. L. (1983b). Algebraic approach to molecular rotation-vibration spectra. II. Triatomic molecules. *J. Chem. Phys.*, **79** (6), 2515-2536.
- Roosmalen, O. S. van, Benjamin, I. and Levine, R. D. (1984). A unified algebraic model description for interacting vibrational modes in ABA molecules. *J. Chem. Phys.*, **81** (12): 5986-5997.
- Roy, S. G., Choudhury, J., Sarkar, N. K., Karumuri, S. R. and Bhattacharjee, R. (2010). A Lie algebraic approach to the Schrödinger equation for bound states of Pöschl-Teller potential. *Elec. J. Theo. Phys.*, **7** (24), 235-240.
- Roy, S. G., Das, R., Choudhury, J., Sarkar, N. K. and Bhattacharjee, R. (2011). Application of SU(1,1) Lie algebra in connection with bound states of Pöschl-Teller potential. *Elec. J. Theo. Phys.*, **7** (24), 211-216.
- Rumpf, K. and Mecke., R. (1939) *Z. Phys. Chem. B*, **44**, 299
- Sako, T., Aoki, D. and Yamanouchi, K. (1999). *Chem. Phys. Lett.* **35**, 299.
- Sako, T., Aoki, D., Yamanouchi, K. and Iachello, F. (2000). Algebraic force-field Hamiltonian expansion approach to linear polyatomic molecules. *J. Chem. Phys.*, **113** (15): 6063-6069.
- Sarkar, N.K., Choudhury J. and Bhattacharjee, R., *Proceedings of the Asian thermo physical conference*, 21-24, August, 2007, Fukuoka, Japan (paper no.-236)
- Sarkar, N. K., Choudhury, J. and Bhattacharjee, R. (2006). An algebraic approach to the study of the vibrational spectra of HCN. *Mol. Phys.*, **104** (19), 3051-3055.
- Sarkar, N. K., Choudhury, J. Karumuri, S. R. and Bhattacharjee, R. (2008). An algebraic approach to the comparative study of the vibrational spectra of monofluoroacetylene (HCCF) and deuterated acetylene (HCCD). *Mol. Phys.* **106** (5): 693-702.
- Sarkar, N. K., Choudhury, J. and Bhattacharjee, R. (2008). *Indian J. Phys.* **82**(6), 769
- Sarkar, N. K., Choudhury, J., Karumuri, S. R. and Bhattacharjee, R. (2009). A comparative study of the vibrational spectra of OCS and HCP using the Lie algebraic method. *Eur. Phys. J. D*, **53** (2): 163-171.
- Sathyanarayana, D. N. (2000). *Vibrational Spectroscopy : Theory and Applications*. New Age International, Bangalore
- Sbai et al. (2006). *J. Phys. Chem B*, **110**, (25): 1999.
- Schubert, U., Reidie, E. and Neusser, H. J., (1989), *J. Chem. Phys.*, **90**, 5994
- Scotoni, M., Boschetti, A., Oberhofer, N., N. and Bassi, D. (1991), *J. Chem. Phys.*, **94**, 971
- Scotoni, M., Leonardi, C., and Bassi, D. (1991), *J. Chem. Phys.*, **95**, 8655
- Scotoni, M., Oss, S., Lubich, L., Furlani, S. and Bassi, D. (1995), *Infrared Spectroscopy of the CH Stretching Modes of partially F – substituted*

- benzenes II. Fundamental Spectrum of Fluorobenzene, *J. Chem. Phys.* **102** (3), 897-904
- Sen, R., Kalyan, A., Sarkar, N. K. and Bhattacharjee, R. (2011), *Scholars Research Library*, **2** (3), 116-124
- Sen, R., Kalyan, A., Das, R., Sarkar, N. K. and Bhattacharjee, R. (2012), *Spectrosc. Lett.*, **45**, 273
- Sen, R., Kalyan, A., and Bhattacharjee, R. (2013), *J. Comput. Theor. Nanosci*, **10**, 821
- Sen, R., Kalyan, A., Sarkar, N.K. and Bhattacharjee, R. (2013), *Fuller Nanotub Car N*, **21**, 403
- Siebert, E.L., Reinhardt, W.P. and Hynes, J.T. (1984), *J. Chem. Phys.* **81**, 1115 - 1135
- Singha, Surja Kumar, Sen Rupam, Kalayan Ashim and Bhattacharjee Ramendu (2014), Intramolecular Vibrational Spectra of Benzene and Its Derivatives in CC, CH and CD Local Mode Interaction, *Quantum Matter*, **Vol. 3**, 1-6
- Singha, Surja Kumar, Kalayan Ashim, Sen Rupam and Bhattacharjee Ramendu (2014), Successful Applications of Lie Algebraic Model to Analyze the Vibrational Spectra of Fluorobenzene, *Polycyclic Aromatic Compounds*, **34**, 1-8
- Snels, N., Beil, A., Hollenstein, H. and Quack, M. (1997), *J. Chem. Phys.* **225**, 107
- Steinfeld, J.I. (1985), *Molecules and Radiation*, 2nd Edition, MIT Press, Cambridge,
- Temsamani, M.A., Champion, J.M., and Oss, S. (1999). *J. Chem. Phys.* **110**, 2893.
- Tummanapalli, A.K. and Vasudevan, S. (2013), Communication : Benzene Dimder - The Free Energy Landscape, *J. Chem. Phys.* **139**, 201102-1-4
- Wang, X., Sibert, Edwin L., and Martin, Jan M. L. (2000). Anharmonic force field and vibrational frequencies of tetrafluoromethane (CF₄) and tetrafluorosilane (SiF₄). *J. Chem. Phys.*, **112** (3), 1353-1366.
- Wilson, E. B., Decions, Jr. J. C. and Cross, P. (1955). *Molecular vibrations*. (Dover, New York).
- Wilson, E. B. (1934). *Phys. Rev.* **45**, 706
- Wulfman, C. E. (1973). *Chem. Phys. Lett.* **23**, 370
- Wulfman, C. E. (1979). *Dynamical Groups in Atomic and Molecular Physics*, in *Recent Advances in Group Theory and Their Applications to Spectroscopy*, Plenum, New York.