

CHAPTER 7

REFERENCES

7. REFERENCES:

- Adrian, P.V., Thomson, C.J., Klugman, K.P., Amyes, S.G., (2000). New gene cassettes for trimethoprim resistance, *dfrA13*, and streptomycin-spectinomycin resistance, *aadA4*, inserted on a class 1 integron. *Antimicrob Agents Chemother.* 44: 355–361.
- Ajiboye, R. M., Solberg, O. D., Lee, B. M., Raphael, E., Debroy, C., Riley, L. W. (2009). Global spread of mobile antimicrobial drug resistance determinants in human and animal *Escherichia coli* and *Salmonella* strains causing community-acquired infections. *Clin Infect Dis* 49, 365–371.
- Alanis, A.J. (2005). Resistance to antibiotics: are we in the post-antibiotic era? *Arch. Med.Res* 336:697-705.
- Alekshun, M.N. and Levy, S.B. (2007). Molecular mechanisms of antibacterial multidrug resistance. *Cell* 128: 1037-1050.
- Aminov, R.I (2010). A brief history of the antibiotic era: lessons learned and challenges for the future. *Front. Microbiol.* 1:134, doi:10.3389/fmicob.2010.00134.
- Barlow, R.S., and Gobius, K.S. (2006). Diverse class 2 integrons in bacteria from beef cattle sources. *J. Antimicrob Chemother.* 58:1133-1138.
- Bennett, P.M., (2004). Transposable elements. In: Schaechter M (ed) *The Desk Encyclopedia of Microbiology*. Elsevier Academic Press: SanDiego, CA,1025–1041.

- Bennett, P.M., (2005). Genome plasticity. In: Woodford N, Johnson A (eds). *Methods in Molecular Biology*, Vol 266, *Genomics, Proteomics and Clinical Bacteriology*. Humana Press Inc.: Totowa, NJ, pp 71–113.
- Bennette, P.M., (2008). Plasmid encoded antibiotic resistance: acquisition and transfer of antibiotic resistance genes bacteria.153:5347-5357.
- Berg, D.E., and Howe, M.M., (1989). Mobile DNA. *American Society Microbiol*. Washington, D.C.
- Bertels, F., and Rainey, P.B., (2011). Within genome evolution of REPINA: A new family of miniature mobile DNA in bacteria. *PLoS Genetics*, 7(6):e1002132.
- Bissonnette, L., and Roy, P.H., (1992). Characterization of Inc0 of *Pseudomonous aeruginosa* plasmid pVSI, an Ancestor of integrons of Multiresistance Plasmids and Transposons of Gram negative bacteria. *J. Bacteriol*. 174 (4): 1248:1257.
- Blahma, M.T., Zalewski, C.A., Reuer, J., Kahlmeter, G., Foxman, B., and Marrs, C.F., (2006). The role of horizontal gene transfer in the spread of trimothopime-sulfamethoxazole resistance among uropathogenic *Escherichia coli* in Europe and Canada. *J. Antimicrob. chemother*. 57:666-672.
- Boucher, Y., Labbate, M., Koenig, J.E., and Stokes, H.W., (2007). Integrands: mobilizable platforms that promote genetic diversity in bacteria. *Trends Microbiol*. 15, 301-309.
- Boyd D, Cloeckaert A, Chaslus-Dancla E, Mulvey MR. (2008). Characterization of variant *Salmonella* Genomic Island 1 multidrug

resistance regions from serovars Typhimurium DT104 and Agona.

Antimicrob Agents Chemother; 46: 1714–1722.

- Boyd, E.F., Hill, C.W., Rich, S.M., and Hartl, D.L., (1996). Mosaic structure of plasmids from natural populations of *Escherichia coli*. *Genetics*. 143:1091-1100.
- Brumfitt, W., Halmilton-Miller, J.M.T. and Wood, A. (1983). Evidence for slowing in trimethoprim resistance during 1981-a comparison with earlier years. *J. Antimicrob. Chemother.* 11:503-509.
- Brunton, J et al., (1986). In “Antimicrob. Drug. Resisance” (L.E. Bryn, Ed.). 529-565. *New York:Academic Press*.
- Buchman-Wollaston, V., Passiatore, J.E., and Cannon, F., (1987). *Nat.* 328:172-174.
- Bukhari, A.I., Chow, L.T., (1977). The invertible DNA segments of coliphage Mu and PI are identical. *Viology*. 74:242-248.
- Cambray,G., Guerout, A.-M., and Mazel, D. (2010). Integrons. *Annu. Rev. Genet.* 44:141-166.
- Caratolli, A. (2009). Resistance plasmid families in Enterobacteriaceae. *Antimicrob Agents Chemother*. 53:2227-2238.
- Caratolli, A. (2013). Plasmids and the spread of resistance. *Int J Med Microbiol*; 298-304.
- Caratolli, A., Miriagou, V., Bartini, A., Loli, A., Colinon, C., Villa, L., Whichard, J., RossoliniG.M., (2005). Replicon typing of plasmids encoding resistance to newer β-Lactams. *Emerg. Infec. Dis* 12 (7); 1145-1148.

- Casjens, S., (1988). The diversity and dynamic structure of bacterial genomes. *Ann. Rev. Genet.* 32:339-377.
- Chang, C.Y., Chang, L.L., Chang, Y.H., Lee, T.M., Chang, S.F., (2000). Characterisation of drug resistance gene cassettes associated with class 1 integrons in clinical isolates of Escherichia coli from Taiwan, ROC. *J Med Microbiol*; 49: 1097–1102..
- Chowdhury, P. R., Stokes, H. W., and Labbate, M., (2013). Integrons: Antibiotic Resistance Evolution and Beyond. Bacterial Integrative Mobile genetic elements. Chapter 3.
- Clinical and laboratory Standard Institute, (2013). Performance Standards for Antimicrobial Susceptibility Testing: Twenty –first Informational Supplement. *CLSI, Wayne, P.A USA*, M100-S21.
- Colee, J.G., Diguid, J.P., Fraser, A.G., (1996). Mackie and McCartney Practical Medical Microbiology 14th edn, Edinburgh: Churchill, Livingstone.
- Collis, C. M., and R. M. Hall., (1992a). Site-specific deletion and rearrangement of integron insert genes catalysed by the integron DNA integrase. *J. Bacteriol.* 174: 1574 -1585
- Collis, C.M., and Hall, R.M., (1992b). Gene cassettes from the insert region of integrons are excised as covalently closed circles. *J. Mol. Microbiol.* 6:2875–2885.
- Collis, C.M., and Hall, R.M., (1995). Expression of antibiotic resistance genes in the integrated cassettes of integrons. *Antimicrob. Agents. Chemother.* 39:155-162.

- Collis, C.M., and Hall, R.M., (2004). Comparison of the structure–activity relationships of the integron-associated recombination sites attI3 and attI1 reveals common features. *Microbiology*. 150(5):1591-1601.
- Collis, C.M., Recchia, G.D., Kim, M-J et al., (2001). Efficiency of recombination reactions catalysed by the class 1integron integrase intI. *J.Bacteriol.*183:2535-2542
- Couturier, M., Bex, F., Berquist, P.L., and Mass, W.K., (1988). Identification and classification of bacterial plasmids. *Microbiol. Rev.* 52:375-395.
- Craig, N., (1988). The mechanism of conservative site-specific recombination. *Annu.Rev.Genet.*22:77-105.
- Daikos, G.I., Kosmidis, C., Tassios, P.T., Petrikos, G., Vasilakopoulou, A., Psychogiou, M., Stefanou, I., Avlmi, A., and Katsilambros, N. (2007). Enterobacteriaceae bloodstream infections: presence of integrons, risk factors, and outcome. *Antimicrob. Agents. Chemother.* 51:2366-2372.
- David, C.B., Livermore, D.M., Hall, L.C., (2009). Plasmids imparting sulphonamide resistance in Escherichia coli: implications for persistence. *Antimicrob. Agents. Chemother.* 53(3): 1088-1093.
- Davies D, (2003). Understanding biofilm resistance to antimicrobial agents. *Nat. Rev.Drug. Discov.* 2:114-122.
- Davies, J., (1994). Inactivation of antibiotic and the dissemination of resistance genes. *Science*. 264: 375-381.

- De Solar G, Giraldo, R., Ruiz-Echevarria, M.J., Espinosa, M., and Diaz-Orejas, R., (1998). Replication and control of circular bacterial plasmids. *Microbiol. Mol.Biol. R.* 62:434-464.
- Devis, J. and Devis, D. (2010). Origins and evolution of antibiotic resistance. *Microbiol. Mol .Bio. Rev.* 74:417-433.
- Dhawan, B., Mohanty, S., Das, B.K., Kapil, A., (2004). Antimicrobial susceptibility patterns of staphylococci in a tertiary care hospital. *Natl Med J India*; 17: 52-3.
- Dominguees, S., Harm, K., Fricke, W.F., Jhonsen, P.J. da silva, G.J. and Nielsen, K.M. (2012a). Natural transformation facilitates transfer of transposons, integrons, and gene cassettes between bacterial species. *PLoS Pathog.* 8:e1002837.doi:10.1371/journal.ppat.1002837.
- Dutta, C., and Pan, A., (2002). Horizontal gene transfer and bacterial diversity. *J. Biosci.* 27:27-33.
- Enne, V.I., Livermore, D.M., Stephens, P., Hall, L.M. Erratum., (2001). Persistence of sulphonamide resistance in *Escherichia coli* in the UK despite national prescribing restriction. *J. Lancet.* 357: 1325-1328.
- Erica, L. da.F, Fernanda, dos. S.F. and Carolina, P. V. (2011). P_c promoter from class 2 integrons and the cassette transcription pattern it evokes. *J Antimrob. Chemother.*
- Falagas, M. E., P. K. Koletsi, and I. A. Bliziotis. (2006). The diversity of definitions of multidrug-resistant (MDR) and pandrug-resistant (PDR) *Acinetobacter baumannii* and *Pseudomonas aeruginosa*. *J. Med. Microbiol.* 55: 1619-1629

- Falagas, M.E., Bliziotis, L.A., Kasiakou, S.K., Samonis, G., Anthanassopoulou, P., and Michalopoulos, A., (2005). Outcome of infections due to pandrug resistance (PDR) Gram negative bacteria. *BMC Infec. Dis.* 5:24.doi 10.1186/1471-2334-5-24.
- Falagas, M.E., Giannopoulou, K.P., Kokolakis, G.N., Refailidis, P.I., (2008). Fosfomycin: use beyond urinary tract and gastrointestinal infections. *Rev. Anti. Infec. Agent.* 46(1): 1069-1077.
- Fluit, A.C., and Schmitz, F.J., (1999). Class 1 integrons, gene cassettes, mobility and epidemiology. *Eur J. Clin. Microbiol. Infect. Dis.* 18:761-770.
- Fluit, A.C., and Schmitz, F.J., (2004). Resistance Integrons and Super-integrons. *Clin Microbiol. Infect.* 10:272-288.
- Gerard, D. W. And Arlene, D.S. (2007). New strategies for combating multidrug-resistant bacteria. *Trends. Mol. Med Rev.* 13:6.
- Gillings, M. R., S. Krishnan, P. J. Worden, and S. A. Hardwick. (2008). Recovery of diverse genes for class 1 integron-integrase from environmental DNA samples. *FEMS Microbiol. Lett.* 286:56-62.
- Gillings, M.R., (2013). Evolutionary consequences of antibiotic use for the resistome, mobilome and microbial pangenome. *Front. Microbiol.* 4:4. Doi 10.3389/fmicb.2013.00004.
- Goldstein, C., Lee, M., Sanchez, S., Hudson, C., Philips, B., Register, B., Grady, M., Libert, C., Summers, A., and other authers. (2001). Incidence of class 1 and 2 integrases in clinical and commensal bacteria from livestock, companion animals, and exotics. *J. Antimicrob. Chemother.* 45:723-726.

- Golebiewski , M., Kern-Zdanowicz, I., et al., (2007). Complete nucleotide sequence of the pCTX-M-3 plasmid and its involvement in spread of the extended spectrum beta lactamase gene bla_{CTX-M-3}. *Antimicrob Agents. Chemother.* 51:3789-3795.
- Gorisman, E.A., and Ochman, H.,(1996c) . How Salmonella become a pathogen. *Trends.Microbiol.* 5:343-349.
- Grape M, Farra A, Kronvall G and Sundstrom L. (2005) .Integrons and Gene Cassettes in Clinical Isolates of Co-Trimoxazole-Resistant Gram-Negative Bacteria. *Eur J Clin Microbiol Infec Dis*, 11:185-192.
- Grayson, M.L., Thauvin-Eliopoulos, C., Eliopoulos, G.M., Yao, D.V., DeAngelis, D.V., Walton, L., Woolley, L., and Moellering, Jr.R.C. (1990). Failure of trimethoprim-sulphonamethoxazole therapy in experimental enterococcal endocarditis. *Antimicrob. Agents. Chemother.* 34:1792-1794.
- Gruneberg, R.N., (1990). Changes in the antibiotic sensitivities of urinary pathogens. *J.Antimicrob.Chemother.* 26:3-11.
- Guangming, S., Maoli, T., Chen, S., Jin, M., Qiang, Z., Shihe, S., (2013). Novel class 1 integrons in multi-drug resistant isolates from Eastern China. *Ind. J. Microbiol.* DOI 10.1007/s12088-013-0441-9.
- Hacker, J., Blum-Oehler, G., Muhldorfer, I., and Taschape, H. (1997). Pathogenicity islands of virulent bacteria: structure, function and impact on microbial evolution. *Mol.Microbiol.* 23:1089-1097.
- Hall, R. M., et al.,(1999). Mobile gene cassettes and integrons in evolution. *Ann.N.Y.Acad.Sci.* 870:68-80.

- Hall, R.M., (2006). Integrands and gene cassettes: hotspots of diversity in bacterial genomes. *Ann.N.Y.Acad.Sci.* 1267 (2012): 71-78.
- Hall, R.M., and Collis, C.M., (1995). Mobile gene cassettes and integrons: capture and spread of genes by site-specific recombination. *J. Mol. Microbiol.* 15:593-600.
- Hall, R.M., Brokes, D.E., and Stokes, H.W. (1991). Site specific insertion of genes into integrons: role of the 59-base element and determination of the recombination crossover point. *Mol.Microbiol.* 5: 1941-1959.
- Hall, R.M., Vockler, C. (1987). The region of the IncN plasmid R46 coding for resistance to beta-lactam antibiotics, streptomycin/spectinomycin and sulphonamides is closely related to antibiotic resistance segments found in IncW plasmids and in Tn21-like transposons. (1987). *Nucleic Acids Res.* 15: (7) 491-501.
- Hansson, K., Sundstrom, L., Pelletier, A., (2002). *IntI2* integron integrase in Tn7. *J Bacteriol.* 184:1712-1721.
- Heir, E., Lindsted, B.-A., Leagard, T.M., Gjernes, E., Kapperud, G., (2004). *Ann.Clin.Microbiol. Antimicrob.* 43:12.
- Huovinen, P., Sundstrom, L., Swedberg, G., and Skold, O. (1995) Trimethoprim and Sulphonamide resistance. *J Antimicrob.Agents. Chemother.* 39 (2): 279-289.
- Ilyina, T.S. (2012). Mobile ISCR elements: Structure, functions and role in emergence, increase, and spread of blocks of bacteria multiple antibiotic resistance genes. *Mol. Genet.,Microbiol. Virol.* 27(4): 135-146.

- Jacoby, G.A., and Munoz-Price, L.S. (2005).The new β -lactamases. *N Engl J Med.* 352:380-391.
- Johnson, T. J., Wannemuehler, Y.M., Johnson, S.J., Louge, D.G., White, C, Doekott, C., and Nolam, L.K., (2007). Plasmid replicon typing of commensal and pathogenic *Escherichia coli* isolates. *Appl. Environ. Microbiol.* 73:1976-1983.
- Johnson, T.J., Jordon, D., Stell, A. L., Bell, N.P., Yvonne, M., Alarkon, C. F., et al (2007). Sequence analysis and characterization of transferable hybrid plasmid encoding multidrug resistance and enabling zoonotic potential for extraintestinal *E.coli*. *Infect. Immun.* 78, 1931-1942.
- Kalpan J.M., Goretski, S.A., Keith, S., Calfordr, L.,(1990). Cost of antibiotic therapy for infants and children. *Pediatr Infect Dis.* 9:722-728.
- Kang, C.I., Kim, S.H., Park, W.B., Lee, K.D., Kim, H.B., Oh, M.D.,and Choe, K.W.(2005). Risk factors for antimicrobial resistance and influence of resistance on mortality in patients with bloodstream infection caused by *Pseudomonas aeruginosa*. *Microb. Drug. Resist.* 11:68-74.
- Kapil, A., (2005). The challenge of antibiotic resistance: Need to contemplate. *Indian J. Med. Res.* 121: 83-91.
- Kapil, A., Ayyagari, A., Garg, R.K., Agarwal, K.C. (1994). *S.typhi* with transferable cholramphenicol resistance isolated in Chandigarh during 1983-87. *Indian.J. Pathol. Microbiol.* 37:179-183.
- Kapil, A., Renuka, K., Das, B., (2002). Nalidixic acid susceptibility test to screen ciprofloxacin resistance in *Salmonella typhi*. *Indian. J. Med.Res.* 115:49-54.

- Kazama, H., Kizu, K., Iwaski, M., et al., (1995). Isolation and structure of a new integron that included a streptomycin resistance gene from the R plasmid of *Pseudomonas aeruginosa*. *FEMS Microbiol Lett.* 134, 137-141.
- Koeleman, J.G.M., Stoof, J., Van Der Bijl, M.W., Vandenbroucke-Grauls , C.M.J.E., Savelkoul, P.H.M. (2001). Identification of Epidemic Strains of *Acinetobacter baumannii* by Integrase Gene PCR. *J. Clin. Microbiol;* 39: 8-13.
- Kor.S.b, Choo. Q.C. and Chew Ch. (2013) New integron gene arrays from multiresistant clinical isolates of members of the *Enterobacteriaceae* and *Pseudomonas aeruginosa* from Hospital in Malaysia. *J Med Microbiol.* 62:412-420.
- Kumar, A., Chakraborti, S., Joshi, Chakrabarti P, and Chakraborty, R.A., (2011). Multiple antibiotic and serum resistant oligotrophic strain, *klebsiella pneumonia* MB45 having novel *dfrA30*, is sensitive to ZnO QDs. *Annals. Antimicrob. Chemother.* 10-19.
- Kunin, V., Shaomei, He., Falk. W., Pertson, B., Martin, H.G., Haynes, M., Ivanova, N., Blackall, L., Breitbard, M., Rohwer, F., Mamahon, K., and Hugenholtz, P., (2008). A bacterial metapopulation adapts locally to phage predation despite global dispersal. *Genome Res.* 18:293-297.
- Lawrence J.G., (1999). Gene transfer, speciation, and the evolution of bacterial genomes. *Curr. Opin. Microbiol.* 2:519-523.
- Lee, J.C., Jae, Y.O., Jae, W. C., Jong, C.P., Jung, M.K., Sung, Y.S., and Dong, T.C. (2001). The prevalence of trimethoprim-resistance-confering

dihydrofolate reductase genes in urinary isolates of *Escherichia coli* in Korea. *J Antimicrob. Chemother.* 47: 599-604.

- Levesque, C., Piche, L., Larose, C. and Roy, P.H., (1995). PCR Mapping of Integrons Reveals Several Novel Combinations of Resistance Genes. *Antimicrob Agents Chemother.* 39(1):185-191.
- Li, X.Z., Nikaido, H., (2004) Efflux-mediated drug resistance in bacteria. *Drugs.* 64:159-204. [PubMed: 14717618].
- Liebert, C.A., Hall, R. M., and Summers, A.O., (1999). Transposon Tn21, flagship of the floating genome. *Microbiol. Mol. Biol. Rev.* 63: 507-522.
- Livermore, D.M., (2007). CTX-M: Changing the face of ESBLs in Europe. *J. Antimicrob. Chemother.* 59:165-174.
- Mahillon, J., And Chandler, M., (1998). Insertion Sequences. *Microbiol. Mol. Bio. Rev.* 62 (3):725-774.
- Martinez, E., and de la Cruz, F., (1988). Tranposons Tn21 encodes a RecA-independent site-specific integration system. *Mol. Gen. Genet.* 211: 320-325.
- Martinez, E., and F.de.la. Cruz. (1990). Genetic elements involved in Tn21 site specific integration, a novel mechanism for the dissemination of antibiotic resistance genes. *EMBO.J* 9:1275-1281.
- Martinez, J.L., (2008). Antibiotics and antibiotic resistance genes in natural environments. *Science.* 321: 365-367.
- Mazel, D., (2004). Integrons and the origin of antibiotic resistance gene cassettes. *ASM News.* 770: 520-525.

- Mazel, D., (2006). Integrons: agents of bacterial evolution. *Nat.Rev.Microbiol.* 4:608-620.
- Mazel, D., Dychinco. B., Webb, V.A., and Davies, J. (1998). A distinct class of integron in the *Vibrio cholera* genome. *Science*. 280:605-608.
- Mejia-Diaz, D. J.J., Cuevas, A., Rosas, I., Souza, V., (2008). An analysis of the evolutionary relationships of integron integrases, with emphasis on the prevalence of class I integrons in *Eschrichia coli* isolates from clinical and environmental origins. *Microbiology*. 154:94-102.
- Mothai, E., Grape, M., Kronvall, G., (2004). Integron and multidrug resistance among *E.coli* causing community acquired urinary tract infection in southern India. *J.APMIS*. 112(3) 109: 164.
- Moura, A., Soares, M., Pereira,C., Leitao, N., Henriques, I., Correia, A., (2009). INTEGRALL: a database and search engine for integrons, integrases and gene cassettes. *Bioinformatics*. 25:1096-1098.
- Nakaido, H., (2009). Multidrug resistance in Bacteria. *Annu Rev Biochem*. 2009; 78: 119-146.
- Nakaya, R., Nakamura, A., and Murata, Y., (1960). Resistance transfer agents in Shigella. *Biochem. Biophys. Res Commun.* 3: 654-659.
- Ndi, O.L., and Barton, M.D., (2011). Incidence of class 1 integron and other antibiotic resistance determinants in *Aeromonas* spp. From rainbow trout farms in Australia. *J.Fish.Dis.* 34(8): 589-599.
- Ochman, H., Lawewnce. J.G., Groisman, E.A., (2000). Lateral gene transfer and the nature of bectarial innovation. *Nature*. 405:299-304. [PubMed: 10830951].

- Owen, D.S., Remi, M.A., Lee, W.R., (2006). Origin of Class 1 and Class 2 Integrons a Gene Cassettes in a Popular-Based Sample of Uropathogenic *Escherichia coli*. *J Clin. Microbiol.* 44(4): 1347-1351.
- Pallecchi, L., Bortoni, A., Fiorelli, C., Mantella, A., Di Maggio, T., Gamboa, H., Gotuzzo, E., Kronvall, G., Paradisi, F., and Rosolini, G.M. (2007). Rapid dissemination and diversity of CTX-M expended spectrum β -lactamase genes in commensal *Escherichia coli* isolates from healthy children in Bolivia and Peru. *Antimicrob. Agents. Chmother.* 48:4556-4561.
- Partridge, S.R., Brown, H.J., Hall, R.M., (2002). Characterization and movement of the class 1 integron known as Tn2521 and Tn1405. *Antimicrob Agents Chemother*; 46: 1288–1294.
- Patridge, S. R., Tsafnat, G., Coiera, E., and Iredell, J. R. (2009). Gene cassettes and cassette array in mobile resistance integrons. *FEMS Microbiol. Rev.* 33: 757-784.
- Paulsen, I. T., Littlejohn, T. G., Radstrom, P., Sundstrom, I., Skold, O., Swedberg, G., and Skurray, R. A. (1993). The 3' conserved segment of integrons contains a gene associated with multidrug resistance to antiseptics and disinfectants. *Anitimicrob. Agents Chemother.* 37:761-768.
- Perreten, V., and Boerlin, P., (2003). A new sulphonamide resistance gene (*sul3*) in *Escherichia coli* is widespread in the pig population of Switzerland. *J. Antimicrob. Agents Chemother.* 47:1169–1172.
- Peters, J.E., and Carig. N.I., (2001). Tn7: Smarter than we thought. *Nat.Rev. Mol.Cell.Bio.* 2:806-814.

- Poirel, L., Magalhaes, M., Lope, M., and Nordmann, P., (2004). Molecular analysis of metallo-beta-lactamase gene bla(SPM I)-surrounding sequences from disseminated *Pseudomonas aeruginosa* isolates in Recife, Brazil. *Antimicrob. Agents. Chemother.* 48:1406-1409.
- Radstrom, P., Fermer, C., Kristiansen, B.-E., Jenkins, A., Skold, O., and Swedberg, G., (1992). Transformational exchanges in the dihydropteroate synthase gene of *Neisseria meningitidis*, a novel mechanism for the acquisition of sulphonamide resistance. *J. Bacteriol.* 174:6386-6393.
- Ramamurthy, T., Rajendran, K., Garg, P., Shimada, T., Basu, A., Chowdhury, N.R., et al. Cluster analysis & patterns pf dissemination of multidrug resistance among clinical strains of *Vibrio cholera* in Calcutta, India. *Indian J Med Res 2000; 112:* 78-85.
- Ramirez, M.S., Pineiro, S. And Centron, D. (2010). Novel insights about class 2 integrons from experimental and genomic epidemiology. *Antimicro. Agents Chemother.* 54 (2):699-706.
- Recchia, G.D., and Hall, R.M., (1995). Gene cassettes: a new class of mobile element. *Microbiology*.15:593-600.
- Recchia, G.D., and Hall, R.M., (1997). Origins of the mobile gene cassettes found in intgerons. *Trends of Microbiol. Rev.* 5(10):389—394.
- Recchia, G.D., Hall, R.M., (1995). Gene cassettes: a new class of mobile element. *Microbiology* 141: 3015–3027.
- Renee, S.L., Ruth, M.H., Diane, L., and Steven, P.D., (2006). *linG* a new integron associated gene cassette encoding a lincosamide nucleotidyltransferase. *J Antimicrib Chemother.* 50(10):3514-3515.

- Roberts, J.A., Krikpatrick, C.M., and Lipman, J., (2012). Maximum antibiotic pharmacokinetic data to optimize clinical practice for critically ill patients . *J. Antimicrobi. Agents.* 66:227-231.
- Rowe-Magus, D.A., Guerout, A.M., Ploncard, P. et al. (2001). The evolutionary history of chromosomal super-integrons provides an ancestry for multiresistant integrons. *Proc.Natl Acad Sci USA*.98:652-657.
- Sandvang, D., Aarestrup, F.M., and Jensen, L.B., (1998). Characterization of integrons and antibiotic resistance genes in Danish multiresistant *Salmonella typhimurium* DT104. *FEMS Microbiology Lett.* 160:37-41.
- Schmidt, H., von Maldeghem. J., Frosch, M., Karach, H., (1989). Antibiotic susceptibilities of verocytotoxin –producing *Escherichia coli* O157:H7 and non-O157 strains isolated. *J. Vet. Adv.* 2(5): 209—215.
- Sharples , G.J., and Liroyd, R.G., (1990). A novel repeated DNA sequence located in the intergenic regions of bacterial chromosome. *Nucleic Acids Res* 18(22): 6503-6508.
- Stalder, T., Berraud, O., Casellas, M., Dagot, C., Ploy, M.C. (2012). Integron involment in environmental spread of antibiotic resistance. *Front. Microbiol* 3:1-13.
- Stokes, H. W., A. J. Holmes, B. S. Nield, M. P. Holley, K. M. Nevalainen, B. C. Mabbutt, and M. R. Gillings. (2001). Gene cassette PCR: sequence-independent recovery of entire genes from environmental DNA. *Appl. Environ. Microbiol.* 67:5240–5246.

- Stokes, H. W., and Hall. R.M. (1989).A novel family of potentially mobile DNA elements encoding site-specific gene integration functions: integrons. *Mol. Microbiol.*3:1669-1683.
- Stokes, H.W., O'Gorman, D.B., Recchia, M., and Hall, R.M. (1997). Structure and function of 59-base element recombination sites associated with mobile gene cassettes. *Mol. Microbiol.* 3:1669-1683.
- Stokes, H.W., Tomaras, C., Parsons, Y., Hall, R.M., (1993). The partial 3'-conserved segment duplications in the integrons *In6* from *pSa* and *In7* from pDGO100 have a common origin. *Plasmid* 30: 39–50.
- Summers, A.O., (2006) Genetic linkage and horizontal gene transfer, the roots of the antibiotic multi-resistance problem. *Anim. Biotechnol.* 17, 125-135.
- Sunde, M., (2005). Prevalence and characterization of class 1 and class 2 integrons in *Escherichia coli* isolated from meat and meat products of Norwegian origin. *J. Antimicrob Chemother.* 56. 1091-1024.
- Sundstrom, L., and Skold. O., (1990). The *dhfrI* trimethoprim resistance gene of *Tn7* can be found at specific sites in other genetic surroundings. *Antimicrob. Agents. Chemother.* 34:642-650.
- Tajbakhsh, M., Hendriksen, R.S., Nochi, Z, et al, (2015). Antimicrobial resistance in *Salmonella* spp. Recovered from patients admitted to six different hospitals in Tehran. Iran from 2007-2008. *Folia Microbiologica* 57: 91-97.
- Takavoli, N., Comanducci, A., Dodd, H.M., Lett, M.C., Albiger, B., and Benntt, P., (2000). IS1294, a DNA element that transposes by RC transposition. *Plasmid*. 44:66-84.

- Talbot, G.H., et al (2006). Bad bugs need drugs: An update on the development pipeline from the antimicrobial availability task force of the infectious diseases society of america. *Clin. Infect. Dis.* 42, 657-668.
- Thirunarayanan, M.A., Jesudason, M.V., John, T.J. , (1993a). Resistance of Shigella to nalidixic acid and fluorinated quinolones. *Indian. J. Med. Res.* 97:239-241.
- Toleman, M.A., and Walsh, T.R. (2010). ISCR elements are key players in IncA/C plasmid evolution. *Antimicrob. Agents. Chemother.* 54:3534.
- Toleman, M.A., Bennett, P.M., Walsh, T.R., (2006). ISCR elements: novel gene-capturing systems of the 21st century? *Microbiol. Mol. Biol. Rev.* 70:296-316.[PubMed: 16760305]
- Toleman, M.A., Biedenbach, D., Bennette, D. Jones, R.N. and Walsh, T.R. (2003). Genetic characterization of a novel metallo-beta-lactamase gene, bla_{IMP}, harboured by a novel Tn5051-type transposon disseminating carbapenemase genes in Europe: report from the SENTRY worldwide antimicrobial surveillance programme. *J. Antimicrob. Chemother.* 52: 583-590.
- Vanderveen EL, Rovers MM, Alberts FW, Fluit AC, Bonten MJ, Leverstein –Van Hall MA. (2007). Effectiveness of trimethoprim /sulfamethoxazole for children with chronic active otitis media: a randomized, placebo-controlled trial. *Pediatrics*; 119:897-904.
- Vanhoek, A.H.A.M., Mevius, D., Guerra. B., Mullany.P., Roberts, A.P., and Aarts, H.J..M. (2011). Acquired antibiotic resistance genes: an overview. *Frontiers. Microbiol.* 203 (2):1-27.

- Versalovic, J., Koueth, T., and Lupski, J.R., (1991). Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic Acid. Res.* 19: 6823-6831.
- Villa, L., Garcia-Fernandez, A., Fortin, D.,and Carattoli, A., (2010). Replicon sequence typing of IncF plasmid carrying virulence and resistance determinants. *J. Antimicrob . Chemother.* 65:2518-2529.
- Wei .M.-J., and Milao, H., (2004). Reversing multidrug resistance by tyrosine kinase inhibitors. *Chin. J.Cancer.* 31(3): 126-133.
- White, P.A, McIver, C.J., Deng, Y.M., Rawlinson, W.D. (2000) Characterisation of two new gene cassettes, *aadA5* and *dfrA17*. *FEMS Microbiol Lett.* 182: 265–269.
- White, P.A., McIver, C.J. and Rawlinson, W.D. (2001). Integron and gene cassettes in the Enterobacteriaceae. *Antimicro. Agents Chemother.* 45(9):2658-2661.
- Whittam, T.S., (1996). Genetic variation and evolutionary processes in natural populations *Escherichia coli*; in *Escherichia coli* and *Salmonella typhomurium: Cell. Mol. Bio.* 2nd edition (edi): 2708-2720.
- Wilkins, B.M., (1995). Gene transfer by bacterial conjugation: diversity of systems and functional specifications. In: Baumberg S, Young JPW (eds). *Society for General Microbiology Symposium 52, Population Genetics of Bacteria*. Cambridge University Press: Cambridge,59–88.
- WILLETTS, N.S.A. J. CLARK and B. low (1984). Genetic location of certain mutations conferring recombination deficiency in *Escherichia coli*. *J. Bacteriol.* 97:244-249.

- Willis, C. et al (1999). Antibiotics in the food chain: their impact on the consumer. *Rev. Med. Microbiol.* 11:175-80.
- Woodford, N., Caratollli, A., Karisik, E., Underwood, A., Ellington, M.I.,and Livermore.D.M (2009). Complete nucleotide sequences of plasmid pEK204, pEK499, and pEK516, encoding CTX-M enzymes in three major *Escherichia coli* lineages from the United Kingdom, all belonging to the International O25:H4ST131 clone. *Antimicrob. Agents. Chemother.* 53:4472-4482.
- Wozniak, R.A., and Waldor, M.k. (2010). Integrative and conjugative elements:mosaic mobile genetic elements enabling dynamic lateral gene flow. *Nat.Rev.Microbiol.* 8 (8):552-563.
- Wright, G.D., and Sutherland, A.D. (2007). New strategies for combating multidrug-resistant bacteria. *Trends Mol Med.* 13 (6): 260-267.
- YU, H.S., Lee, J.C., Kang, H.Y., Jeong, Y.S., Lee, E.Y., Choi, C.H., Tae, S.H., Lee, Y.C., Seol,S.Y. and Choo, D.T. (2004). Prevalence of *dfr* genes associated with integrons and dissemination of *dhfrA17* among urinary isolates of *Escherichia coli* in korea. *J. Antimicrob.Chemother.* 53:445-450.
- Yu, H.S., Lee, J.C., Kang, H.Y., Ro, D.W., Chung, J.Y., Jeong, Y.S., Tae, S.H., Choi, C.H., Lee, E.Y., Seol, .SY., Lee, Y.C. and Cho, D.T. (2003). Changes in gene cassettes of class 1 integrons among *Escherichia coli* isolates from urine specimens Collected in Korea during the Last Two Decades. *J. Clin. Microbiol.* 41(12): 5429-5433.
- Yu, H.S., Lee, J.C., Kang, H.Y., Ro, D.W., Chung, J.Y., Jeong, Y.S., Tae, S.H., Choi, C.H., Lee, Scol, S.Y., Lee,Y.C., Chao.D,T., (2003).

Changes in gene cassettes of class 1 integrons among *Escherichia coli* isolates from Urine specimens collected in Korea during the last two decades. *J. Clin. Microbiol.* 41(12).5429-5433.

- Zhao, S., Qaiyumi, S., Friedman, S et al. (2003). Characterization of *Salmonella* enteric serotype Newport isolated from humans and food animals. *J. Clin. Microbiol.* 41:5366-5371.