

CHAPTER-7

BIBLIOGRAPHY

Probal
[Pick the date]

1. **Aarestrup FM, Larsen HD, Eriksen NH, Elsberg CS, Jensen NE (1999)**
Frequency of alpha- and beta-haemolysin in *Staphylococcus aureus* of bovine and human origin. A comparison between pheno- and genotype and variation in phenotypic expression. *Acta Pathol Microbiol Immunol Scand* **107**: 425–430.
2. **Abera M, Demie B, Aragaw K, Regassa F, Regassa A (2010)** Isolation and identification of *Staphylococcus aureus* from bovine mastitic milk and their drug resistance patterns in Adama town Ethiopia. *J Vet Med Anim Health* **2**(3): 29-34.
3. **Ager S, Gould K (2012)** Clinical update on linezolid in the treatment of grampositive bacterial infections. *Infect Drug Resist* **5**: 87-102.
4. **Ahmad S (2010)** Prevalence of *Staphylococcus aureus* colonization among healthcare workers at a specialist hospital in Saudi Arabia. *J Clin Diagn Res* **4**:2438-41.
5. **Akineden Ö, Annemüller C, Hassan AA, Lämmler C, Wolter W, Zschöck M (2001)** Toxin genes and other characteristics of *Staphylococcus aureus* isolates from milk of cows with mastitis. *Clin Diagn Lab Immunol* **8**: 959–964.
6. **Akineden Ö, Hassan AA, Schneider E, Usleber E (2008)** Enterotoxigenic properties of *Staphylococcus aureus* isolated from goats' milk cheese. *Int J Food Microbiol* **124**: 211-216.
7. **Akinjogunla, OJ, Enabulele OI (2010)** Virulence factors, plasmid profiling and curing analysis of multi-drug resistant *Staphylococcus aureus* and coagulase negative *Staphylococcus spp.* isolated from patients with acute otitis media. *J Am Sci* **6**: 1022-1033.
8. **Alfatemi SM, Motamedifar M, Hadi N, Saraie HS (2014)** Analysis of Virulence Genes Among Methicillin Resistant *Staphylococcus aureus* (MRSA) Strains. Jundishapur. *J Microbiol*. **7**(6): e10741.

9. **Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ (1997)** BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**: Gapped 3389–3402.
10. **Ammendolia MG, Rosa RD, Montanaro L, Arciola CR, Baldassarri L (1999)** Slime production and expression of slim– associated antigen by staphylococcal clinical isolates. *J Clin Microbiol* **37**:3235–8.
11. **Arciola CR, Campoccia D, Gamberini S, Cervellati M, Donati E, Montanaro L (2002)** Detection of slime production by means of an optimised Congo red agar plate test based on a colourimetric scale in *Staphylococcus epidermidis*. Clinical isolates genotyped for *ica* locus. *Biomaterials*. **23**: 4233-4239.
12. **Argudin MA, Mendoza MC, Rodicio MR (2010)** Food poisoning and *Staphylococcus aureus* enterotoxins. *Toxins* **2**(7): 1751–1773.
13. **Atshan SS, Shamsudin MN (2011)** Evaluation of phenotypic and genotypic detection methods for biofilm-forming methicillin sensitive and methicillin-resistant *Staphylococcus aureus* clinical isolates. *Ann Microbiol* DOI 10.1007/s13213-011-0201-1 – in press.
14. **Atshan SS, Nor Shamsudin M, Sekawi Z, Lung LT, Hamat RA, Karunanidhi A, et al. (2012)**. Prevalence of adhesion and regulation of biofilm-related genes in different clones of *Staphylococcus aureus*. *J Biomed Biotechnol* **9**: 769-72.
15. **Bannerman TL 2003.** *Staphylococcus, Micrococcus*, and other catalase-positive cocci that grow aerobically. InPR Murray, EJ Baron, JH Jorgensen, MA Pfaffer, RH Yolken (eds), *Manual of Clinical Microbiology*, American Society Microbiology, Washington, p. 384-404.

16. **Barber M, Waterworth (1962)** Coagulase positive *Staphylococcus* resistant to benzyl penicillin, methicillin and other penicillins. Ciba found study group **13**: 89-102.
17. **Barber M (1961)** Methicillin-resistant staphylococci, *J Clin Pathol* **14**: 385-393.
18. **Baron EJ, Peterson LR. and Finegold, SM (1994)** Bailey Scott's Diagnostic Microbiology. 9th ed. Mosby-Year Book, Inc., Library of Congress Cataloging, 493.
19. **Bautista L, Gasya P, Medina M, Nunea M. (1988).** A quantitative study of enterotoxin production by sheep milk staphylococci. *Appl Environ Microbiol* **54**: 566-569.
20. **Beck HS, Wise WS, and Dodd FH (1992)** Cost benefits analysis of bovine mastitis in the uk. *J Dairy Res* **59**: 449-60.
21. **Bennett RW, Yeterian M, Smith W, Coles CM, Sassaman M, McClure FD (1986)** *Staphylococcus aureus* identification characteristics and toxigenicity. *J Food Sci* **51**: 1337 – 1339.
22. **Beveridge J (2000)** Ultrastructure of gram-positive cell walls, p. 3-10. In V. A. Fishetti, R. P. Novick, J. J. Feretti, D. A. Portnoy, and J. I. Rood (ed.), Gram-positive pathogens. ASM Press, Washington, D.C.
23. **Bhavsar R, Garala NJ, Garala RN, Patel P, Javadekar TB, Patel H, Tadvi J, Mehta K (2015)** Antimicrobial susceptibility pattern of methicillin resistant *Staphylococcus aureus* isolated from various clinical samples at SSG hospital, Baroda. *J Res Med Dent Sci* **3(1)**: 43-6.
24. **Bohach GA and Foster TJ (1999)** *Staphylococcus aureus* exotoxins. p. 367-375. In: Fischetti VA, Novick RP, Ferretti JJ, Portnoy DA, Rood JI (ed.). Gram positive pathogens. American society for microbiology, Washington DC.

25. **Bone FJ, Bogie D, Morgan-Jones SC (1989)** *Staphylococcal* food poisoning from sheep milk cheese. *Epidemiol Infect* **103**: 449-458.
26. **Booth MC, Pence LM, Mahasreshti P, Callegan MC and Gilmore MS (2001)** Clonal associations among *Staphylococcus aureus* isolates from various sites of infection. *Infect Immun* **69**: 345–352.
27. **Boyce J, Potter-Bynoe G, Chenevert C, King T (1997)** Environmental contamination due to methicillin-resistant *Staphylococcus aureus*: possible infection control implications. *Infect Control Hosp Epidemiol* **18**: 622–627.
28. **Boyce JM (2007)** Environmental contamination makes an important contribution to hospital infection. *J Hosp Infect* **65(2)**: 50-4.
29. **Bradshaw SE (2003)** Endocarditis due to *Staphylococcus aureus* after a minor dog bite. *South Med J* **96**: 407-9.
30. **Cafiso V, Bertuccio T, Santagati M, Demelio V, Spina D, Nicoletti G, Stefani S (2007)** agr-Genotyping and transcriptional analysis of biofilm-producing *Staphylococcus aureus*. *FEMS Immunol Med Microbiol* **51(1)**: 220-227.
31. **Cerca N, Jefferson KK, Maira-Litran T, Pier DB, Kelly-Quintos C, Goldmann DA, Azeredo J, and Pier GB (2007)** Molecular basis for preferential protective efficacy of antibodies directed to the poorly acetylated form of staphylococcal poly-N-acetyl-beta-(1-6)- glucosamine. *Infect Immun* **75**: 3406-3413.
32. **Christensen GD, Simpsonv WA, Yonger JJ, Baddor LM, Barrett FF, Melton DM, Beachey EH (1985)** Adherence of coagulase-negative *Staphylococci* to plastic tissue culture plates: a quantitative model for the adherence of *Staphylococci* to medical devices. *J Clin Microbiol* **22**: 996–1006.

33. **Coates T, Bax R, Coates A (2009)** Nasal decolonization of *Staphylococcus aureus* with mupirocin: strengths, weaknesses and future prospects. *J Antimicrob Chemother* **64(1)**: 9–15.
34. **Chambers H, DeLeo F (2009)** Waves of resistance: *Staphylococcus aureus* in the antibiotic era. *Nat Rev Microbiol* **7(9)**: 629-641.
35. **Chang TC, Huang SH (1995)** Evaluation of coagulase activity and protein A production for the identification of *Staphylococcus aureus*. *J. Food Prot* **58**: 858-862.
36. **Chao G, Zhou X, Jiao X, Qian X, Xu L (2007)** Prevalence and antimicrobial resistance of foodborne pathogens isolated from food products in China. *Foodborne Pathog Dis* **4**: 277-284.
37. **Ciftci A, Findik A, Onuk EE, Savasan S (2009)** Detection of methicillin resistance and slime factor production of *Staphylococcus aureus* in bovine mastitis. *Brazilian J Microbiol* **40**: 254–261.
38. **Clinical and Laboratory Standards Institute (2008)** Performance standards for antimicrobial disk and dilution susceptibility tests for bacteria isolated from animals.
39. **Coelho SM, Reinoso E, Pereira IA, Soares LC, Demo M, Bogni C, Souza MMS (2009)** Virulence factors and antimicrobial resistance in *Staphylococcus aureus* isolated from bovine mastitis in Rio de Janeiro. *Pesquisa Veterinária Brasileira* **29(5)**: 369-374.
40. **Cramton SE, Gerke C, Schnell NF, Nichols WW, Gotz F (1999)** The intercellular adhesion (*ica*) locus is present in *Staphylococcus aureus* and is required for biofilm formation. *Infect Immun* **67**: 5427-5433.
41. **Cramton SE, Ulrich M, Gotz F, Doring G (2001)** Anaerobic conditions induce expression of polysaccharide intercellular adhesin in *Staphylococcus aureus* and *Staphylococcus epidermidis*, *Infect Immun* **69**: 4079-4085.

42. **Croes S, Deurenberg RH, Boumans ML, Beisser PS, Neef C, Stobberingh EE (2009)** *Staphylococcus aureus* biofilm formation at the physiologic glucose concentration depends on the *S. aureus* lineage. *BMC Microbiol* **9**:229.
43. **Crossley KB, Archer G (1997)**. The *staphylococci* in human disease. Churchill Livingstone, New York ; Edinburgh.
44. **Cucarella C, Solano C, Valle J, Amorena B, Lasa I, and Penades JR (2001)** Bap, a *Staphylococcus aureus* surface protein involved in biofilm formation, *J Bacteriol* **183**: 2888-2896.
45. **Cucarella C, Tormo MA, Ubeda C, Trotonda MP, Monzon M, Peris C, Amorena B, et al., (2004)** Role of biofilm-associated protein Bap in the pathogenesis of bovine *Staphylococcus aureus*. *Infect Immun* **72**: 2177–2185.
46. **Cuny C, Kuemmerle J, Stanek C, Willey B, Strommenger B, Witte W (2006)** Emergence of MRSA infections in horses in a veterinary hospital: Strain, characterisation and comparison with MRSA from humans. *Euro Surveill* **11(1)**: 10-15.
47. **Da Silva E, Do Carmo L, Da Silva N (2005)** Detection of enterotoxins A, B, and C genes in *Staphylococcus aureus* from goat and bovine mastitis in Brazilian dairy herds. *Vet Microbiol* **106**: 103-107.
48. **Dancer SJ, Noble WC (1991)** Nasal, axillary, and perineal carriage of *Staphylococcus aureus* among women: identification of strains producing epidermolytic toxin. *J Clin Pathol* **44**: 681-684.
49. **Dar JA, Thoker MA, Khan JA, Ali A, Khan MA, Rizwan M, Bhat KH, et al., (2006)** Molecular epidemiology of clinical and carrier strains of methicillin resistant *S. aureus* (MRSA) in the hospital settings of North India. *Ann Clin Microbiol Antimicrob* **5**: 22.

50. **de Almeida LM, de Almeida MZ, de Mendonça CL, Mamizuka EM (2013)**
Comparative analysis of *agr* groups and virulence genes among subclinical and clinical mastitis *Staphylococcus aureus* isolates from sheep flocks of the Northeast of Brazil. *Braz J Microbiol* **44**(2): 493-498.
51. **de Boer E, Zwartkruis-Nahuis JT, Wit B, Huijsdens XW, de Neeling AJ, Bosch T, van Oosterom RA, Vila A, Heuvelink AE (2009)** Prevalence of methicillin-resistant *Staphylococcus aureus* in meat. *Int J Food Microbiol* **134**: 52-6.
52. **De Oliveira AP, Watts JL, Salmon SA Aarestrup FM (2000)** Antimicrobial susceptibility of *Staphylococcus aureus* isolated from bovine mastitis in Europe and the United States. *J Dairy Sci* **83**: 855–862.
53. **De Silva GDI, Kantzanou M, Justice A, Massey RC, Wilkinson AR, Day NP, Peacock SJ (2002)** The *ica* operon and biofilm production in coagulase-negative staphylococci associated with carriage and disease in a neonatal intensive care unit. *J Clin Microbiol* **40**: 382–388.
54. **De Vos P, Garrity GM, Jones D, Krieg NR, Ludwig W, Rainey FA, Schleifer KH, Whitman WB (Eds.) (2009)** Bergey's Manual of Systematic Bacteriology, The Firmicutes. Dordrecht Heidelberg London New York: Springer 3.
55. **DeLeo F, Otto M, Kreiswirth B, Chambers H (2010)** Community associated meticillin-resistant *Staphylococcus aureus*. *Lancet* **375**:1557-1568.
56. **Deurenberg RH, Vink C, Kalenic S, Friedrich AW, Bruggeman CA, Stobberingh EE (2007)** The molecular evolution of methicillin-resistant *Staphylococcus aureus*. *Clin Microbiol Infect* **13**(3): 222-35.
57. **Dhanawade NB, Kalorey DR, Srinivasan R, Barbuddhe SB, Kurkure NV (2010)**
Detection of intercellular adhesion genes and biofilm production in *Staphylococcus aureus* isolated from bovine subclinical mastitis. *Vet Res Commun* **34**: 81 – 89.

58. **Diekema DJ, Boots MB, Vaughn TE(2004)** Antimicrobial resistance trends and outbreaks frequency in US Hospitals. *Clin Infect Dis* **38**(1):78-85.
59. **Dinges MM, Orwin PM, Schlievert PM (2000)** Exotoxins of *Staphylococcus aureus*. *Clin Microbiol Rev* **13**(1):16-34.
60. **Dobinsky S, Kiel K, Rohde H, Bartscht K, Knobloch JK, Horstkotte MA, Mack D (2003)** Glucose-related dissociation between icaADBC transcription and biofilm expression by *Staphylococcus epidermidis*: evidence for an additional factor required for polysaccharide intercellular adhesin synthesis. *J Bacteriol* **185**(9): 2879-86.
61. **Doery HM, Magnusson BJ, Cheyne IM, Sulasekharam J (1963)** A phospholipase in *Staphylococcal* toxin which hydrolyses sphingomyelin. *Nature* **198**: 1091–1092.
62. **Eady EA, Cove JH (2003)** *Staphylococcal* resistance revisited: community-acquired methicillin resistant *Staphylococcus aureus*: an emerging problem for the management of skin and soft tissue infections. *Curr Opin Infect Dis* **16**: 103–124.
63. **Eftekhari F, Dadaei T (2011)** Biofilm Formation and Detection of IcaAB Genes in Clinical Isolates of Methicillin Resistant *Staphylococcus aureus*. *Iran J Basic Med Sci* **14**(2): 132-136.
64. **El-Gayar, Mona H, Aboulwafa, Mohammad M, Aboshanab, Khaled M, et al., (2014)** Virulence characters of some methicillin resistant *Staphylococcus aureus* isolates. *AC Microb* **5**:1-14.
65. **Enright CM, Day PJ, Davies EC, sprat GB (2000)** Multilocus sequence typing for characterization of methicillin resistant and methicillin-susceptible clones of *Staphylococcus aureus*. *J Clin Microbiol* **38**: 1008-1015.
66. **Enright MC, Robinson DA, Randle G, Feil EJ, G rundmann H, Spratt BG (2002)** The evolutionary history of methicillin-resistant *Staphylococcus aureus* (MRSA). *Proc Natt Acad Sci USA* **99**:7687–7692.

67. **Esteban J, Manso DM, Spiliopoulou I, Ampuero JC, Roblas RF, Foka A, and Barrena EG (2010)** Biofilm development by clinical isolates of *Staphylococcus* spp. from retrieved orthopedic prostheses *Acta Orthop* **81** (6): 674–679.
68. **Fayomi OD, Oyediran EIO, Adeyemo AT, and Oyekale OT (2011)** Prevalence and antibiotic resistance pattern of methicillin-resistance *S. aureus* among in-patients at a tertiary health facility in Ido-Ekiti, Nigeria. *The Internet J Lab Med* **4**(2).
69. **FDA (2012)** Bad bug book: Foodborne pathogenic microorganisms and natural toxins handbook (2nd ed) US Food and Drug Administration, Silver Spring : 87–92.
70. **Fitzpatrick F, Humphreys H, O'Gara JP (2005)** Evidence for *icaADBC* independent biofilm development mechanism in methicillin-resistant *Staphylococcus aureus* clinical isolates. *J Clin Microbiol* **43**: 1973–1976.
71. **Fitzpatrick F, Humphreys H, O'Gara JP (2005)** The genetics of staphylococcal biofilm formation—will a greater understanding of pathogenesis lead to better management of device-related infection? *Clin. Microbiol Infect* **11**: 967-973.
72. **Fluit AC, Visser MR, Schmitz FJ (2001)** Molecular detection of antimicrobial resistance. *Clin Microbiol Rev* **14**: 836–871.
73. **Foster TJ (2004)** The *Staphylococcus aureus* "superbug". *J Clin Invest.* **114**(12): 1693-6.
74. **Foster TJ (2005)** Immune evasion by staphylococci. *Nat Rev Microbiol* **3**: 948–958.
75. **Fowler VG, Fey PD, Reller LB, Chamis AL, Corey GR, Rupp ME (2001)** The intercellular adhesion (*ica*) locus is present in clinical isolates of *Staphylococcus aureus* from bacteremic patients with infected and uninfected prosthetic joints. *Med Microbiol Immunol* **189**: 127 – 131.
76. **Freeman DJ, Falkiner FR, Keane CT (1989)** New method for detecting slime production by coagulase negative staphylococci. *J Clin Pathol* **42**: 872–874.

77. **Gad GF, El-Feky MA, El-Rehewy MS, Hassan MA, Abolella H, El-Baky RM (2009)** Detection of *icaA*, *icaD* genes and biofilm production by *Staphylococcus aureus* and *Staphylococcus epidermidis* isolated from urinary tract catheterized patients. *J Infect Dev Ctries* **3(5)**: 342-351.
78. **Gemmell CG (1986)** Virulence characteristics of *Staphylococcus epidermidis*. *J Med Microbiol* **22**: 287-289.
79. **Gerke C, Kraft A, Sussmuth R, Schweitzer O, Gotz F (1998)** Characterization of the N-acetylglucosaminyltransferase activity involved in the biosynthesis of the *Staphylococcus epidermidis* polysaccharide intercellular adhesion. *J Biol Chem* **273**: 18586-18593.
80. **Gertz S, Engelmann S, Schmid R, Ziebandt AK, Tischer K, Scharf C, Hacker J, et al., (2000)** Characterization of the σ^B regulation in *Staphylococcus aureus*. *J Bacteriol* **182** : 6983–6991.
81. **Gharsa H, Sallem RB, Slama KB, Gómez-Sanz E, Lozano C, Jouini A, Klibi N, et al., (2012)** High Diversity of genetyic lineages and virulence gene in nasal *Staphylococcus aureus* isolates from donkeys destined to food consumption in Tunisia with predominance of the ruminant associated CC133 lineage. *BMC Vet Res* **8**: 203.
82. **Gillispie WA, Alter VG. (1952)** Production of capacity in egg yolk media by coagulase positive Staphylococci. *J Path Bact.* **64**: 187.
83. **Goerke C, Fluckiger U, Steinhuber A, Zimmerli W, Wolz C (2001)** Impact of the regulatory loci agr, sarA and sae of *Staphylococcus aureus* on the induction of alpha-toxin during device-related infection resolved by direct quantitative transcript analysis. *Mol Microbiol* **40**: 1439-1447.
84. **Gordon RJ, Lowy FD (2008)** Pathogenesis of methicillin-resistant *Staphylococcus aureus* infection. *Clin Infect Dis* **46**: S350–S359.

85. **Götz F (2002)** Staphylococcus and biofilms. *Mol Microbiol* **43**: 1367-1378.
86. **Goyal R, Kerketta P, Kumar P, Rawat M, Viswas NK, Agarwal RK (2014)**
Genotypic and phenotypic characterization of clinical isolates of *Staphylococcus aureus* for biofilm formation ability. *Adv Anim Vet Sci* **2(4)**: 233 – 238.
87. **Grinholc MG, Wegrzyn and Kurlenda J (2007)** Evaluation of biofilm production and prevalence of the *icaD* gene in methicillin resistant and methicillin-susceptible *Staphylococcus aureus* strains isolated from patients with nosocomial infections and carriers. *FEMS Immunol Med Microbiol* **50**: 375–379.
88. **Grundmann H, Aires-de-Sousa M, Boyce J, Tiemersma E (2006)** Emergence and resurgence of meticillin-resistant *Staphylococcus aureus* as a public-health threat. *The Lancet* **368**: 874–885.
89. **Gundogan N, Devren A (2010)** Protease and lipase activity of *Staphylococcus aureus* obtained from meat, chicken and meatball samples. *GU J Sci* **23(4)**: 381-384.
90. **Gundogan N, Ataol O (2013)** Biofilm, protease and lipase properties and antibiotic resistance profiles of staphylococci isolated from various foods. *Afr J Microbiol Res* **7(28)**: 3582-3588.
91. **Guyot A, Layer G (2006)** MRSA-'bug-bear' of a surgical practice: Reducing the incidence of MRSA surgical site infections. *Ann R Coll Surg Engl* **88**: 222-223.
92. **Haddadin RN, Saleh S, Al-Adham IS, Buultjens TE, Collier PJ (2010)** The effect of subminimal inhibitory concentrations of antibiotics on virulence factors expressed by *Staphylococcus aureus* biofilms. *J Appl Microbiol* **108**:1281–1291.
93. **Hamadi F, Latrache H, Mabrouki M, Elghmari A, Outzourhit A, Ellouali M, Chtaini A (2005)** Effect of pH on distribution and adhesion of *Staphylococcus aureus* to glass. *J Adhesion Sci Technol* **19**: 73-85.

94. **Handke LD, Conlon KM, Slater SR, Elbaruni S, Fitzpatrick F, Humphreys H, Giles WP, et al., (2004)** Genetic and phenotypic analysis of biofilm phenotypic variation in multiple *Staphylococcus epidermidis* isolates. *J Med Microbiol* **53**: 367-374.
95. **Hassan Ali N, Farooqui A, Khan A, Ameera Y, Khan AY, Kazmi SU 2010** Microbial contamination of raw meat and its environment in retail shops in Karachi, Pakistan. *J Infect Dev Ctries* **4(6)**: 382-388.
96. **Hartman BJ, Tomasz A (1984)** Low-affinity penicillin-binding protein associated with beta-lactam resistance in *Staphylococcus aureus*. *J Bacteriol* **158**: 513-516.
97. **Heilmann C, Gerke C, Perdreau-Remington F, Gotz F (1996)** Characterization of Tn917 insertion mutants of *Staphylococcus epidermidis* affected in biofilm formation. *Infect Immun* **64**: 277-282.
98. **Hendriksen RS, Mevius DJ, Schroeter A, Teale C, Meunier D, Butaye P, Franco A, et al., (2008)** Prevalence of antimicrobial resistance among bacterial pathogens isolated from cattle in different european countries: 2002-2004. *Acta Vet Scand* **50(1)**: 28-28.
99. **Hiramatsu K, Hanaki H, Ino T, Yabuta IC, Oguri T, Tenover FC (1997)** Methicillin resistant *Staphylococcus aureus* clinical strain with reduced vancomycin susceptibility. *The Lancet* :135 – 136.
100. **Hoerlle JL, Brandelli A (2009)** Antimicrobial resistance of *Staphylococcus aureus* isolated from the intensive care unit of a general hospital in southern Brazil. *Infect Dev Ctries* **3(7)**: 504-510.
101. **Holden et al., (2004)** Complete genomes of two clinical *Staphylococcus aureus* strains evidence for the rapid evolution of virulence and drug resistance. *Proc Natl Acad Sci USA* **101 (26)**: 9786 –9791.

102. **Huang SS, Yokoe, DS, Hinrichsen VL, et al., (2006)** Impact of routine intensive care unit surveillance cultures and resultant barrier precautions on hospital-wide methicillin-resistant *Staphylococcus aureus* bacteremia. *Clin Infect Dis* **43**: 971-8.
103. **Humphreys H, Keane C, Ret H. (1989)** Enterotoxin production by *Staphylococcus aureus* isolates from cases of septicaemia and from healthy carriers. *Med Microbiol* **28**: 163-172.
104. **Hussain FM, Boyle Vavras, Bethel CD, Daum RS (2000)** Current trends in community-acquired methicillin-resistant *Staphylococcus aureus* at a tertiary care pediatric facility. *Pediatr Infect Dis J* **19(12)**: 1163-1166.
105. **ICMSF (1996)** *Staphylococcus aureus*. Ch 17 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London : 299–333.
106. **Indian Network for Surveillance of Antimicrobial Resistance (INSAR) group, India (2013)** Methicillin resistant *Staphylococcus aureus* in India: Prevalence & Susceptibility Pattern. *Indian J Med Res* **137**: 363-9.
107. **Ito T, Kikuta H, Nagamori E, Honda H, Ogino H, Ishikawa H, Kobayashi T (2001)** Lipase production in two-step fed-batch culture of organic solvent-tolerant *Pseudomonas aeruginosa* LST-03. *J Biosci Bioeng* **91(3)**: 245-250.
108. **Jahannes KM, Knobloch-Marthias A, Horstkotte HR, Mack D (2002)** Evaluation of different detection methods of biofilm formation in *Staphylococcus aureus*. *Med Microbiol Immunol* **191** : 101-6.
109. **Jain A, Agarwal A (2009)** Biofilm production, a marker of pathogenic potential of colonizing and commensal staphylococci. *J Microbiol Methods* **76**: 88-92.

110. **Janzon L, Arvidson S (1990)** The role of the delta-lysin gene (*hld*) in the regulation of virulence genes by the accessory gene regulator (*agr*) in *Staphylococcus aureus*. *EMBO J* **9**(5): 1391–1399.
111. **Jay MJ, Loessner JM, Golden AD (2005)** New York: Modern Food Microbiology. 7th ed. Springer Science. *Staphylococcal gastroenteritis*: 545–560.
112. **Jørgensen HJ, Mørk T, Caugant DA, Kearns A, Rørvik LM (2005)** Genetic variation among *Staphylococcus aureus* strains from Norwegian bulk milk. *App Env Microbiol* **71**(12): 8352–8361.
113. **Joshi S, Ray P, Manchand V, Bajaj J, Chitnis DS, Gautam et al., (2013)** Methicillin Resistant *Staphylococcus aureus* (MRSA) in India: Prevalence and susceptibility pattern. *Ind J Med Res* **137**: 363-69.
114. **Kalmeijer MD, van Nieuwland-Bollen E, Bogaers-Hofman D, de Baere GA (2000)** Nasal carriage of *Staphylococcus aureus* is a major risk factor for surgical-site infections in orthopedic surgery. *Infect Control Hosp Epidemiol* **21**: 319-323.
115. **Kaneko J, Kamio Y (2004)**. Bacterial two-component and hetero-heptameric pore-forming cytolytic toxins: structures pore-forming mechanism organization of the genes. *Biosci Biotechnol Biochem* **68**: 981–1003.
116. **Kanerva M, Salmenlinna S, Vuopio-Varkila et al. (2009)**. Community associated methicillin-resistant *Staphylococcus aureus* isolated in Finland in 2004 to 2006. *J Clin Microbiol* **47**(8): 2655-2657.
117. **Kaplan JB, Izano EA, Gopal P, Karwacki MT, Kim S, Bose JL, et al., (2012)** Low levels of β-lactam antibiotics induce extracellular DNA release and biofilm formation in *Staphylococcus aureus*. *mBio* **3**(4) : 1-8.

118. **Kateete DP, Namazzi S, Okee M, Okeng A, Baluku H, Musisi et al., (2011)**
High prevalence of methicillin resistant *Staphylococcus aureus* in the surgical units of Mulago hospital in Kampala, Uganda. *BMC Res Notes* **4**:326.
119. **Kesah C, Redjeb SB, Odugbemi TO, Boye CSB, Dosso M, Ndiny J, et al., (2003)** Prevalence of methicillin-resistant *Staphylococcus aureus* in eight African hospitals and Malta. *Clin Microbiol Infect* **9**(2): 153-156.
120. **Kiedrowski MR, Horswill AR (2011)** New approaches for treating staphylococcal biofilm infections. *Annals New York Acad Sci* **1241** (1): 104-21.
121. **King MD, Humphrey BJ, Wang YF, Kourbalova EV, Ray SM, Blumbrg HM (2006)** Emergence of community-acquired methicillin-resistant *Staphylococcus aureus* USA 300 clone as the predominant cause of skin and soft tissue infections. *Ann Intern Med* **144**: 309- 317.
122. **Kitai et al., (2005)** Characterization of methicillin-resistant *Staphylococcus aureus* isolated from retail raw chicken meat in Japan. *J Vet Med Sci* **67**(1):107-110.
123. **Kloos WE, Schleifer KH (1975)** Simplified scheme for routine identification of human *Staphylococcus* species. *J Clin Microbiol* **1**(1):82-88.
124. **Kloos WE, Bannerman TL (1994)** Update on clinical significance of coagulase-negative staphylococci. *Clin Microbiol Rev* **7**: 117-140.
125. **Kluytmans J, van Leeuwen W, Goessens W, Hollis R, Messer S, Herwaldt L, et al., (1995)** Food-initiated outbreak of methicillin-resistant *Staphylococcus aureus* analyzed by pheno- and genotyping. *J Clin Microbiol* **33**(5):1121–1128.
126. **Kluytmans JA, van Belkum A, Verbrugh HA (1997)** Nasal carriage of *Staphylococcus aureus*: epidemiology, underlying mechanisms, and associated risks. *Clin Microbiol Rev* **10**:505–520.

127. **Kluytmans JA (2010)** Methicillin-resistant *Staphylococcus aureus* in food products: cause for concern or case for complacency? *Clin Microbiol Infect* **16(1)**:11-5.
128. **Knobloch JK, Bartscht K, Sabottke A, Rohde H, Feucht HH, Mack D (2001)** Biofilm formation by *Staphylococcus epidermidis* depends on functional RsbU, an activator of the sigB operon: differential activation mechanisms due to ethanol and salt stress. *J bacteriol* **183**:2624-33.
129. **Knobloch JK, Horstkotte MA, Rohde H, Mack D (2002)**. Evaluation of different detection methods of biofilm formation in *Staphylococcus aureus*. *Med Microbiol Immunol* **191**: 101 – 106.
130. **Ko KS, Lee JY, Suh JY, Oh WS, Peck KR, Lee NY, et al., (2005)** Distribution of major genotypes among methicillin-resistant *Staphylococcus aureus* clones in Asian countries. *J Clin Microbiol* **43**: 421-6.
131. **Kohge T, Gohda E, Okamura T, and Yamamoto I (1998)** Promotion of antigen-specific antibody production in murine B cells by a moderate increase in histone acetylation, *Biochem Pharmacol* **56**: 1359-1364.
132. **Kramer A, Schwebke I, Kampf G (2006)** How long do nosocomial pathogens persist on inanimate surfaces? A systematic review. *BMC inf dis* **6**: 130.
133. **Kumar R, Yadav BR, Singh RS (2011)** Antibiotic resistance and pathogenicity factors in *Staphylococcus aureus* isolated from mastitic Sahiwal cattle. *J Biosci* **36**: 175–188.
134. **Kuroda et al., (2001)** Whole genome sequencing of meticillin-resistant *Staphylococcus aureus*. *Lancet* **357(9264)**: 1225-1240 .
135. Lasa I. and J.R. Penadés.(2006). Bap: a family of surface proteins involved in biofilm formation. *Res Microbiol* **157**: 99–107.

136. **Latasa C, Solano C, Penades JR, Las I (2006)** Biofilm-associated proteins, *C R Biol* **329**: 849-857.
137. **Le Loir Y, Baron F, & Gautier M (2003)** *Staphylococcus aureus* and food poisoning. *Genet Mol Res* **2**(1): 63-76.
138. **Lei MG, Cue D, Roux CM, Dunman PM, Lee CY (2011)** Rsp Inhibits Attachment and Biofilm Formation by Repressing *fnbA* in *Staphylococcus aureus* MW2. *J Bacteriol* **193**(19): 5231–5241.
139. **Leonard FC, and Markey BK. (2008)** Methicillin resistant *Staphylococcus aureus* in animals: A review. *Vet Rec* **175**(1): 27-36.
140. **Li DZ, Chu YN, Ren LF, et al., (2013)** Complete genome sequence of methicillin-sensitive *Staphylococcus aureus* containing a heterogeneic staphylococcal cassette chromosome element. *Sci China Life Sci* **56**: 268– 274.
141. **Liberto MC, Matera G, Quirino A, et al., (2009)** Phenotypic and genotypic evaluation of slime production by conventional and molecular microbiological techniques. *Microbiol Res* **164**(5): 522–528.
142. **Lim D, and Strynadka NC (2002)** Structural basis for the beta lactam resistance of PBP2a from methicillin-resistant *Staphylococcus aureus*. *Nat Struct Biol* **9**: 870-876.
143. **Lim JA, Kwon AR, Kim SK, Chong Y, Lee K, Choi EC (2002)** Prevalence of resistance to macrolide, lincosamide and streptogramin antibiotics in Gram-positive cocci isolated in a Korean hospital. *J Antimicrob Chemother* **49**: 489-95.
144. **Lim Y, Jana M, Luong TT, Lee Y (2004)** Control of Glucose and NaCl Induced Biofilm Formation by *rbfin* *Staphylococcus aureus*. *J Bacteriol* **186**: 722-729.

145. **Lim YS, Jegathesan M, Koay AS (1982)** Enterotoxin production by *S. aureus* strains isolated from humans, food and animals in Malaysia. *Southeast Asian J. Trop. Med. Public Health* **13(1)**: 133-137.
146. **Lina G, Piémont Y, Godail-Gamot F, et al., (1999)** Involvement of Panton-Valentine leukocidin-producing *Staphylococcus aureus* in primary skin infections and pneumonia. *Clin Infect Dis* **29(5)**: 1128-1132.
147. **Lindenmayer JM, Schoenfeld S, O'Grady R, & Carney JK (1998)** Methicillin-resistant *Staphylococcus aureus* in a high school wrestling team and the surrounding community. *Arch Intern Med* **158**: 895–899.
148. **Lindsay JA, Holden MT (2004)** *Staphylococcus aureus*: superbug, super genome?, *Trends Microbiol* **12**: 378-385.
149. **Lindsay JA, Holden MT. (2006)** Understanding the rise of the superbug: investigation of the evolution and genomic variation of *Staphylococcus aureus*. *Funct Integr Genomics* **6(3)**:186-201.
150. **Liu C, Gruber C, Karr M, et al., (2008)** A population-based study of the incidence and molecular epidemiology of methicillin-resistant *Staphylococcus aureus* disease in San Francisco, 2004-2005. *Clin Infect Dis* **46(11)** :1637-1646.
151. **Loncarevic S, Jørgensen HJ, Løvseth A, Mathisen T, Rørvik LM (2005)** Diversity of *Staphylococcus aureus* enterotoxin types within single samples of raw milk and raw milk products. *J Appl Microbiol* **98**:344-350.
152. **Løvseth A, Loncarevic S, Berdal KG (2004)** Modified multiplex PCR method for detection of pyrogenic exotoxin genes in *Staphylococcal* isolates. *J Clin Microbiol* **42**: 3869–3872.
153. **Mack D, Fischer W, Krokotsch A, Leopold K, Hartmann R, Egge H, Laufs R (1996)** The intercellular adhesin involved in biofilm accumulation of *Staphylococcus*

- epidermidis* is a linear beta-1,6-linked glucosaminoglycan: purification and structural analysis, *J Bacteriol* **178**: 175-183.
154. **Maeda H, Yamamoto T (1996)** Pathogenic mechanisms induced by microbial proteases in microbial infections . *Bio Chem* **377**: 217-226.
155. **Mafu AA, Plumety C, Deschenes L, Goulet J (2011)** Adhesion of pathogenic bacteria to food contact surfaces: influence of pH of culture. *Int J Microbiol.* **2011**: 1-10.
156. **Majumder D, Bardoloi SJN, Phukan AC, Mahanta J (2001)** Antimicrobial susceptibility pattern among methicillin resistant *Staphylococcus* isolates in Assam. *Ind J Med Microbiol* **19**: 138-40.
157. **Maple PA, Hamilton-Miller JM, Brumfitt W (1989)** World-wide antibiotic resistance in methicillin resistant *Staphylococcus aureus*. *Lancet* **1**: 537-540.
158. **Martins A, Cunha ML (2007)** Methicillin resistance in *Staphylococcus aureus* and coagulase-negative *Staphylococci*: epidemiological and molecular aspects. *Microbiol Immunol* **51**: 787-795.
159. **Mathur T, Singhal S, Khan S, Upadhyay DJ, Fatma T, Rattan A (2006)** Detection of biofilm formation among the clinical isolates of *Staphylococci*: An evaluation of three different screening methods. *Ind J Med Microbiol* **24**: 25–29.
160. **Mehrotra M, Wang G, Johnson WM (2000)** Multiplex PCR for detection of genes for *Staphylococcus aureus* enterotoxins, exfoliative toxins, toxic shock syndrome toxin 1, and methicillin resistance. *J Clin Microbiol* **38**: 1032-1035.
161. **Menestrina G , Serra MD , Prevost G (2001)** Mode of action of β –barrel pore – forming toxins of the *Staphylococcus* α -hemolysin family. *Toxicon* **39(11)** :1661-1672.
162. **Miall LS, McInley NT, Brownlee KG, Conway SP. (2001)** Methicillin resistant *Staphylococcus aureus* infection in cystic fibrosis. *Arch-dis. Child* **84(2)**: 160-2.

163. **Milanov D, Lazić S, Vidic B, Petrović J, Bugarski D, Seguljev Z (2010)** Slime production and biofilm forming ability by *Staphylococcus aureus* bovine mastitis isolates. *Acta Vet Brno* **60**: 217–226.
164. **Miller R, Esmail H, Peto T, Walker S, Crook D, Wyllie D (2008)** Is MRSA admission bacteraemia community-acquired? A case control study. *J Infect* **56**(3): 163-70.
165. **Mirani ZA, Aziz M, Khan SI (2015)** Small colony variants have a major role in stability and persistence of *Staphylococcus aureus* biofilms. *The Journal of Antibiotics* **68**: 98-105.
166. **Montville TJ, Matthews KR (2008)** Food microbiology: An introduction. 2nd ed, ASM Press, Washington D.C.
167. **Moore P, Lindsay J (2001)** Genetic variation among hospital isolates of methicillin-sensitive *Staphylococcus aureus*: evidence of horizontal transfer of virulence genes. *J Clin Microbiol* **39**: 2760-2767.
168. **Morales G, Picazo J, Baos E, et al., (2010)** Resistance to linezolid is mediated by the *cfr* gene in the first report of an outbreak of linezolid-resistant *Staphylococcus aureus*. *Clin Infect Dis* **50**(6): 821-825.
169. **Moretro T, Hermansen L, Askild L (2003)** Biofilm formation and the presence of the intercellular adhesion locus *ica* among *Staphylococci* from food and food processing environments. *Appl Environ Microbiol* **69** : 5648-55.
170. **Murray PP, Baron EJ, Jorgensen JH, Pfaffer MA, Yolken RH (2003)** Manual of Clin Microbiol. 8th Edn., American Society for Microbiology. Washington, DC, pp: 20-25

171. Nadig S, Namburi P, Raghunath D and Arakere G (2006) Genotyping of methicillin resistant *S. aureus* isolates from Indian hospitals. *Curr Sci* **9(10)**: 1364–1369.
172. Naffa RG, Bdour SM, Migdadi HM, Shehabi AA (2006) Enterotoxicity and genetic variation among clinical *Staphylococcus aureus* isolates in Jordan. *J Med Microbiol* **55** :183–187.
173. Neely AN, Maley MP (2000) Survival of enterococci and *staphylococci* on hospital fabrics and plastic. *J Clin Microbiol* **38(2)**:724-726.
174. Neuhaus FC, Baddiley J (2003) A Continuum of Anionic Charge: Structures and Functions of D-Alanyl-Tetraacids in Gram-Positive Bacteria. *Microbiol Mol Biol R* **67**: 686-723.
175. Normanno G, et al., (2005) Coagulase-positive Staphylococci and *Staphylococcus aureus* in food products marketed in Italy. *Int J Food Microbiol* **98(1)**: 73-79.
176. Normanno G, Salandra GL, Dambrosio A, et al., (2007). Occurrence, characterization and antimicrobial resistance of enterotoxigenic *Staphylococcus aureus* isolated from meat and dairy products. *Int J Food Microbiol*, **115(3)**: 290–296.
177. O'Gara JP, Humphreys H (2001) *Staphylococcus epidermidis* biofilms: importance and implications. *J Med Microbiol* **50**: 582–587.
178. O'Gara JP (2007) *ica* and beyond: biofilm mechanisms and regulation in *Staphylococcus epidermidis* and *Staphylococcus aureus*. *FEMS Microbiol Lett* **270**: 179–188.
179. O'Neill E, Pozzi C, Houston P, Smyth D, Humphreys H, et al., (2007) Association between methicillin susceptibility and biofilm regulation in *Staphylococcus aureus* isolates from device-related infections. *J Clin Microbiol* **45**: 1379–1388.

180. O'Neill E, Pozzi C, Houston P, Humphreys H, Robinson DA, et al., (2008) A novel *Staphylococcus aureus* biofilm phenotype mediated by the fibronectin-binding proteins, FnBPA and FnBPB. *J Bacteriol* **190**: 3835–3850.
181. Oliveira M, Bexiga R, Nunes SF, Carneiro C, Cavaco LM, Bernardo F, Vilela CL (2006) Biofilm-forming ability profiling of *Staphylococcus aureus* and *Staphylococcus epidermidis* mastitis isolates. *Vet. Microbiol* **118**: 133–140.
182. Orwin PM, Fitzgerald JR, Leung DY, Gutierrez JA, Bohach GA, Schlievert PM (2003) Characterization of *Staphylococcus aureus* enterotoxin L. *Infect Immun* **71**: 2916–2919.
183. Otto M (2008) *Staphylococcal* biofilms. *Curr Top Microbiol Immunol* **322**: 207–228.
184. Otter JA, French GL (2010) Molecular epidemiology of community-associated meticillin-resistant *Staphylococcus aureus* in Europe. *Lancet Infect Dis* **10**: 227–239.
185. Otter J, Yezli S, French G (2011) The role played by contaminated surfaces in the transmission of nosocomial pathogens. *Infect Control Hosp Epidemiol* **32**:687-699.
186. Padoveze MC, de Jesus PR, Blum-Menezes D, Bratfich OJ, Moretti ML (2008) *Staphylococcus aureus* nasal colonization in HIV outpatients: Persistent or transient?, *Am J Infect Control* **36**: 187-191.
187. Pai V, Rao V, Rao SP (2010) Prevalence & antimicrobial susceptibility pattern of Methicillin-resistant *Staphylococcus aureus* (MRSA) isolates at a tertiary care hospital in Mangalore, South India. *J Lab Physician* **2**(2): 82-4.
188. Park PW, Foster TJ, Nishi E, Duncan SJ, Klagsbrun M, Chen Y(2004) Activation of Syndecan-1 Ectodomain Shedding by *Staphylococcus aureus* α-Toxin and β-Toxin. *J Biol Chem* **279**(1): 251-258.

189. **Peck KR, Baek JY, Song JH, Ko KS (2009)** Comparison of genotypes and enterotoxin genes between *Staphylococcus aureus* isolates from blood and nasal colonizers in a Korean hospital. *J Korean Med Sci* **24**(4):585–91.
190. **Pellegrino FL, Teixeira LM, Carvalho G, Aranha NS, Pinto DOM, Mello SJL et al., (2002)** Occurrence of multidrug resistance *Pseudomonas aeruginosa* clone in different hospitals in Rio de Janeiro, *Braz J Clin Microbiol* **40**: 2420 – 2424.
191. **Pinchuk IV, Beswick EJ, Reyes VE (2010)** *Staphylococcal* enterotoxins. *Toxins* **2** : 2177–2197.
192. **Plata K, Rosato AE, Węgrzyn G (2009)** *S. aureus* as an infectious agent: overview of biochemistry and molecular genetics of its pathogenicity. *Acta Biochim Pol* **56**(4) : 597– 612.
193. **Popovich KJ, Weinstein RA, Hota B (2008).** Are community associated methicillin-resistant *Staphylococcus aureus* (MRSA) strains replacing traditional nosocomial MRSA strains? *Clin Infect Dis* **46**: 787–794.
194. **Pourmand MR, Memariani M, Hoseini M, Yazdchi SB (2009)** High Prevalence of SEA Gene Among Clinical Isolates of *Staphylococcus aureus* in Tehran. *Acta Med Iran* **47**(5): 357-361.
195. **Pozzi C, Waters EM, Rudkin JK, Schaeffer CR, Lohan AJ, et al., (2012)** Methicillin Resistance Alters the Biofilm Phenotype and Attenuates Virulence in *Staphylococcus aureus* Device-Associated Infections. *PLoS Pathog* **8**(4): 1-15.
196. **Prashini M, Dhesan S, Willem S (2004)** In vitro activity of oxacillin, vancomycin and teicoplanin against *Staphylococci* isolated from patients on surgical and coronary intensive care units. *Int J Antimicrob Agents* **24** (2): 193-194.
197. **Prescott LM, Harley JP, Klein PH 1996.** *Microbiology*. Dubuque: Wm. C. Brown Publishers.

198. **Price MF, Carlini M, Houstons, Gentry LO (2000)** Prevalence of nasal colonization with methicillin resistant *Staphylococcus aureus* in selected patient populations. *Infect control Hosp Epidemiol* **21**(9): 603-605.
199. **Proctor RA, von Eiff C, et al., (2006)** Small colony variants: a pathogenic form of bacteria that facilitates persistent and recurrent infections. *Nat Rev Microbiol* **4**(4): 295-305.
200. **Pu S, Han F, Ge B. (2009)** Isolation and characterization of methicillin-resistant *Staphylococcus aureus* strains from Louisiana retail meats. *Appl Environ Microbiol* **75**(1):265-267 .
201. **Pulimood TB., Lalitha MK, Jesudson MV, Pandian R, Selwyn JJ (1996)** The spectrum of antimicrobial resistance among methicillin resistant *Staphylococcus aureus* (MRSA) in a tertiary centre in India, *Ind J Med Res* **103**: 212-215.
202. **Qin Z, Yang X, Yang L, Jiang J, Ou Y, Molin S, Qu D (2007)** Formation and properties of *in-vitro* biofilms of *ica*-negative *Staphylococcus epidermidis* clinical isolates. *J Med Microbiol* **1**: 83–93.
203. **Quinn PJ, Carter ME, Markey B, Carter GR (2000)** Clinical Veterinary Microbiology. Mosby, Harcourt publishers limited, ISBN: 0 7234 1711 3, Section 2: Bacteriology, 8: *Staphylococcus species* : 118-126,
204. **Rachid S, Ohlsen K, Witte W, Hacker J, Ziebuhr W (2000)** Effect of subinhibitory antibiotic concentrations on polysaccharide intercellular adhesin expression in biofilm-forming *Staphylococcus epidermidis*. *Antimicrob Agents Chemother* **44**: 3357–336.
205. **Rajaduraipandi K, Mani KR, Panneerselvam K, Mani M, Bhaskar M, Manikandan P (2006)** Prevalence and antimicrobial susceptibility pattern of

- Methicillin resistant *Staphylococcus aureus*: A multicentre study. *Ind J Med Microbiol* **24**: 34-38.
206. **Rall VL, Vieira FP, Rall R, Vieitis RL, Fernandes AJr, Candeias JM, Cardoso KF, et al., (2008)** PCR detection of staphylococcal enterotoxin genes in *Staphylococcus aureus* strains isolated from raw and pasteurized milk. *Vet Microbiol* **10**: 408-413.
207. **Rao BN, Prabhakar T (2011)** Prevalence and Antimicrobial Susceptibility pattern of Methicillin Resistant *Staphylococcus aureus* (MRSA) in and around Visakhapatnam, Andhra Pradesh, India. *JPBMS* **4** :1-3.
208. **Raygada J, Levine D (2009)** Methicillinresistant *Staphylococcus aureus*: a growing risk in the hospitals and in the community. *Am Health Drug Benefit*, **2(2)**: 86-95.
209. **Rinaudi L, Fujishige NA, Hirsch AM, Banchioa E, Zorreguieta A, Giordanoa W (2006)** Effects of nutritional and environmental conditions on *Sinorhizobium meliloti* biofilm formation. *Res Microbiol* **157**: 867–875.
210. **Rode TM, Langsrud S, Holck A, Moretro T (2007)** Different patterns of biofilm formation in *Staphylococcus aureus* under food related stress conditions. *Int J Food Microbiol* **116(3)**: 372-383.
211. **Rodrigues JB, Pinto TS, de Oliveira CP, de Sousa FI, Pereira MS, de Souza EL, de Siqueira-Júnior JP (2014)** Lipolytic activity of *Staphylococcus aureus* from human wounds, animals, foods, and food-contact surfaces in Brazil. *J Infect Dev Ctries* **8(8)**: 1055-1058.
212. **Rohde H, Knobloch JK, Horstkotte MA and Mack D (2001)** Correlation of *Staphylococcus aureus icaADBC* genotype and biofilm expression phenotype. *J Clin Microbiol* **39**: 4595–4596.

213. **Rollof J, Braconier JH, Soderstrom C, Nilsson-Ehle P (1988)** Interference of *Staphylococcus aureus* lipase with human granulocyte function. *Eur J Clin Microbiol Infect Dis* **7**: 505-510.
214. **Rongpharpi SR, Hazarika NK, Kalita H (2013)** The prevalence of nasal carriage of *Staphylococcus aureus* among healthcare workers at a tertiary care hospital in Assam with special reference to MRSA. *J Clinical and Diagn Res* **7(2)**: 257-260.
215. **Saikia L, Nath R, Choudhury B, Sarkar M (2009)** Prevalence and antimicrobial susceptibility pattern of Methicillin resistant *Staphylococcus aureus* in Assam. *Ind J Crit Care Med* **13(3)**: 156-58.
216. **Saising J, Singdam S, Ongsakul M, Voravuthikunchai SP (2012)** Lipase, protease, and biofilm as the major virulence factors in staphylococci isolated from acne lesions. *Biosci Trends* **6** : 160-164.
217. **Salasia SIO, Khusnan Z, Lämmler C, Zschock M (2004)** Comparative studies on pheno- and genotypic properties of *Staphylococcus aureus* isolated from bovine subclinical mastitis in central Java in Indonésia and Hessen in Germany. *J Vet Sci* **5(2)**: 103-109.
218. **Scherrer D, Corti S, Muehlherr JE, Zweifel C, Stephan R (2004)** Phenotypic and genotypic characteristics of *Staphylococcus aureus* isolates from raw bulk-tank milk samples of goats and sheep. *Vet Microbiol* **101**: 101-107.
219. **Scott E, Bloomfield SF, Barlow CG (1984)** A comparison of contact plate and calcium alginate swab techniques for quantitative assessments of bacteriological contamination of environmental surfaces. *J Appl Bacteriol* **56**: 317-320.
220. **Seidl K, Goerke C, Wolz C, Mack D, Bachl BB, Bischoff M (2008)** *Staphylococcus aureus* Ccp affects biofilm formation. *Infect Immun* **76** : 2044-50.

221. **Seo KS, Bohach GA (2007)** *Staphylococcus aureus*. Ch 22 In: Doyle MP, Beuchat LR (eds) Food microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C. 493–518.
222. **Shakya B, Shrestha S, Mitra T (2010)** Nasal carriage rate of methicillin resistant *Staphylococcus aureus* among at National Medical College Teaching Hospital, Birgunj, Nepal. *Nepal Med Coll J* **12(1)**: 26-29.
223. **Shetty N, Wilson AP (2000)** Sitaflloxacin in the treatment of patients with infections caused by vancomycin-resistant Enterococci and methicillin resistant *Staphylococcus aureus*. *J Antimicrob Chemother* **46(4)**: 633-8.
224. **Shi D, Hao Y, Zhang A, Wulan B, Fan X (2010)** Antimicrobial resistance of *Staphylococcus aureus* isolated from bovine mastitis in china. *Transbound Emerg Dis* **57(4)**: 221-224.
225. **Shittu AO, Lin J (2006)** Antimicrobial susceptibility patterns and characterization of clinical isolates of *Staphylococcus aureus* in Kwazulu-Natal Province, South Africa. *BMC Infect Dis* **6**: 125.
226. **Shittu AO, Okon K, Adesida S, Oyedara O, Witte W, Strommenger B, et al., (2011)** Antibiotic resistance and molecular epidemiology of *Staphylococcus aureus* in Nigeria. *BMC Microbiol* **11**: 92.
227. **Shukla SK, Karow ME, Brady JM, Stemper ME, Kislow J, Moore N, et al., (2010)** Virulence genes and genotypic associations in nasal carriage, community-associated methicillin-susceptible and methicillin resistant USA400 *Staphylococcus aureus* isolates. *J Clin Microbiol* **48(10)**: 3582–92.
228. **Sina H, Ahoyo TA, Moussaoui W, Keller D, Bankolé HS, Barogui Y, Stienstra Y, et al., (2013)** Variability of antibiotic susceptibility and toxin production of

Staphylococcus aureus strains isolated from skin, soft tissue, and bone related infections. *BMC Microbiol* **13**: 188.

229. **Sing A, Tuschak C, Hormansdorfer S (2008)** Methicillin-resistant *Staphylococcus aureus* in a family and its pet cat. *N Engl J Med* **358**: 1200–1201.
230. **Smith K, Perez A, Ramage G, Lappin D, Gemmell CG, Lang S (2008)** Biofilm formation by Scottish clinical isolates of *Staphylococcus aureus*. *J Med Microbiol* **57(8)**: 1018-1023.
231. **Soomro AH, Arain MA, Khaskheli M, Bhutto B (2003)** Isolation of *Staphylococcus aureus* from milk products sold at sweet meat shops of Hyderabad. *OJBS* **3(1)**: 91–94.
232. **Stefani S, Chung D, Lindsay J, et al., (2012)** Meticillin-resistant *Staphylococcus aureus* (MRSA): global epidemiology and harmonisation of typing methods. *Int J Antimicrob Agents* **39**: 273-282.
233. **Stephan R, Annemüller C, Hassan AA and Lämmle C (2001)** Characterization of enterotoxigenic *Staphylococcus aureus* strains isolated from bovine mastitis in north-east Switzerland. *Vet Microbiol* **78**: 373–382.
234. **Stewart CM (2003)** *Staphylococcus aureus* and *Staphylococcal* enterotoxins. Ch 12 In: Hocking AD (ed) Foodborne microorganisms of public health significance. 6th ed, AIFST (NSW Branch), Sydney. 359–380.
235. **Szweda P, Schielmann M, Milewski S, Frankowsk A, Jakubczak A (2012)** Biofilm Production and presence of *ica* and *bap* genes in *Staphylococcus aureus* strains isolated from cows with mastitis in the Eastern Poland. *Polish J. Microbiol.* **61**: 65 – 69.

236. **Takahashi J, Komatsuzawa H, Yamada S, Nishida T, Labischinski H, et al., (2002)** Molecular characterization of an atl null mutant of *Staphylococcus aureus*. *Microbiol Immunol* **46**: 601–612.
237. **Tamura K, Dudley J, Nei M, Kumar S (2007)** MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Mol Biol Evol* **24**: 1596-1599.
238. **Tang J, Chen J, Liu J, Zhang R, Yang R, Chen L (2012)** Effects of different cultivation conditions on *Staphylococcus aureus* biofilm formation and diversity of adhesion genes. *J Food Saf* **32**: 210–8.
239. **Taverna F, Negri A, Piccinini R, Zecconi A, Nonnis S, Ronchi S, Tedeschi G (2007)** Characterization of cell wall associated proteins of a *S. aureus* isolated from bovine mastitis. *Vet Microbiol* **119(2–4)**: 240–247.
240. **Thakker M, Park JS, Lee JC (1998)** *Staphylococcus aureus* serotype 5 capsular polysaccharide is antiphagocytic and enhances bacterial virulence in a murine bacteraemia model. *Infect Immun* **66**: 5183-5189.
241. **Thumanu K, Cha J, Fisher JF, Perrins R, Mobashery S, and Wharton C. (2006)** Discrete steps in sensing of beta-lactam antibiotics by the BlaR1 protein of the methicillin- resistant *Staphylococcus aureus* bacterium, *Proc Natl Acad Sci USA* **103**: 10630-10635.
242. **Thylefors JD, Harbarth S & Pittet D (1998)** Increasing bacteremia due to coagulase-negative *Staphylococci*: fiction or reality? *Infect Control Hosp Epidemiol* **19**: 581–589.
243. **Toledo-Arana A, Merino N, Vergara-Irigaray M, Debarbouille M, Penades JR, Lasa I (2005)** *Staphylococcus aureus* develops an alternative, *ica*-independent biofilm in the absence of the arlRS two-component system, *J Bacteriol* **187**: 5318–5329.

244. **van Loo I, et al., (2007)** Emergence of methicillin-resistant *Staphylococcus aureus* of animal origin in humans. *Emerg Infect Dis* **13**:1834–1839.
245. **Vancraeynest D, Hermans K and Haesebrouck F (2004)** Genotypic and phenotypic screening of high and low virulence *Staphylococcus aureus* isolates from rabbits for biofilm formation and MSCRAMMs. *Vet Microbiol* **103**: 241–247.
246. **VandenBergh MF, Yzerman EP, van Belkum A, Boelens HA, Sijmons M, Verbrugh HA (1999)** Follow-up of *Staphylococcus aureus* nasal carriage after 8 years: redefining the persistent carrier state. *J Clin Microbiol* **37**: 3133-3140.
247. **Vanderhaeghen W, et al., (2010)** Methicillin-resistant *Staphylococcus aureus* (MRSA) ST398 associated with clinical and subclinical mastitis in Belgian cows. *Vet Microbiol* **144**: 166–171.
248. **Vasudevan P, Nair MK, Annamalai T, Venkitanarayanan KS (2003)** Phenotypic and genotypic characterization of bovine mastitis isolates of *Staphylococcus aureus* for biofilm formation. *Vet Microbiol* **92**: 179–185.
249. **Vautor E, Abadie G, Pont A, Thiery R (2008)** Evaluation of the presence of the bap gene in *Staphylococcus aureus* isolates recovered from human and animals species. *Vet Microbiol* **127**: 407– 411.
250. **Vazquez-Sanchez D, Habimana O, Holck A (2013).** Impact of food-related environmental factors on the adherence and biofilm formation of natural *Staphylococcus aureus* isolates. *Curr Microbiol* **66**: 110–121.
251. **Vengust M, Anderson ME, Rousseau J, Weese JS (2006)** Methicillin resistant staphylococcal colonization in clinically normal dogs and horses in the community. *Lett Appl Microbiol* **43(6)**: 602-6.

252. **Vidhani S, Mehndiratta PL, Mathur MD (2001)** Study of methicillin resistant *Staphylococcus aureus* (MRSA) isolates from high risk patients. Indian J Med Microbiol **9 (2)**: 13-16.
253. **Von-Eiff et al., (2001)** Nasal carriage as a source of *Staphylococcus aureus* bacteremia N Engl J Med **344** : 11–16.
254. **von Eiff C, Peters G, Heilmann C (2002)** Pathogenesis of infections due to coagulase-negative *Staphylococci*. Lancet Infect Dis **2**: 677–685.
255. **Vuong C, Otto M (2002)** *Staphylococcus epidermidis* infections. Microbes Infect **4**: 481–489.
256. **Vuong C, Kocanova S, Voyich JM, Yao Y, Fischer ER, DeLeo FR, Otto M (2004)** A crucial role for exo-polysaccharide modification in bacterial biofilm formation, immune evasion, and virulence, J Biol Chem **279**: 54881-54886.
257. **Weese, JS, Caldwell F, Willey BM, Kreiswirth BN, McGeer A, Rousseau J, and Low DE (2006)** An outbreak of Methicillin-resistant *Staphylococcus aureus* skin infections resulting from horse to human transmission in a veterinary hospital. Vet Microbiol **114**: 160-164.
258. **Wertheim HF, Vos MC, Ott A, van Belkum A, Voss A, Kluytmans JA, van Keulen PH, et al., (2004)** Risk and outcome of nosocomial *Staphylococcus aureus* bacteraemia in nasal carriers versus non- carriers. Lancet **364**: 703-705.
259. **Wongwanich S, Tishyadhigama P, Parisomboan S, Ohta T, Hayathi H (2000)** Epidemiological analysis of methicillin resistant *Staphylococcus aureus* in Thailand. South East Asian Trop Med Public Health **31(1)**: 72-76.
260. **Younis A, Leitner G, Heller D, Samra Z, Gadba R, Lubashevsky G, Chaffer M, Yadlin N, et al., (2000)** Phenotypic characteristics of *Staphylococcus aureus* isolated from bovine mastitis in israeli dairy herds. J Vet Med Ser B, **47(8)**: 591-597.

261. **Zhang K, McClure JA, Elsayed S, Conly JM (2009)** Novel staphylococcal cassette chromosome mec type, tentatively designated type VIII, harboring class A mec and type 4 ccr gene complexes in a Canadian epidemic strain of methicillin-resistant *Staphylococcus aureus*. *Antimicrob Agents Chemother* **53**: 531–540.
262. **Zmantar T, Kouidhi B, Miladi H, Mahdouani K, Bakhrouf A (2010)** A microtiter plate assay for *Staphylococcus aureus* biofilm quantification at various pH levels and hydrogen peroxide supplementation. *New Microbiol* **33**: 137–145.