Dedicated to:

My Beloved Mother,
Rajkumari Maipaksana Devi
and Father,
Khaidem Ahanjao Singh

DECLARATION

I, Khaidem Aruna Devi, bearing registration no. Ph.D/2155/2012 dated 26.09.2012

hereby declare that the subject matter of the thesis entitled "Role of Bacterial Endophytes

in growth promotion of Achyranthes aspera L." is the record of work done by me and the

content of the thesis did not form the basis for award of any degree to me or anybody else

to the best of my knowledge. This thesis has not been submitted in any other university/

institute.

This thesis is being submitted to Assam University, Silchar for the degree of Doctor

of Philosophy in Microbiology.

Dated: July, 2017

Place: Silchar

(KhaidemAruna Devi)

Research Scholar Department of Microbiology

Assam University, Silchar

ACKNOWLEDGEMENT

At the onset, my deep sense of gratitude to the supreme God, the creator above us, for endowing me knowledge, courage, health and strength to achieve the goal.

I have great pleasure in expressing my deep sense of gratitude to my esteemed supervisor Prof. Piyush Pandey, Department of Microbiology, Assam University Silchar, for his constant guidance, support, motivation, patience and untiring help during the course of my Ph.D. His meaningful advices and constant support have always encouraged me to do my research work with a positive approach and complete my ph.D thesis. He has been very generous with his time and assisted me in each step to complete my thesis. I am thankful to him not only for guiding me, but also his emotional and constructive advices throught my Ph.D research. I will always be indebted to him for his blessings.

My sincere gratitude and thanks are due to Prof. G.D. Sharma, Vice-Chancellor of Bilaspur University, Chhattisgarh, for his support and guidance as Co-Supervisor.

I sincerely thank Dr. Manas Ranjan Sahoo, Senior Scientist (Horticulture) ICAR Research Complex for NEH Region Lamphelpat, Imphal, Manipur and Madhumita Das Gupta maam for teaching me the work related to Plant tissue culture. Their useful suggestion helps me a lot about my research.

I also take this opportunity to thank the Technical, Laboratory and Office staffs Dr. Pratibha, Dr. Swetosmita Nath, Joya Das, Mousumi Di and Shyamal Da of the Department of Microbiology for their help and assistance whenever needed.

Credit also goes to Dr. K. Tamreihao, Dr. Salam Nimaichand, Rakhi Khunjamayum, Tongbram Roshini, Mayengbam Premi Devi, Yumnam Indrani Devi for their hearty help in my experimental work.

I would like to acknowledge the Administrative Block, Assam University,

for their technical support and the Central Library and Internet Facility of the

University. I also acknowledge Xceleris, Ahemadabad for help with 16S rRNA gene

sequencing.

I also thank all the members of Soil and Environmental Microbiology

Laboratory (SEML). These brilliant friends and colleagues inspired me over so many

years. I express my sincere thanks and deep sense of appreciation to my seniors, Dr.

Papiya Sinha and Dr. Ruchira Das for their constant support and help. My special

appreciation goes to L. Paikhomba Singha, Rajkumari Jina Devi, Rhitu Kotoky,

Malabika Singha for their continuous support and help me whenever needed.

I am really proud to have friends like Angom Romita Devi, Lakshmibala

Kshetri, Olivia Khunjan, Thounaojam Nevita for sharing scientific knowledge

whenever I ask for advice and suggestions and for being a cordial friends and for

creating a fun filled environment in the lab. They were just like my family members

who always supported in every ups and downs during this research. I will always

remember and cherish all those beautiful days that we had shared. I consider it a

privilege to work and to be with you all in the same lab. I wish all of you best of luck

in your future academic endeavor.

I am indebted to my parents, Khaidem Ahanjao Singh and Rajkumari

Maipaksana Devi, husband- Jagat Jeet Singh Likhari, mom in law- Cuckoo Ranawat,

father in law- Jitendra Singh Likhari, for their unconditional spiritual support through

prayer, sympathy, patience and encouragement. I share the credit of this work with

my brother- Khaidem Arun Singh, sisters- Khaidem Aruniballa and Khaidem

Anjibala who have always stood by me, endured my absence and have taken good

care of my daughter when I wasn't around. It is only because of their trust and help

that make it possible for me to complete my Ph.D research.

Thank you all.

Date:

KHAIDEM ARUNA DEVI

Place: Silchar.

CONTENTS

Description	Page No.
Annexure	vi-xvi
List of Tables	i
List of Photoplates	ii
List of Figure	iii-v
CHAPTER 1. INTRODUCTION	2-8
CHAPTER 2. REVIEW OF LITERATURE	10-39
2.1. Achyranthes aspera L. and its medicinal properties	10-14
2.2. Plant growth promoting endophytic bacteria and their biodiversity	15-17
2.3. Indole Acetic Acid (IAA) production by endophytic bacteria	18-23
2.4. Siderophore production by endophytic bacteria	23-27
2.5. Phosphate solubilization by endophytic bacteria	27-31
2.6.Nitrogen fixation by endophytes	31-36
2.7.Endophytic colonization of plant	36-39
CHAPTER 3. MATERIALS AND METHODS	41-58
3.1. Sample collection	41
3.2. Isolation of endophytic bacteria	41
3.2.1. Preparation of media	41
3.2.2. Isolation of endophytic bacteria	42-43
3.2.3. Mantainance of Stock Cultures	43
3.3. Characterization of endophytic isolates	43
3.3.1. Morphological Characterization	43

3.3.2. Biochemical Characterization	43
3.3.2.1. Gram staining	43-44
3.3.2.2. Indole test	44
3.3.2.3. Methyl red test	44
3.3.2.4. Voges-Proskauer test	44
3.3.2.5. Urease test	45
3.3.2.6. Catalase test	45
3.3.2.7. Oxidaseas test	45
3.3.2.8. Citrate Utilization test	45
3.3.2.9. Carbohydrates fermentation test	45-46
3.3.3. Physiological Characterization	46
3.3.3.1. Oxygen requirement test	46
3.3.3.2. Growth at different pH	46-47
3.3.3. Growth at different NaCl concentration	47
3.3.4. Molecular characterization of endophytes	47
3.3.4.1. DNA extraction and 16s rRNA amplification	47-48
3.3.4.2. Polymerase Chain Reaction (PCR) conditions	48
3.3.4.3. Agarose Gel Electrophoresis	48-49
3.3.4.3. Phylogenetic analysis of 16srRNA sequences	49
3.4. <i>In vitro</i> tests for plant growth promoting (PGP) traits by endophytes	49
3.4.1. Siderophore production assay	49-50
3.4.1.1. Effect of growth medium on siderophore production	50-51

3.4.1.2. Effect of Sugars, Nitrogen sources and Organic acids on siderophore production	51
3.4.1.3. Effect of iron on siderophore release	
3.4.2. IAA production assay	52
3.4.3. Phosphate solubilisation	52-53
3.4.4. Ammonia production	53
3.4.5. Nitrogen fixing ability	53
3.4.6. ACC deaminase activity	54
3.5. Colonization study of isolates from experimentally inoculated plants and its effect on plant growth in Pot trial experiment	54-56
3.6. Availability and uptake of NPK	56
3.7. Experimental design and statistical analysis	56
3.8.Determination of <i>in vitro</i> Antioxidant activity of <i>Achyranthes aspera</i> L. by endophytes	56
3.8.1. Quantitative analysis of total phenol content	56-57
3.8.2. Scavenging effect on DPPH free radical	57
3.8.3. β-Carotene-linoleic acid assay	57-58
3.8.4. Determination of reducing power	58
CHAPTER 4. RESULTS	60-129
4.1. Isolation of bacterial endophytes from <i>Achyranthes aspera</i> L. plants	60
4.2. Morphological, biochemical and physiological characteristics of the endophytic bacterial isolates	61-76
4.3. Preliminary screening for plant growth bioassays	76-81
4.4. Molecular identification of the isolate	

4.5. <i>In vitro</i> tests for plant growth promoting (PGP) traits by endophytes	91	
4.5.1. Siderophore production assay	91-95	
4.5.1.1. Effect of growth medium on siderophore release	95-97	
4.5.1.2. Effect of Carbon Sources, Nitrogen Sources and Organic acids on Siderophore production		
4.5.1.3. Effect of iron on siderophore release	104-105	
4.5.2. IAA production assay	106-110	
4.5.3. Phosphate solubilisation	111-115	
4.5.4. Nitogen fixation	116-117	
4.6. Colonization study of isolates from experimentally inoculated plants and its effect on plant growth in Pot trial experiment	117-124	
4.7. Availability and uptake of NPK (Nitrogen, Phosphorus, Potassium)	124-125	
4.8. Determination of <i>in vitro</i> Antioxidant activity of <i>Achyranthes aspera</i> L. by endophytes	125	
4.8.1. Quantitative analysis of total phenol content	125	
4.8.2. Scavenging effect on DPPH free radical	125-127	
4.8.3. β-Carotene-linoleic acid assay	127-128	
4.8.4. Determination of reducing power	128-129	
CHAPTER 5. DISCUSSION	131-147	
CHAPTER 6. CONCLUSION	149-152	
CHAPTER 7. BIBLIOGRAPHY		
ANNEXURE		
LIST OF PAPER PUBLISHED		

List of Tables

Table No.	Name	Page No.
01	Morphological characteristics of the isolates	61
02	Biochemical characteristics of the isolates	63-64
03	Physiological characteristics of endophytic bacteria	68-74
04	Plant growth promotion assay	76-78
05	Molecular characterization of the isolates	91
06	Percentage of seed germination	118
07	Population of endophytic bacteria from <i>A. aspera</i> grown in greenhouse Condition	119
08	Effect of <i>P. aeruginosa</i> Al2-14B on the growth characteristics of the <i>A. aspera</i> L.	121
09	Effect of <i>S. marcescens</i> AL2-16 on the growth characteristics of the <i>A. aspera</i> L.	122
10	Effect of <i>S. marcescens</i> AL6-10 on the growth characteristics of the <i>A. aspera</i> L.	123
11	Effect of isolates on total phenol content A. aspera L.	125

List of Photoplates

Photoplate No.	Label	Page No.
01	Colony characteristics	65
02	Photomicrograph of morphological characteristics	66
03	Biochemical characteristics	67
04	Zone formation on Pikovskaya's agar plate	80
05	Siderophore Production in CAS broth	80
06	Ammonia production in peptone broth	81
07	Gel image of 16S rRNA amplification of four isolates in1% Agarose gel	82
08	Siderophore production	92
09	Types of Siderophore: Catecholate and hydroxamate production	92
10	Phosphate solubilization	111
11	Growth of the isolates in nitrogen free medium. Acetylene reduction assay assay for Nitrogenase activity by AL2-14B, AL2-16 and AL6-10	116
12	Gel image of <i>nifH</i> gene amplification of four isolates	117
13	In vitro propagation of A. aspera L. in germ free condition	118
14	Population density study from experimental plants inoculated with isolates	120
15	Plant growth promotion of <i>A. aspera</i> L. by endophytic bacteria	124

List of Figures

Figure No.	Title	Page No.
01	Number of isolates obtained from the samples	60
02	Pie chart represents the ability of plant growth promoting attributes	78
03	Venn diagram depicting the overlap of multiple PGP traits among isolates	79
04	Phylogenetic analysis of 16S rRNA sequences of the bacterial isolate AL2-14B isolated from <i>A. aspera</i> L. The analysis was conducted with MEGA6 using neighbor-joining method	84
05	Phylogenetic analysis of 16S rRNA sequences of the bacterial isolate AL2-16 and AL6-10 isolated from <i>A. aspera</i> L. The analysis was conducted with MEGA6 using neighbor-joining method	87
06	Phylogenetic analysis of 16S rRNA sequences of the bacterial isolate AST5-2 isolated from <i>A. aspera</i> L. The analysis was conducted with MEGA6 using neighbor-joining method	90
07	Quantitative estimation of siderophore release by <i>P. aeruginosa</i> AL2-14B against growth of bacteria	93
08	Quantitative estimation of siderophore release by <i>S. marcescens</i> AL2-16 against growth of bacteria	94
09	Quantitative estimation of siderophore release by <i>S. marcescens</i> AL6-10 against growth of bacteria	95
10	Effect of media composition on siderophore production by <i>P. aeruginosa</i> AL2-14B	96
11	Effect of media composition on siderophore production by <i>S. marcescens</i> AL2-16	97
12	Effect of media composition on siderophore production by <i>S. marcescens</i> AL6-10	97

13	Effect of different carbon source on siderophore production by <i>P. aeruginosa</i> AL2-14B	98
14	Effect of different carbon source on siderophore production by <i>S. marcescens</i> AL2-16	99
15	Effect of different carbon source on siderophore production by <i>S. marcescens</i> AL6-10	99
16	Effect of nitrogen sources on siderophore production by <i>P. aeruginosa</i> AL2-14B	100
17	Effect of nitrogen sources on siderophore production by <i>S. marcescens</i> AL2-16	101
18	Effect of nitrogen sources on siderophore production by <i>S. marcescens</i> AL6-10	101
19	Effect of different organic acids sources on siderophore production by <i>P. aeruginosa</i> Al2-14B	102
20	Effect of different organic acids sources on siderophore production by <i>S. marcescens</i> AL216	103
21	Effect of different organic acids sources on siderophore production by <i>S. marcescens</i> AL6-10	103
22	Effect of iron concentration on siderophore production by <i>P. aeruginosa</i> AL2-14B	104
23	Effect of iron concentration on siderophore production by <i>S. marcescens</i> AL2-16	105
24	Effect of iron concentration on siderophore production by <i>S. marcescens</i> AL6-10	105
25	Quantitative estimation of IAA produced by <i>P. aeruginosa</i> AL2-14B at different L-tryptophan concentrations	107
26	IAA production profile of <i>P. aeruginosa</i> AL2-14B	107
27	Quantitative estimation of IAA produced by <i>S. marcescens</i> AL2-16 at different L-tryptophan concentrations	108

28	IAA production profile of <i>S. marcescens</i> AL2-16	108
29	Quantitative estimation of IAA produced by <i>S. marcescens</i> AL6-10 at different L-tryptophan concentrations	109
30	IAA production profile of S. marcescens AL6-10	109
31	Quantitative estimation of IAA produced by <i>B. methylotrophicus</i> AST5-2 at different L-tryptophan concentrations	110
32	IAA production profile of <i>B. methylotrophicus</i> AST5-2	110
33	Phosphate solubilization by <i>P. aeruginosa</i> AL2-14B after different time intervals.	112
34	Phosphate solubilization by <i>S. marcescens</i> AL2-16 after different time intervals.	113
35	Phosphate solubilization by <i>S. marcescens</i> AL6-10 after different time intervals.	114
36	Phosphate solubilization by <i>B. methylotrophicus</i> AST5-2 after different time intervals.	115
37	DPPH free radical scavenging activity of samples. Results are expressed as Mean ± SD of three determinations	126
38	Concentration of samples that scavenge 50% free radicals of DPPH, expressed as IC_{50} (mg/ml). Results are expressed as Mean \pm SD of three determinations	127
39	Antioxidant activity of samples using β -carotene bleaching assay. Results expressed as Mean \pm SD of three determinations	128
40	Reducing power of samples at 700nm. Results are expressed as Mean \pm SD of three determinations	129