

## BIBLIOGRAPHY

- Achenbach, P. and Ziegler, A.G. (2005). Diabetes related antibodies in euglycemics subject. Journal of best practice and research clinical endocrinology and metabolism. 19: 101-117.
- Achrekar, S., Kaklij, G.S., Pote, M. and Kelka, S.M. (1991). Hypoglycaemic activity of *Eugenia jambolana* and *Ficus bengalensis* : Mechanism of action. In vivo. 5: 143-147.
- Adiga, S., Bairy, K.L., Meharban, A. and Punita, I.S.R. (2010). Hypoglycemic effect of aqueous extract of *Trichosanthes dioica* in normal and diabetic rats, International Journal of diabetes in Developing countries. 30(1): 38-42.
- Agrawal, P. K. (1989). Carbon-13 NMR of Flavonoids. Agrawal, P. K., ed.; Elsevier: Amsterdam. 283-364.
- Agrawal, P., Rai, V. and Singh, R.B. (1993). Randomized placebo controlled single blind trial of holy basil leaves in patients with noninsulin-dependent diabetes mellitus. International Journal of Clinical and Pharmalogical Therapy. 406-409.
- Ahmed, I. (2006). Diabetes mellitus, Vol. 4, Division of endocrinology, Diabetes and metabolic Disease, Department of medicine, Jefferson Medical College, Thomas Jefferson University, Philadelphia, PA 19107, USA : 237-246.
- Al-Azzawie, H. and Alhamdani, M.S.S. (2006). Hypoglycemic and antioxidant effect of oleuropein in alloxan-diabetic rabbits. Life Sciences. 78: 1371–1377.
- Al-Yassin, D. and Ibrahim, K. (1981). A minor hemoglobin fraction and the level of fasting blood glucose. Journal of Faculty of Medicine. University of Baghdad. 23: 373–380.
- American Diabetes Association (ADS). (2003). The expert committee on the Diagnosis and Classification of Diabetes Mellitus: Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. Diabetes care. 26(1): 3160-3167.

- American Diabetes Association (ADS). (2007). The expert committee on the Diagnosis and Classification of Diabetes Mellitus: Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes care*. 30(1): 342-347.
- Andrade, O.R., Wuan, C.A. and Argaez, A.V.E. (2012). Antidiabetic effects of *Justicia spicigera* (Acanthaceae). *Journal of Ethnopharmacology*. 143(2): 455-462.
- Anthony, Y.H.W., Mary, M.Y.W., Kwan, H.S., Melanie, C.Y.C., Chaua, C.F. and Christopher, H.K.C. (2008). Inhibition of ATPases by Cleistocalyx operculatus. A possible mechanism for the cardio tonic actions of the herb. *Vascular Pharmacology Journal*. 38: 163-168.
- Arora, S., Kumar, S. and Vohora, D. (2009). Characterization of streptozotocin induced diabetes mellitus in swiss albino mice. *Global journal of pharmacology*. 3(2): 81-84.
- Ashis, P., Khan, M. L., Arunachalam, A. and Arunachalam, K. (2005). Biodiversity and conservation of rhododendrons in Arunachal Pradesh in the Indo-Burma biodiversity hotspot, *Current Science*. 89: 623.
- Augusti, K.T. and Sheela, C.G. (1996). Antiperoxide effect of S-allyl cysteine sulfoxide, an insulin secretagogue, in diabetic rats. *Experientia*. 52: 115-120.
- Augusti, K.T., Daniel, R.S. and Cherian, S. (1994). Effect of leucopelargonin derivative from *Ficus bengalensis* Linn. on diabetic dogs. *Indian Journal of Medical Research*. 99: 82-86.
- Ayaffor, J.F., Tehuendem, M.H.K. and Nyasse, B. (1994). Novel active diterpenoids from *Afromomum aulacocapos*. *Journal of natural products*. 57:917-923.
- Ayodhya, S., Kusum, S. and Anjali, S. (2010). Hypoglycemic activity of different extracts of various herbal plants. *International journal of Research in Ayurveda and Pharmacy*. 1(1): 212-224.
- Baetens, D., Malaisse-Lagae, F., Perrelet, A. and Orci L. (1979). Endocrine pancreas: Tridimensional reconstruction shows two types of islets of Langerhans. *Current Science* 206: 1323-1325.

- Bagdade, J.D., Porte, D. and Bierman, E.L. (1968). Acute insulin withdrawal and the regulation of plasma triglyceride removal in diabetic subjects. *Diabetes*. 17: 127-130.
- Bailey, C.J. and Day, C. (1989). Traditional plant medicine as treatments for diabetes. *Diabetes Care*. 12: 553-564.
- Bainton, D., Miller, N.E., Botton, C.H., Yarnell, J.W.G., Suretman, P.M., Baker, I.A., Lewis, B. and Elwood, P.C. (1992). Plasma triglyceride and high density lipoprotein cholesterol as predictors of ischemic heart disease in British men. *British Heart Journal*. 68: 60-66.
- Balasee, E.O., Bier, D.M. and Havel, R.J. (1972). Early effect of anti-insulin serum on hepatic metabolism of plasma free fatty acids in dogs. *Diabetes*. 21: 280-284.
- Banting, F.G., Best, C.H., Collip, J.B., Campbell, W.R. and Fletcher, A.A. (1992). Pancreatic extracts in the treatment of diabetes mellitus. *Canadian Medical Association Journal*. 12: 141-146.
- Basso, L.V. and Havel, R.J. (1970). Hepatic metabolism of free fatty acids in normal and diabetic dogs. *Journal of Clinical Investigation*. 49: 537-541.
- Benjamin, B.D., Kelkar, S.M. and Pote, M.S. (1994). *Catharanthus roseus* cell cultures: Growth, alkaloid synthesis and antidiabetic activity. *Phytotherapy Research*. 8: 185-186.
- Bertelli, E., Regoli, M. and Bastianini, A. (1994). Endocrine tissue associated with the pancreatic ductal system. A light and electron microscopic study of the adult rat pancreas with special reference to a new endocrine arrangement. *The Anatomical Record*. 239: 371-378.
- Bnouham, M., Ziyyat, A., Mekhfi, H., Tahri, A. and Legssyer, A. (2006). Medicinal plants with potential antidiabetic activity-A review of ten years of herbal medicine research (1990 – 2000), *International Journal of Diabetes & Metabolism*. 14: 1-25.
- Bora, P.S., Srivastava, L.M. and Bhatt, S.D. (1985). Metabolic and histopathological effects of streptozotocin-induced diabetes in rats: Effects of propranolol and insulin. *Indian Journal of Experimental Biology* 23: 23-26.

- Bora, P.S., Srivastava, L.M. and Bhatt, S.D. (1989). Myocardial dysfunction in diabetic rats: Influence of  $\beta$ -adrenoceptor blockade (propranolol). Indian Journal of Experimental Biology. 27: 615-620.
- Brain, K.R. and Turner, T.D. (1975). Practical evaluation of phytopharmaceuticals. 1st edition. Wright-Scientechnica, Bristol. 144.
- Brownlee, M. (2001). Biochemistry and molecular biology of diabetic complications. Nature. 414: 813-820.
- Bruneton, J. (1999). Pharmacognosy, Phytochemistry and Medicinal Plants. Intercept Limited. England, U.K.
- Buchanan, T.A. (2001). Pancreatic  $\beta$  cell defects in gestational diabetes: implications for the pathogenesis and prevention of type 2 diabetes. Journal of Clinical Endocrinology and Metabolism. 86(3): 989-993.
- Bunn, H.F., Gabbay, K.H. and Gallop, P.M. (1978). The glycosylation of hemoglobin: relevance to diabetes mellitus. Science. 200: 21-27.
- Burcelain, R., Eddouks, M., Maury, J., Kande, J., Assan, R. and Girard, J. (1995). Excessive glucose production rather than insulin resistance accounts for hypoglycaemia in recent-onset diabetic rats. Diabetologia. 38: 283-290.
- Catalano, P.M., Huston, L., Amini, S.B. and Kalhan, S.C. (1999). Longitudinal changes in glucose metabolism during pregnancy in obese women with normal glucose tolerance and gestational diabetes. American Journal of Obstetrics and Gynecology. 180: 903-916.
- Cazarolli, L.H., Zanatta, L., Alberton, E.H., Res, B.F., Maria, S., Folaor, P., Damazio, R.G. and Pizzolat, M.G. (2008). Flavonoids. Cellular and molecular mechanism of action in glucose homeostasis. Mini Review in Medicinal Chemistry. Bentham Science Publishers. 18(10): 1032-1038.
- Chakrabarti, S., Biswas, T.K., Rokeya, B., Ali, L., Mosihuzzaman, M., Nahar, N., Khan, A.K.A. and Mukherjee, B. (2003). Advanced studies on the hypoglycemic effect of *Caesalpinia bonduc* F. in type 1 and 2 diabetes in Long Evans rats. Journal of Ethnopharmacology. 84: 41-46.

- Chandramohan , G., Ignacimuthu, S. and Pugalendi, K.V. (2008). A novel compound from *Casearia esculenta* (Roxb.) root and its effect on carbohydrate metabolism in streptozotocin-diabetic rats. European Journal of Pharmacology. 590: 437–443.
- Chang, C., Yang, M., Wen H. and Chern, J. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. Journal of Food and Drug analysis. 10: 178-182.
- Chase, C.K. and McQueen, C.E. (2007). Cinnamon in diabetes mellitus. American Journal of Health System Pharmacy. 64: 1033-1035.
- Chatterjee, A.K., Murthi, P.S.R. and Mukherjee, S.K. (1980). Effect of centipiperalone in insulin deficient diabetes. Indian Journal of Experimental Biology. 18: 1005-1008.
- Chattopadhyay, R.R. (1999). Possible mechanism of antihyperglycaemic effect of *Gymnema sylvestre* leaf extract, part I. General Pharmacology. 31: 495-496.
- Chattopadhyay, R.R. (1993). Hypoglycaemic effect of *Ocimum sanctum* leaf extract in normal and streptozotocin diabetic rats. Indian Journal of Experimental Biology. 31: 391-393.
- Chauhan, A., Sharma, P.K., Srivastava, P., Kumar, N. and Dudhe, R. (2010). Plant having potential antidiabetic activity: A review. Scholars research library. 2(3): 369-387.
- Cheng, A.Y.Y. and Fantus, I.G. (2005). Oral antihyperglycemic therapy for type 2 diabetes mellitus. Canadian Medical Association Journal. 172: 213-226.
- Consoli, A., Nurjhan, N., Reilly, J.R., Bier, D.M. and Gerich, J.E. (1990). Mechanism of increased gluconeogenesis in non insulin dependent diabetes mellitus. Role of alterations in systemic, hepatic and muscle lactate and alanine metabolism. Journal of Clinical Investigation. 86: 2038-2045.
- Cowan, M.M. (1999). Plant products as antimicrobial agents. Clinical Microbiology Review. 12: 564–582.
- Day, C., Cartwright ,T., Provost, J. and Bailey, C.J. (1990). Hypoglycaemic effect of *Momordica charantia* extracts. Planta Medica. 56: 426-429.

- De-Fronzo, R.A. (2004). Pathogenesis of type2 diabetes mellitus. *Medical Clinics of North America*. 88: 787-835.
- Delfino, D.A., Gray, W.R., Leow, C.K., Shimizu, S., Ferguson, D.J.P. and Morris, P.J. (1993). A comparison of four solutions for cold storage of pancreatic islets. *Transplantation*. 6: 1325-1330.
- Dimo, T., Rakotonirina, S.V., Tan, P.V., Azay, J., and Dongo, E., (2007), Effects of *Sclerocarya birrea* (Anacardiaceae) stem-bark methylene chloride/methanol extract on streptozotocin-diabetic rats, 110 (3): 434-438.
- Dobson, M. (1776). Nature of urine in diabetes. *Medical Journal of Obs Inq*. 5:298-310.
- Fajans, S.S., Bell, G.I. and Polonsky, K.S. (2001). Molecular mechanism and clinical pathophysiology of maturity onset diabetes of the young. *N England Journal of Medicine*. 345: 971-980.
- Dongmo, A. B., Milyamoto, T., Yoshikawa, K., Arihara, S. and Lacaille-Dubois, M. (2007). *Journal of Planta Medica*. 73: 1202.
- Eidi, M. and Esmaeili, E. (2006). Antidiabetic effect of garlic (*Allium sativum* L.) in normal and streptozotocin-induced diabetic rats, *Phytomedicine: International Journal of Phytotherapy and Phytopharmacology*. 13: 624–629.
- El-Alfy, A.T., Ahmed, A.A.E. and Fatani, A.J. (2005). Protective effect of red grape seeds proanthocyanidins against induction of diabetes by alloxan in rats. *Pharmacological Research*. 52: 264–270.
- Eliandra de, Sousa., Zanatta, L., Seifriz, I., Pasa, T.B., Pizzolatti, M.G., Szpoganicz, B. and Silva, F. (2004). Hypoglycemic Effect and Antioxidant Potential of Kaempferol-3,7-O-(r)-dirhamnoside from Bauhinia forficata Leaves. *Journal of Natural Products*. 67: 829-832.
- Elizabeth, M., William, D.T., Okpako, F.J. and Evans. (1996). The use of plant remedies in Indigenous medicinal systems. Selection , preparation and pharmacological evaluation of plant material. John Wiley and sons Ltd. Baffins Lane, Chichester, West Sussex. England. ISBN 0-471-942162: 1-15.
- Elkayam, A. (2003). The effects of allicin on weight in fructoseinduced hyperinsulinemic, hyperlipidemic, hypertensive rats. *American Journal of Hypertension*. 16: 1053–1056.

- El-Shenawy, N.S. and Abdel-Nabi, I.M. (2006). Diabetol croat. 35: 15-22.
- Elsner, M., Guldbakke, B., Tiedge, M., Munday, R. and Lenzen, S. (2007). Relative importance of transport and alkylation for pancreatic beta-cell toxicity of streptozotocin. Diabetologia. 43: 1528-1533.
- Evans, W.C., Trease. and Evans. (1996). Pharmacognosy, 14th Edition, Bailiere Tindall W.B. Saunders company ltd, London. 224-575.
- Fajans, SS., Bell, G.I. and Polonsky, K.S. (2001). Molecular mechanism and clinical pathophysiology of maturity onset diabetes of the young. N England Journal of Medicine. 345: 971-980.
- Farswan, M., Mazumder, P. M., Parcha, V. and Upaganlawar, V. (2008). Modulatory effect of *Syzygium cumini* seeds and its isolated compound on biochemical parameters in diabetic rats. International Journal of Green Pharmacy. 5: 127–133.
- Frati, A.C., Xilotl, D. N. and Altamirano, P. (1991). The effect of two sequential doses *Opuntia streptacantha* upon glycaemia. Archivos De Investigacion Medica. (Mex). 22: 333-336.
- Friedman, J., Peleg, E., Kagan, T., Shnizer, S. and Rosenthal, T. (2003). *American Journal of Hypertension*. 16: 1049-1052.
- Ghosh, S. and Suryawanshi, S.A. (2001). Effect of *Vinca rosea* extracts in treatment of alloxan diabetes in male albino rats. Indian Journal of Experimental Biology. 39: 748–759.
- Giancarlo, S., Rosa, L.M., Nadjafi, F. and Francesco, M. (2006). Hypoglycaemic activity of two spices extracts: *Rhus coriaria* L. and *Bunium persicum* Boiss. Natural Product Research. 20: 882-886.
- Greider, MH., Howell, SL. and Lacy, P.E. (1969). Isolation and properties of secretory granules from rat islets of Langerhans. II. Ultrastructure of the beta granule. Journal of Cell Biology. 41: 162-166.
- Grover, J.K. and Vats, V. (2001). Shifting paradigm from conventional to alternate medicine. An introduction on traditional Indian medicine. Asia Pac Biotech News. 5: 28-32.

- Grover, J.K., Yadav , S. and Vats, V. (2002). Medicinal Plants of India with anti-diabetic potential. *Journal of Ethnopharmacology*. 81: 81-100.
- Gupta, R., Gabrielsen, B. and Ferguson1, F.M. (2005). Nature's Medicines: Traditional Knowledge and Intellectual Property Management. Case Studies from the National Institutes of Health (NIH), USA Current Drug Discovery Technologies. 2: 203-219.
- Gupta, R., Misra, A., Pais, P., Rastogi, P. and Gupta, V.P. (2006). Correlation of regional cardiovascular disease mortality in India with lifestyle and nutritional factors. *International Journal of Cardiology*. 108: 291-300.
- Gurub-Fakim, A. (2006). Medicinal plants: Traditions of yesterday and drugs of tomorrow. *Molecular Aspects of Medicine*. 27: 1-93.
- Guvenalp, Z., Kiliç, N., Kazaz, C., Kaya, Y. and Demirezer, O. (2006). *Turkish Journal of Chemistry*. 30: 515.
- Hannan, J.M.A., Ali, L., Rokeya, B., Khaleque, J., Akhter, M., Flatt, P.R. and Addel-Wahab, Y.H.A. (2007). Soluble dietary fibre fraction of *Trigonella foenum-graceum* (fenugreek) seed improves glucose homeostasis in animal models of type 1 and type 2 diabetes by delaying carbohydrate digestion and absorption and enhancing insulin action. *British Journal of Nutrition*. 97: 514-521.
- Heinrich, M., Barnes, J., Gibbons, S. and Williamson, E.M. (2004). Fundamentals of Pharmacognosy and Phytotherapy. Churchill Livingstone, Elsevier Science Ltd. UK.
- Hirch, I.B., (1995). Glycemic control and complications of diabetes mellitus. *Western Journal of Medicine*. 162(5): 430-438.
- Hopper, W.M. and Lips, J.M. (2006). Role of islet amyloid in type 2 diabetes mellitus. *The International Journal of Biochemistry and Cell biology*. 38:726-736.
- Hossain, M.Z., Shibib, B.A. and Rahman, R. (1992). Hypoglycaemic effects of *Coccina indica*: inhibition of key gluconeogenic enzyme, glucose-6-phosphatase. *Indian Journal of Experimental Biology*. 30: 418-420.
- Huang, D., Ou, B. and Prior, R.L. (2005). The chemistry behind antioxidant capacity assays. *Agriculture food Chemistry*. 53: 1841–1856.

- Islam, M.S., Choi, H. and Loots, D.T.L. (2008). Effects of dietary onion *Allium cepa* L. in a high-fat diet streptozotocin-induced diabetes rodent model. Annals of Nutrition and Metabolism. 53: 6–12.
- Ivorra, M.D., Paya, M. and Villar, A. (1989). A review of natural products and plants as potential antidiabetic drugs. Journal of Ethnopharmacol. 27: 243-275.
- Jabon, G.J., Arango, A., Abad, V., Garcia, J., Cuervo, H., Velasquez, A., Angel, I.D., Vega, P., Abad, A. and Anaya, J.M. (2006). Clinical and immunological characteristics of type-1 diabetes mellitus in North Western Columbian population. Diabetic research and clinical practice.72: 170-175.
- Janbaz, K.H., Saeed, S.A. and Gilani, A.H. (2002). Protective effect of rutin on paracetamol- and CCl<sub>4</sub>-induced hepatotoxicity in rodents. Fitoterapia. 73: 557-563.
- Jayashri, M.A., Don, D., Radha, A. and Mathew, T.L. (2009). Alpha amylase and alpha glucosidase inhibitory activity of *Costus pictus* in the management of diabetes. Journal of Herbal Medicine and Toxicology. 3(1): 91-94.
- Jie Yang., Hong Chen., Li Zhang., Qiang Wang. and Mao-Xiang Lai . (2009). Anti-diabetic effect of standardized extract of *Potentilla discolor* Bunge and identification of its active components. Drug Development Research. 10.1002/ddr.20340.
- Jiju, V., Samuel, C., Thomas, N.S., Sahu, M.M. and Vasudevan, D.T. (2013). The inhibitory effect of Cacia papaya leaf extracts on alpha amylase. Universal journal of pharmacy. 2(1): 135-139.
- Jones, W.P. and Kinghorn, A.D. (2005). Natural product isolation: Extraction of Plant Secondary Metabolites. Methods in Biotechnology. 20:323-351.
- Jorns, A., Barklage, E. and Grube, D. (1988). Heterogeneties of the islets in the rabbit pancreasand the problem of “Paracrine” regulation of islet cells. Anatomy and Embryology. 178, 297-307.
- Jung, M., Park, M., Lee, H.C., Kang, Y.H., Kang, E.S. and Kim, S.K. (2006). Antidiabetic agentsfrom medicinal plants. Current Medicinal Chemistry. 13: 1203–1218.

- Kahn, S.E. (2000). The importance of the  $\beta$  cell in the pathogenesis of type 2 diabetes mellitus. *The American journal of Medicine*. 108(6): 2-8.
- Kako, M., Miura, T. and Nishiyama, Y. (1996). Hypoglycaemic effect of the rhizomes of *Polygala senega* in normal and diabetic mice and its main component, the triterpenoid glycoside senegin-II. *Planta Medica*. 62: 440-443.
- Kaleem, M., Asif, M., Ahmed, Q.U. and Bano, B. (2006). Anti-diabetic and antioxidant activity of *Annona squamosa* extract in streptozotocin-induced diabetic rats. *Singapore Medical Journal*. 47: 670-675.
- Kamalakkanan, N., Rajadurai, M. and Stanely Mainzen Prince, P. (2003). Effect of *Aegle marmelos* fruits on normal and streptozotocin diabetic Wistar rats. *Journal of Medicinal Food*. 6: 93-98.
- Kamalakkannan, N. and Prince, P.S.N. (2006). Antihyperglycaemic and Antioxidant Effect of Rutin, a Polyphenolic Flavonoid, in Streptozotocin-Induced Diabetic Wistar Rats. *Basic & Clinical Pharmacology & Toxicology*. 98: 97–103.
- Kamble, S.M., Kamlakar, P.L., Vaidya, S. and Bambole, V.D. (1998). Influence of *Coccinia indica* on certain enzymes in glycolytic and lipolytic pathway in human diabetes. *Indian Journal of Medical Science*. 52: 143-146.
- Karagozler, A.A., Erdag, B., Emek, Y.C. and Uygun, D.A. (2008). Antioxidant activity and proline content of leaf extracts from *Dorystoechas hastata*. *Food Chemistry*. 111: 400–407.
- Karawya, M. S., Abde, S. M., El-Olemy, M. M. and Farrag, N. M. (1984). Diphenylamine, an antihyperglycemic agent from onion and tea. *Journal of Natural Products*. 47:775–780.
- Kaul, T.N., Middletown, Jr. E. and Ogra, P.L. (1985). Anitiviral effects of flavonoids on human viruses. *Journal of Medical Virology*. 15: 71-75.
- Kavalali, G., Tuncel, H., Goksel, S. and Hatemi, H.H. (2003). Hypoglycemic activity of *Urtica pilulifera* in streptozotocin-diabetic rats. *Journal of Ethnopharmacology*. 84: 241-245.

- Kesari, A.N., Gupta, R.K. and Watal, G. (2005). Hypoglycemic effects of *Murraya koenigii* on normal and alloxan diabetic rabbits. Journal of Ethnopharmacology. 97:247–251.
- Kesari, A.N., Gupta, R.K., Singh, S.K., Diwakar, S. and Watal, G. (2006). Hypoglycemic and antihyperglycemic activity of *Aegle marmelos* seed extract in normal and diabetic rats. Journal of Ethnopharmacology. 107: 374–379.
- Kesavulu, M.M., Giri, R. and Rao, B.K. (2000). Lipid peroxidation and antioxidant enzyme levels in type 2 diabetics with microvascular complications. Diabetes Metabolism. 26: 387-391.
- Khosla, P., Gupta, D.D. and Nagpal, R.K. (1995). Effect of *Trigonella foenum graecum* (fenugreek) on blood glucose in normal and diabetic rats. Indian Journal of Physiology and Pharmacology. 39:173–174.
- Kim, J.S., Kwon, C.S. and Son, K.H. (2000). Bioscience Biotechnology and Biochemistry. 64(11): 2458-2461.
- Kim, Y.M., Jeong, Y.K., Wang, M.H., Lee, W.Y. and Rhee, H.I. (2005). Inhibitory effects of pine bark extract on alpha-glucosidase activity and postprandial hyperglycemia. Nutrition. 21: 756-761.
- Kimura, I. (2006). Medical benefits of using natural compounds and their derivatives having multiple pharmacological actions. Yakugaku Zasshi. 126:133–143.
- Kinghorn, A.D. and Balandrin, M.F. (1993). Human medical agents from plants, American chemical society, San Francisco, USA.
- Kodama, T. (1983). A light and electron microscopic study on the pancreatic ductal system. Acta Pathology, Japan. 33: 297-321.
- Koistinen, H.A., Chibalin, A.V. and Zierath, J.R. (2003). Aberrant p38 mitogen activated protein kinase signalling in skeletal muscles from type2 diabetic patients. Dibetologia. 46: 1324-1328.
- Kovats, G.S. and Johnson, J.A. (1997). A review of diabetes cost of illness studies. Institute of Pharmaco –Economics Working Paper 97- 3, Edmonton. Canada.
- Kuçkislamoglu, M., Yayli, N., Senturk, H. B. and Genç, H. (2000). Turkish Journal of Chemistry. 24: 191.

- Kumar, A., Ilavarasan, R., Jayachandran, T., Deecaraman, M., Kumar, R.M., Aravindan, P., Padmanabhan, N. and Krishan, M.R.V. (2008). Anti-inflammatory activity of *Syzygium cumini* seed. African Journal of Biotechnology. 7 (8): 941–943.
- Kumar, G. and Murugesan, A.G. (2008). Influence of *Helicteres isora* bark extracts on plasma and tissue glycoprotein components in Streptozotocin diabetic rats. Journal of Clinical and Diagnostic Research. 1(4): 330-338.
- Kumar, G.P., Sudheesh, S. and Vijayalakshmi, N.R. (1993). Hypoglycaemic effect of *Coccina indica*: Mechanism of action. Planta Medica. 59: 330-332.
- Kumar, V., Cotran, R.S. and Robbins, J. (1992). Basic pathology fifth edition, a division of Harcourt Brace and Company. Philadelphie, London. 570-573.
- Kumari, K. and Augusti, K.T. (2002). Antidiabetic and antioxidant effects of S-methyl cysteine sulfoxide isolated from onions (*Allium cepa* Linn) as compared to standard drugs in alloxan diabetic rats. Indian Journal of Experimental Biology. 40: 1005–1009.
- Kumari, K., Mathew, B.C. and Augusti, K.T. (1995). Antidiabetic and hypolipidemic effects of S-methyl cysteine sulfoxide isolated from *Allium cepa* Linn. Indian Journal of Biochemistry and Biophysics. 32:49-54.
- Lacy, P.E. (1962). Quantitative histochemistry of the islets of Langerhans I.Lactic, Malic, glucose-6-phosphate and 6-phosphogluconate dehydrogenase activities of beta cells and acini. Diabetes. 11: 96-100.
- Lacy, P.E. (1972). Ultrastructural organization of mammalian pancreatic islets. Handbook of Physiological Sections. 7: 77-89.
- Lagathu, C., Bastard, J.P., Auclair, M., Maachin, M., Capeau, J. and Caron, M. (2003). Chronic interleukin-6 treatment increased IL-6 secretion and induced insulin resistance in adipocyte: prevention by rosiglitazone. *Biochemical and Biophysical Research Communications*. 139: 372-379.
- Larson, L.I., Sunder, F. and Hakanson, R. (1976). Pancreatic polypeptide-A postulated new hormone: Identification of its cellular storage site by light and electron microscopic immunocytochemistry. Diabetologia. 12: 211-226.

- Lee, M.J., Rao, Y.K., Chen, K., Lee, Y.C. and Tzeng, Y.M. (2009). Effect of flavonol glycosides from *Cinnamomum osmophloeum* leaves on adiponectin secretion and phosphorylation of insulin receptor- $\beta$  in 3T3-L1 adipocytes. *Journal of Ethnopharmacology*. 126(1): 79-85.
- Li, W., Dai, R.J., Yu, Y.H., Li, L., Wu, C.M., Luan, W.W., Meng, W.W., Zhang, X.S. and Deng, Y.L. (2007). Antihyperglycemic effect of *Cephalotaxus sinensis* leaves and GLUT-4 translocation facilitating activity of its flavonoid constituents. *Biological Pharmaceutical Bulletin*. 30(6): 1123-1129.
- Liao, K. and Yin, M. (2000). Individual and combined antioxidant effects of seven phenolic agents in human erythrocyte membrane ghosts and phosphatidylcholine liposome systems: importance of the partition coefficient. *Journal of Agricultural and Food Chemistry*. 48: 2266–2270.
- Like, A. and Orci, L. (1972). Embryogenesis of the human pancreatic islets: A light and electron microscopic study. *Diabetes*. 21: 511-534.
- Like, A.A. (1967). The ultra structure of the secretory cells of the islets of Langerhans in men. *Laboratory Investigation*. 16: 937-951.
- Loi, D.T. (1986). Vietnamese medicinal plants and herbs. Hanoi Pub. House Techno. Vietnam. 437–438.
- MacCracken, J. (1997). Puzzles and promises in diabetes management. *Journal of Postgraduate Medicine*. 101: 138-150.
- Mai, T.T. and Chuyen, N.V. (2007). Antihyperglycemic activity of an aqueous extract from flower buds of *Cleistocalyx operculatus* (Roxb) Merr and Perry. *Bioscience Biotechnology and Biochemistry*. 71(1): 69–76.
- Mandal, S., Barik, B., Mallick, C., De, D. and Ghosh, D. (2008). Therapeutic effect of ferulic acid, an ethereal fraction of ethanolic extract of seed of *Syzygium cumini* against streptozotocin-induced diabetes in male rat. *Methods and Findings in Experimental and Clinical Pharmacology*. 30: 121–128.
- Manickam, M., Ramanathan, M., Jahromi, M. A., Chansouria, J. P. and Ray, A. B. (1997). Antihyperglycemic activity of phenolics from *Pterocarpus marsupium*. *Journal of Natural Products*. 60: 609–610.

- Maritim, A.C., Sanders, R.A. and Watkins, J.B. (2003). Diabetes, oxidative stress, and antioxidants: a review. *Journal of Biochemistry and Molecular Toxicology*. 17: 24–39.
- Marles, R.J. and Farnsworth, N.R. (1995). Antidiabetic plants and their active constituents. *Phytomedicine*. 2: 137–189.
- Marzaban, L., Park, K. and Verchere, CB. (2003). Islet amyloid polypeptide and type2 diabetes. *Experimental Gerontology*. 38: 347-351.
- Mathew, P.T. and Augusti, K.T. (1973). Studies on the effect of allicin (diallyl disulphide-oxide) on alloxan diabetes I. Hypoglycaemic action and enhancement of serum insulin effect and glycogen synthesis. *Indian Journal of Biochemistry and Biophysics*. 10: 209–212.
- Matsui, T., Tanaka, T., Tamura, S., Toshima, A., Miyata, Y. and Tanaka, K. (2007). Alpha glucosidase inhibitory profiles of catechins and theaflavins. *Journal of Agricultural and Food Chemistry*. 55: 99-105.
- Mayfield, J. (1998). Diagnosis and classification of diabetes mellitus. New criteria, Bowen Research Center, Indian University Indianapolis, Indiana.
- Miller, N.E. (1980). HDL-Cholesterol, Tissue cholesterol and coronary atherosclerosis: Epidemiological correlations. *Proceedings of the Fifth International Symposium*, Springer-Verlag, Newyork.
- Mishra, M., Kumar, H. and Tripathi, K. (2008). Diabetic delayed wound healing and the role of silver nanoparticles. *Digest Journal of Nanomaterials and Biostructures*. 3(2): 49-54.
- Mitra, S.K., Gopumadhavan, S., Muralidhar, T.S., Anturlikar, S.D. and Sujatha, M.B. (1995). Effect of D-400, a herbomineral preparation on lipid profile, glycated hemoglobin and glucose tolerance in streptozotocin-induced diabetes in rats. *Indian Journal of Experimental Biology*. 33: 798–800.
- Mitra, S.K., Goupmadhavan, S., Muralidhar, T.S. and Seshadri, S.J. (1996). Effect of D-400, a herbomineral formulation on liver glycogen content and microscopic structure of pancreas and liver in streptozotocin-induced diabetes in rats. *Indian Journal of Experimental Biology*. 34: 964-967.

- Mizuguchi, T. (1968). Study on lipids and fatty acids of the plasma and aortic walls in human and experimental atherosclerosis. Japanese Heart Journal. 9: 34-45.
- Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S. and Devasagayam, TPA. (2007). Indian herbs and herbal drugs used for the treatment of Diabetes. Journal of clinical biochemistry and nutrition. 40(3): 163-173.
- Munger, B.L., Caramia, F. and Lacy, P.E. (1965). The ultrastructural basis for the identification of cell type in the pancreatic islets. II. Rabbit, dog and opossum. ZZellf orach. 67: 776 – 798.
- Murali, B., Upadhyaya, U.M. and Goyal, R.K. (2002). Effect of chronic treatment with *Enicostemma littorale* in non-insulin dependent diabetic rats. Journal of Ethnopharmacology. 81: 199-204.
- Mythili, D.M., Patra, S.S. and Gunasekaran, S. ( 2003). Culture prior to transplantation preserves the ultrastructural integrity of monkey pancreatic islets. Journal of Electron Microscopy. 52: 399–405.
- Nammi, S., Boini, M.K., Lodagala, S.D. and Behara, R.B.S. (2003). The juice of fresh leaves of *Catharanthus roseus* Linn. Reduces blood glucose in normal and alloxan diabetic rabbits. BMC Complementary and Alternative Medicine. 3: 4-15.
- Nicholas, V.C., Longley, R.W. and Roe, J.H. (1948). The determination of glycogen in liver and muscle by use of anthrone reagent. Department of biochemistry, School of Medicine, George Washington University, Washington. 187: 583-85.
- Nikilla, E.A., Huttunen, J.K. and Ehnholm, C. (1977). Postheparin plasma lipoprotein lipase and hepatic lipase in diabetes mellitus. Diabetes. 26: 11-21.
- Njomen, G.B.S.N., Kamgang, R., Soua, P.R.N., Oyono, J.L.E. and Njikam, N. (2009). Protective effect of methanol-methylene chloride extract of *Terminalia glaucescens* leaves on streptozotocin-induced diabetes in mice. Tropical Journal of Pharmaceutical Research. 8(1): 19-26.
- Nolte, MS. and Karam, JH. (2001). Pancreatic hormones and antidiabetic drugs. In: Basic and clinical pharmacology. 8<sup>th</sup> edition. Katzung B.G. lange medical books. Mc Graw-Hill, San Francisco. USA. 771-734.

- Nomura, M., Yamakawa, K., Hirata, Y. and Niwa, M. (1993). Antidermatophytic constituent from the bark of *Cleistocalyx operculatus*. Shoyakugaku Zasshi. 47: 408–410.
- Noor A., Bansal V.S. and Vijayalakshmi. (2013). Current update on antidiabetic biomolecules from key traditional Indian medicinal plants. Current Science. 104(6): 721-727.
- Noor, A., Gunasekaran, S., Manickam, A.S. and Vijayalakshmi, M.A. (2008). Antidiabetic activity of Aloe vera and histology of organs in streptozotocin induced diabetic rats. Current Sciences. 94: 1070-1076.
- Oktay, M., Gulcin, I. and Kufrevioglu, O.I. (2003). Determination of invitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. Lebensem.Wiss.U.Technol. 36: 263-271.
- Ortiz Andrade, R.R., Garcia Jimenez, S., Castillo Espana, P., Ramíieez Avila, G., Vilalobos Molina, R. and Estrada Solo, S. (2007). Alpha glucosidase inhibitory activit of the methanol extract from *Tournefolia hartwegiana*: An anti-hyperglycemic agent. Journal of Ethnopharmacology. 109: 48-53.
- Oztekin, O. (2007). New insights into the pathophysiology of gestational diabetes mellitus: possible role of human leukocyte antigen-G. Medical Hypotheses. 69(3): 526–530.
- Pathak, R.M., Ansari, S. and Mahmood, A. (1981). Changes in chemical composition of intestinal brush border membrane in alloxan induced chronic diabetes. Indian Journal of Experimental Biology. 19: 503-505.
- Patil, U.K., Saraf, S. and Dixit, V.K. (2004). Hypolipidemic activity of seeds of *Cassia tora* Linn. Journal of Ethnopharmacology. 90: 249–252.
- Patlak, M. (2002). New weapons to combat an ancient disease. Federation of American Societies for Experimental Biology Journal. 14:1853.
- Pelletier, G. and Leclerc, R. (1977). Immunohistochemical localization of human pancreatic polypeptide (HPP) in the human endocrine pancreas. Gastroenterology. 72: 569-571.

- Perrett, S., Whitfield, P.J., Sanderson, L. and Bartlet, A. (1995). The plant mulluscicide *Millettia thonningii* (Leguminosae) as a topical antihistosomal agent. Journal of Ethnopharmacology 47: 49-54.
- Petit, P.R., Sauvaire, Y.D., Hillaire-Buys, D.M., Leconte, O.M., Baissac, Y.G., Ponsin, G.R. and Ribes, G.R. (1995). Steroid saponins from *Fenugreek* seeds extraction, purification, and pharmacological investigation on feeding behavior and plasma cholesterol. Steroids. 60: 674–680.
- Petkov, P., Marquie, G., Donev, S., Dahmani, Y. and Duhault, J. (1985). Morphology of the endocrine pancreas in diabetic rat (*Psammomys obesus*) Cell. Molecular Biology. 31(2): 61-74.
- Pipeleers, D. (1987). The biosociology of pancreatic β-cells. Diabetologia. 30: 277-291.
- Pipeleers, D. (1992). Heterogeneity in pancreatic β-cell population. Diabetes. 41: 777-781.
- Pizzolatti, M. G., Cunha-Jr, A., Szpoganicz, B. and Sousa, E. (2003). Journal of Quimica Nova. 26: 466.
- Polak, J.M. and Bloom, S.R. (1992). The endocrine Pancreas. In: Mc Gee Jo, Isaacson P.G., Wright, N.A., edition, Oxford Textbook of pathology. Volume 2b. Pathology of systems, Oxford University Press, Oxford.
- Prabhakar, P.K. and Doble, M.A. (2008). Target based therapeutic approach towards diabetes mellitus using medicinal plants. Current Diabetes Reviews. 4:291–308.
- Prasad, S.K., Kulshreshtha, A. and Qureshi, T.N. (2009). Antidiabetic activity of some herbal plants in streptozotocin induced diabetic albino rats. Pakistan Journal of Nutrition. 8(5): 551-557.
- Puls, W., Keup, U., Krause, H.P., Thomas, G. and Hoffmeister, F. (1997). Naturwissenschaften. 64: 536.
- Ragupathy, S., Newmaster, S.G., Maruthakkutti, M., Velusamy, B. and Ul-Huda, M.M. (2008). Consensus of the 'Malasars' traditional aboriginal knowledge of medicinal plants in the Velliangiri holy hills. India Journal Ethnobiology and Ethnomedicine. 27(4): 8-15.

- Rai, V., Iyer, U. and Mani, U.V. (1997). Effect of Tulasi (*Ocimum sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissue lipid in diabetic rats. Plant Food For Human Nutrition. 50: 9–16.
- Rajalingam, R., Srinivasan, N. and Govindarajulu, P. (1993). Effect of alloxan induced diabetes on lipid profiles in renal cortex and medulla of mature albino rats. Indian Journal of Experimental Biology. 31: 577-579.
- Rajasekaran, F.K., Sivagnanam, K.R. and Subramanian, S. (2004). Hypoglycemic effect of *Aloe vera* gel on streptozotocin-induced diabetes in experimental rats. Journal of Medicinal food. 7: 61–66.
- Rao, B.K., Kesavulu, M.M., Giri, R. and Appa, R.C. (1999). Antidiabetic and hypolipidemic effects of *Momordica cymbalaria* Hook. Fruit powder in alloxan-diabetic rats. Journal of Ethnopharmacology. 67: 103-119.
- Raven, P.H. (1998). Medicinal plants and global sustainability: The canary in the coal mine. In medicinal plants: A global heritage proceeding of the International Development Research center. 14-18.
- Ravi, K., Rajasekaran, S. and Subramaniam, S. (2005). Antihyperglycemic effect of *Eugenia jambolina* seed kernel on streptozotocin induced diabetes in rats. Food Chemistry and Toxicology 43: 1433-1439.
- Rimando, A.M.M., Olofsdotter, S.O.D. and Dayan, F.E. (2001). Searching for rice allelochemicals: an example of bioassay-guided isolation. Agronomy Journal. 93: 16–20.
- Robertson, R.P. (2006). Oxidative stress an impaired secretion on type 2 diabetes. Current opinion in pharmacology. 6: 615-619.
- Roith, L.E.D. and Zick, Y. (2001). Recent advances in our understanding of insulin action and insulin resistance. Diabetes care. 24: 588-597.
- Roussel, M. (1998). Handbook on how to control diabetes. South Africa. Hoechst Marion.
- Sarkar,S., Pranava, M. and Marita, R. (1996). Demonstration of the hypoglycaemic action of *Momordica charantia* in a validated model of diabetes. Pharmacological Research. 33: 1-4.

- Sato, T. and Herman, L. (1981). Stereological analysis of normal rabbit pancreatic islets. *The American Journal of Anatomy*. 161: 71-84.
- Satyajit, D., Sarker, Z., Latif, A. and Gray, I. (2006). Natural product isolation. Second edition, Humana Press Inc ISBN 1-59259-955-9.
- Scalbert, A., Johnson, I.T. and Saltmarsh, M. (2005). Polyphenols: antioxidants and beyond. *American Journal of Clinical and Nutrition*. 81: 215S-217S.
- Seth, S.D. and Sharma, B. (2004). Medicinal plants of India. *Indian Journal of Medicine Research*. 120: 9–11.
- Shanmugasundaram, E.R., Rajeswari, G., Baskaran, K., Rajesh Kumar, B.R., Radha Shanmugasundaran, K. and Kizar Ahmath, B. (1990). Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. *Journal of Ethnopharmacology*. 30: 281-294.
- Shanmugasundaram, E.R.B., Gopinath, K.L., Shanmugasundaram, K.R. and Rajendran, V.M. (1990). Possible regeneration of the islets of Langerhans in streptozotocin diabetic rats given *Gymnema sylvestre* leaf extract. *Journal of Ethnopharmacology*. 30: 265-279.
- Shanmugasundaram, E.R.B., Venkatasubramaniyam, M., Vijendran, N. and Shanmugasundaram, K.R. (1988). Effect of an isolate from *Gymnema sylvestra* R.Br. in the control of diabetes mellitus and the associated pathological changes. *Ancient Science of Life*. 7: 183-194.
- Shanmugasundaram, K.R., Paneerselvam, C., Samudram, P. and Shanmugasundaram, E.R.B. (1983). Enzyme changes and glucose utilization in diabetic rabbits: the effect of *Gymnema sylvestre*. *Journal of Ethnopharmacology*. 7: 205-234.
- Shanmugasundaram, K.R., Paneerselvam, C., Samudram, P. and Shanmugasundaram, E.R.B. (1981). The insulinotropic activity of *Gymnema sylvestre*. an Indian medical herb used in controlling diabetes mellitus. *Pharmacology Research Communications*. 13: 475-486.
- Sharma, S.B., Nasir, A., Prabhu, K.M., Murthy, P.S. and Gev, G. (2003). Hypoglycaemic and hypolipidemic effect of ethanolic extract of seeds of *Eugenia jambolana* in alloxan-induced diabetic rabbits. *Journal of Ethnopharmacol*. 85: 201-206.

- Sheehan, E. W., Zemaitis, M. A., Slatkin Jr, D. J. and Schiff, P. L. (1983). A constituent of *Pterocarpus marsupium*-epicatechin, as a potential antidiabetic agent. *Journal of Natural Products.* 46: 232–234.
- Sheela, C.G. and Augusti, K.T. (1992). Antidiabetic effects of S-allyl cysteine sulphoxide isolated from garlic *Allium sativum* Linn. *Indian Journal of Experimental Biology.* 30: 523-526.
- Sheela, C.G., Kumud, K. Augusti, K.T. (1995). Antidiabetic effects of onion and garlic sulfoxide amino acids in rats. *Planta Medica.* 61: 356-357.
- Singh, S.N., Vats, P., Suri, S., Shyam, R., Kumria, M.M.L., Ranganathan, S. and Sridharan K. (2001). Effect of an antidiabetic extract of *Catharanthus roseus* on enzymic activities in streptozotocin induced diabetic rats. *Journal of Ethnopharmacology.* 76: 269–277.
- Skerget, M., Kotnik, P., Hadolin, M., Hras, A., Simonic, M. and Knez, Z. (2005). Phenols, proanthocyanidines, flavones and flavonols in some plant materials and their antioxidant activities. *Food chem.* 89: 191-198.
- Slavin, B.G., Beigelman, P.M. and Bessman, S.P. (1977). Cytophysiological studies on isolated pancreatic islets in vitro. *The Anatomical Record.* 188: 445-452.
- Soltani, N., Keshavarz, M. and Dehpour, A.R. (2007). Effect of oral magnesium sulfate administration on blood pressure and lipid profile in streptozotocin diabetic rats, *European Journal of Pharmacology.* 560: 201–205.
- Sriwanthana, B., Treesangsri, W., Boriboontrakul, B., Niumsakul, S. and Chavalittumrong, P. (2007). In vitro effects of Thai medicinal plants on human lymphocyte activity. *Songkla Nakarin Journal of Science Technology.* 29: 17-28.
- Starmans, D.A.J. and Nijhuis, H.H. (1996). Extraction of secondary metabolites from plant material: a review. *Trends Food Science Technology.* 7: 191-197.
- Sugihara, Y., Nojima, H., Matsuda, H., Murakami, T., Yoshikawa, M. and Kimura, I. (2000). Antihyperglycemic effects of gymnemic acid IV, a compound derived from *Gymnema sylvestre* leaves in streptozotocin diabetic mice. *Journal of Asian Natural Products Research.* 2: 321–327.

- Swanson-Flatt, S.K., Day, C., Bailey, C.J. and Flatt, P.R. (1990). Traditional plant treatment for diabetes: Studies in normal and streptozotocin diabetic mice. *Diabetologia*. 33: 462-464.
- Szkudelski, T. (2001). The mechanism of alloxan and streptozotocin action in  $\beta$ -cells of the rat pancreas. *Physiological Research*. 50: 537-546.
- Tamrakar, A.K., Tiwari, P., Ahmad, Kumar, R., Lakshmi, V.R., Srivastava, A.K. and Srivastava, M.N. (2008). Antihyperglycaemic activity of *Sinularia firma* and *Sinularia erecta* in streptozotocin-induced diabetic rats. *Medicinal Chemistry Research*. 17: 62–73.
- Tanaka, K., Nishizono, S., Makino, N., Tamaru, S., Terai, O. and Ikeda, I. (2008). Hypoglycemic Activity of *Eriobotrya japonica* Seeds in Type 2 Diabetic Rats and Mice. *Bioscience, Biotechnology, and Biochemistry*. 72 (3): 686–693.
- Tanaka, M. (2006). Identification of five phtosterols from *Aloe vera* gel as anti-diabetic compounds. *Biological and Pharmaceutical Bulletin*. 29(7): 1418-1422.
- Tanira, M.O.M., (1994). *Antidiabetic medicinal plants: a review of the present status and future directions*. *International Journal of Diabetes*. 2(1): 15-22.
- Taskinen, M.R. (1987). Lipoprotein lipase in diabetes. *Diabetes Metabolism Reviews*. 3: 551-570.
- Tripathi, J., Kumari, R., Ashwlayan, V.D., Bansal, P. and Singh, R. (2012). Anti-diabetic activity of *Diplocyclos palmatus* Linn. In streptozotocin-induced diabetic mice. *Indian Journal of Pharmaceutical Education and Research*. 46(4): 352-358.
- Tseng, C.H. (2004). The potential biological mechanism of ascenic-induced diabetes mellitus. *Journal of Toxicology and Applied*. 197: 67-83.
- Tzeng, Y. M., Chen, K., Rao, Y.K. and Lee, M. J. (2009). Kaempferitrin activates the insulin signaling pathway and stimulates secretion of adiponectin in 3T3-L1 adipocytes. *European Journal of Pharmacology*: 607: 27–34.
- Unger, R.H. (1976). Diabetes and the alpha cell. *Diabetes* 25: 136-152.
- Vats, V., Grover, J.K. and Rathi, S.S. (2002). Evaluation of antihyperglycemic and hypoglycemic effect of *Trigonella foenum-graecum* Linn, *Ocimum sanctum* Linn

- and *Pterocarpus marsupium* Linn in normal and alloxanized diabetic rats. *Journal of Ethnopharmacology.* 79: 95–100.
- Vats, V., Yadav, S.P. and Grover, J.K. (2004). Ethanolic extract of *Ocimum sanctum* leaves partially attenuates streptozotocin induced alterations in glycogen content and carbohydrate metabolism in rats. *Journal of Ethnopharmacology.* 90: 155–160.
- Vijayakumar, M., Govindarajan, R., Rao, G.M.M., Rao, Ch.V., Shirwaikar, A., Mehrotra, S. and Pushpangadan, P. (2006). Action of *Hygrohila auriculata* against streptozotocin-induced oxidative stress. *Journal of Ethnopharmacology.* 104: 356–361.
- Wadkar, K.A., Magdum, C.S., Patil, S.S. and Naikwade, N.S. (2008). Anti-diabetic potential and medicinal plants. *Journal of Herbal Medicine and Toxicology.* 2(1): 45-50.
- Wang , S.P., Leong, L.P. and Koh, J.H.W. (2006). Antioxidant activities of aqueous extracts of selected plants. *Food Chemistry.* 99(4): 775-783.
- Wasserfall, C.H. and Atkinson, M.A. (2006). Autoantibody markers for the diagnosis and prediction of type 1 diabetes. *Autoimmunity reviews.* 5: 424-428.
- Weisiger, R.A. and Fridovich, I. (1973). Superoxide dismutase. Organelle specificity. *Journal of Biological Chemistry.* 248: 3582-3591.
- Weiss, J. and Sumpio, B. (2006). Review of prevalence and outcome of vascular disease in patients with diabetes mellitus. *European Journal of Vascular and Endovascular Surgery.* 31 (2): 143-150.
- Whitton, P.D. and Hems, D.A. (1975). Glycogen synthesis in perfused liver of streptozotocin diabetic rats. *Biochemical Journal.* 21: 150-153.
- WHO. (1999). Definition, diagnosis and classification of Diabetes Mellitus and its complication. Department of non communicable disease surveillance, Geneva.
- Williams, E.M., Okpato, D.T. and Evans, F.J. (1996). Selection, preparation, and pharmacological evaluation of plant material. Willey & Sons LTD. ISBN 0471942: 16-2.

- Xiang, A.H., Peters, R.K., Trigo, E., Kjos, S.L., Lee, W.P. and Buchanan, T.A. (1999). Multiple metabolic defects during late pregnancy in women at high risk for type 2 diabetes mellitus. *Diabetes*. 48: 848–854.
- Yang, M., Wang, B.X. and Jin, Y.L. (1990). Effects of ginseng polysaccharides on reducing blood glucose and liver glycogen. *Chung Kuo Yao Li Hsueh Pao*. 11: 520-524.
- Ye, C.L., Liu, J.W., Wei, D.Z., Lu, Y.H. and Qian, F. (2005)b. In vivo antitumor activity by 20,4-dihydroxy-60-methoxy-30,50-dimethylchalcone in a solid human carcinoma xeno-graft model. *Cancer Chemotherapy and Pharmacology*. 56: 70-74.
- Ye, C.L., Lu, Y.H. and Wei, D.Z. (2004). Flavonoids from *Cleistocalyx operculatus*. *Phytochemistry*. 65: 445–447.
- Ye, C.L., Lu, Y.H., Li, X.D. and Wei, D.Z. (2005)a. HPLC analysis of a bioactive chalcone and triterpene in the buds of *Cleistocalyx operculatus*. *South African Journal of Botany*. 71: 312–315.
- Youn, S.H., and Robyt, J.F., (2004). Study of the inhibition of four alpha amylase by acarbose and its 4IV-alpha- maltododecaosyl analogues. 338(19): 1969-1980.
- Zhang, F.X., Liu, M.F. and Lu, R.R. (1990). Chemical constituents from the buds of *Cleistocalyx operculatus*. *Zhiwu Xuebao*. 32: 469–472.