



Department of Biotechnology
Hargobind Khurana School of Life Sciences
Assam University, Silchar
(A Central University constituted under Act XIII of 1989)
Silchar- 788 011, Assam, India

DECLARATION

I, Yumnam Romila Devi, hereby declare that the thesis entitled "ISOLATION AND CHARACTERIZATION OF ANTI-DIABETIC COMPOUND(S) FROM *Eugenia operculata* Roxb." submitted to Assam University, Silchar for the degree of Doctor of Philosophy (Ph.D) is the findings of my own research work carried out under the joint supervision of Dr. P.B. Mazumder and Dr. Y.Vasudeva. Rao. The results presented here have not been previously submitted to any University or Institution for any degree, diploma, and associate fellowship whatsoever.

Date: 14/8/14

Place: Silchar

Y. Romila Devi

Yumnam Romila Devi

ACKNOWLEDGEMENT

First and foremost I express my deep sense of gratitude to my respected supervisor, Dr. P. B. Mazumder, H.O.D. Department of Biotechnology, Assam University, Silchar for his sincere guidance, support, supervision, constant inspiration and the most valuable advice throughout the period of investigation.

I am fortunate enough to have been given this opportunity to work under the co-guidance of Dr. Y.V.Rao. I thank him for the freedom of thought, trust and expression, which he bestowed upon me.

I warmly thank to the man who never led us empty handed whenever I approached for his help in terms of guidance and chemicals, Dr S.B. Paul, Department of Chemistry.

I express my sincere gratitude to Dr. N. Rajmuhon Singh, Professor, Dr O Mukherjee Singh, Associate Professor and Dr. L. Warjeet Singh, Professor, Chemistry Department, Manipur University for their valuable suggestion, support and allowing me to work under their guidance from time to time.

I would like to express my gratitude to Dr Ng. Gunindro Singh, Assistant Professor, Department of Pharmacology, Regional Institute of Medical Science, Imphal, Manipur for his valuable suggestions.

I will remain grateful and indebted to Madam Dr. BonaniMazumder for her kindness, inspiration and support in every possible way.

I express my sincere thanks to all the staff members of SAIF, Nehu Campus, Shillong for providing TEM service. I am grateful enough to Neha and members of Total Herb Solution, Mumbai for all the phytochemical and characterization process.

I am extremely grateful to Pasteur Institute, Shillong for providing animal model for my research work. I express my sincere thanks to Dr. M.D. Choudhury, Department of Life Sciences for his help at the beginning for my research work.

I express my sincere thanks to all the staff members of SAIF, Nehu Campus, Shillong for providing TEM service. I am grateful enough to Neha and members of Total Herb Solution, Mumbai for all the phytochemical and characterization process.


I am extremely grateful to Pasteur Institute, Shillong for providing animal model for my research work. I express my sincere thanks to Dr. M.D. Choudhury, Department of Life Sciences for his help at the beginning for my research work.

I will remain grateful and indebted to Pankaj Chetia, Bioinformatic Lab, Department of Life Science for his valuable suggestions and guidance.

I extend my heartfelt gratitude to Botanical Survey of India, Shillong for authentication of the plant material. I extend my heartfelt gratitude to my lab mates for all their help and support whenever I need them, you guys mean a lot to me.

I extend my gratefulness to all faculty members, technical staffs and research scholars of the Department of Biotechnology, Assam University, Silchar for their help and support during the course of study.

Above all I express my sincere and deep sense of gratitude to my beloved Grandfather, Yumnam Chandra Singh, Father, Yumnam Ibopishak Singh, Mother, Yumnam Pishak Devi, Brother Romesh and Gandhi, Husband, R.K. Sanjoy Singh, relatives and all my close ones for their constant encouragement, selfless commitment, inspiration, unending blessings and supports in every possible ways which enabled me to complete my PhD work successfully.



YUMNAM ROMILA DEVI

CONTENTS

Sl. No.	Description	Page No.
1	Introduction	1-11
1.1	Diabetes	1
1.2	History of diabetes	1
1.3	Classification of diabetes	2
1.3.1	Type -1 Diabetes	2
1.3.1.1	Pathogenesis of Type-1 Diabetes	3
1.3.2	Type -2 Diabetes	3
1.3.2.1	Pathogenesis of Type-2 Diabetes	4
1.3.3	Type-3 Diabetes	5
1.3.3.1	Pathogenesis of gestational diabetes	5
1.4	Complications of diabetes mellitus	6
1.5	Medicinal plants and herbs for diabetes	6
1.5.1	Mechanism of action of anti-diabetic medicinal plants	7
1.6	Prevalence of diabetes	8
1.7	Significance of the study	9
1.8	Aim and objectives of the study	11
2	Review of literature	12-26
2.1	Pharmacological investigation of plant materials	12
2.1.1	Selection of plant species	12
2.1.2	Collection and identification of plant materials	13
2.1.3	Extraction of plant materials	13
2.1.3.1	Drying and grinding	14
2.1.3.2	Choice of a suitable extraction solvent	14
2.1.3.3	Choice of the extraction procedure	15
2.1.4	Screening the extract for biological activity	16
2.1.5	Bioassay guided fractionation and isolation of active compounds	17
2.1.6	Characterization and structure elucidation of isolated compounds	18
2.2	Role of medicinal plants against diabetes	18
2.2.1	Most studied and commonly used antidiabetic medicinal plants	19
2.3	Indian medicinal plants with confirmed antidiabetic activity	21
2.4	<i>Eugenia operculata</i> Roxb.	24
2.4.1	Classification	24
2.4.2	Description	24
2.4.3	Distribution and habitat	25
2.4.4	Phytochemical studies	25
2.4.5	Uses of <i>Eugenia operculata</i> Roxb.	25
2.4.6	Hypoglycaemic properties of <i>Eugenia operculata</i> Roxb.	25
3	Materials and methods	27-57
3.1	Materials	27
3.1.1	Plant materials	27

3.1.2	Animal used	28
3.1.3	Chemical and reagents	28
3.2	Methods	31
3.2.1	Sequential extraction of <i>E.operculata</i> leaves	31
3.2.2	Screening of <i>E.operculata</i> extract for <i>in- vitro</i> screening activities	32
3.2.2.1	Alpha amylase inhibitory activity	32
3.2.2.2	Alpha glucosidase inhibitory activity	33
3.2.3	<i>In-vivo</i> antidiabetic effect of <i>E.operculata</i> extract	34
3.2.3.1	Induction of experimental diabetes	34
3.2.3.2	Toxicity studies	34
3.2.3.3	Acute effect of <i>E.operculata</i> extract on blood glucose levels	34
3.2.3.4	Long term antidiabetic effect of <i>E.operculata</i> extract	35
3.2.4	Effect of <i>E.operculata</i> extract on lipid profile	36
3.2.4.1	Determination of triglyceride levels	36
3.2.4.2	Estimation of total serum cholesterol	36
3.2.4.3	Estimation of serum lipid	37
3.2.5	Histological studies	38
3.2.5.1	Processing of tissue for light microscope	38
3.2.5.2	Processing of tissue for Electron Microscopy	38
3.2.6	Liver glycogen estimation	38
3.2.7	Estimation of glycosylated hemoglobin	40
3.2.8	Antioxidant activity of <i>E.operculata</i> extracts	40
3.2.8.1	DPPH free radical scavenging activity	40
3.2.8.2	Reducing power assay	41
3.2.9	Phytochemical screening	41
3.2.9.1	Detection of Alkaloid	42
3.2.9.2	Detection of Carbohydrates	42
3.2.9.3	Detection of resins	42
3.2.9.4	Detection of Flavonoids	43
3.2.9.5	Detection of Terpenoids	43
3.2.9.6	Detection of Anthraquinones:	43
3.2.9.7	Detection of Diterpenes:	43
3.2.9.8	Detection of Glycosides	44
3.2.9.9	Detection of Phenols	44
3.2.9.10	Detection of Tannins:	44
3.2.9.11	Detection of Proteins and Aminoacids:	44
3.2.9.12	Detection of Cardiac Glycosides	44
3.2.10	Determination of total flavanoid and phenolic compounds:	45
3.3	Bioassay guided Isolation and characterization of antidiabetic component(s) of <i>E.operculata</i> leaves extracts	45
3.3.1	Determination of TLC solvent system	45
3.3.2	Preparation of TLC plates	46
3.3.3	Fractionation of the crude extract	46

	3.3.4	Characterization of the bioactive fraction	47
	3.4	NMR Spectroscopy	47
	3.5	Statistical analysis	47
4		Results	48-83
	4.1	Yield of <i>E. operculata</i> leaves extract	48
	4.2	In vitro screening of <i>E. operculata</i> leaves extracts for α -amylase and α -glucosidase enzyme inhibitory activities.	48
	4.2.1	Alpha amylase inhibition	48
	4.2.3	Alpha glucosidase inhibition	50
	4.3	In vivo anti-diabetic effects of <i>E. operculata</i> leave extracts	51
	4.3.1	Acute oral toxicity test	52
	4.3.2	Effect of <i>E. operculata</i> ethanol and aqueous extract on oral glucose tolerance test	52
	4.3.3.	In vivo long term treatment effects of <i>E. operculata</i> ethanol and aqueous extract	55
	4.3.3.1	Effects on fasting blood glucose level	55
	4.3.3.2	Effects on urine glucose	56
	4.3.3.3	Effects on body weight	57
	4.3.3.4	Effects on serum lipid profile	57
	4.3.3.5	Histopathology of pancreas	58
	4.3.3.6	Electron microscopical studies of mouse pancreas	59
	4.4	Estimation of liver glycogen content	61
	4.5	Estimation of glycosylated hemoglobin	62
	4.6	In vitro Antioxidant activity of <i>E. operculata</i> extract	63
	4.6.1	DPPH radical scavenging activity (RSA) assay	63
	4.6.2	Reducing power assay	64
	4.7	Phytochemical screening	65
	4.8	Total flavonoid and phenolic content	65
	4.9	Bioassay guided isolation and characterization of antidiabetic component(s)	65
	4.9.1	Determination of suitable solvent system for column chromatography	66
	4.9.2	Fractionation and characterization of antidiabetic component(s)	67
	4.9.3	Characterization of compounds	71
5		Discussion	84-97
6		Summary and conclusion	98-101
7		Bibliography	102-124

LIST OF FIGURES

Figure No	Description	Page No.
1	General strategy for pharmacological investigation of plant materials	12
2	General scheme for bioassay-guided isolation of active compounds	17
3	Schematic diagram of successive extraction	32
4	IC ₅₀ values of <i>E. operculata</i> crude extracts and acarbose against porcine pancreatic alpha amylase	50
5	IC ₅₀ values of <i>E. operculata</i> crude extracts and acarbose against yeast alpha glucosidase	51
6	Effect of <i>E. operculata</i> extract and glibenclamide on postprandial blood glucose level.	53
7	Effect of <i>E. operculata</i> extract and glibenclamide on postprandial blood glucose level in normal mice	54
8	Effect of <i>E. operculata</i> extract and glibenclamide on postprandial blood glucose level in diabetic mice	54
9	Histopathological studies of mouse pancreas	59
10	Beta cells from the pancreas of normal control mice	60
11	Beta cells from the pancreas of streptozotocin induced diabetic mice	60
12	Beta cells from the pancreas of Ethanol and Glibenclamide treated diabetic mice.	61
13	Liver glycogen content	62
14	Changes in glycosylated haemoglobin of normal control, diabetic control, extract and glibenclamide treated mice	63
15	Effect of <i>E. operculata</i> extracts on DPPH assay	64
16	Reducing ability of the standard ascorbic acid and the extracts at various concentrations	65
17	TLC plates	67
18	Schematic diagram for isolation of compounds	68
19	TLC of the first 22 main fractions collected from column	69
20	Combination of fractions into 6 main fractions based on TLC	69
21	TLC of final fraction with standard kaempferitin (Rf-0.37).	70
22	TLC of final fraction with standard quercetin (Rf-0.47).	70
23	HRESIMS spectrum (negative mode) of compound 1	73
24	¹ H NMR spectrum of compound 1	73
25	¹³ C NMR spectrum of compound 1	74
26	DEPT 135° NMR experiment of compound 1	74
27	Expansion HMQC NMR experiment of compound 1	75
28	gCOSY NMR experiment of compound 1	75
29	Expansion HMBC NMR experiment of compound 1	76
30	¹ H NMR spectrum of compound 2	77
31	¹³ C NMR spectrum of compound 2	78
32	DEPT 135° NMR experiment of compound 2	79
33	¹ H NMR spectrum of compound 3	79
34	¹³ C NMR spectrum of compound 3	80
35	Mass spectra of compound 4	81
36	¹ H NMR of compound 4	82
37	¹³ C NMR of compound 4	83

LIST OF TABLES

Table No.	Description	Page No.
1	Polarity and chemical profiles of most of the common extraction solvents	15
2	List of commonly used antidiabetic plants.	19
3	Indian medicinal plants with confirmed antidiabetic activity	21
4	Percentage yield of different solvents	48
5	Alpha amylase inhibitory activities of different extract.	49
6	IC ₅₀ values of <i>E. operculata</i> crude and acarbose against porcine pancreatic α -amylase	49
7	Alpha glucosidase inhibitory activities of different extract	50
8	Effect of <i>E. operculata</i> extract and glibenclamide on postprandial blood glucose level.	52
9	Effect of <i>E. operculata</i> extract in both normal diabetic mice.	55
10	Effect of <i>E. operculata</i> extract and glibenclamide on urine glucose level	56
11	Effect of <i>E. operculata</i> on body weight	57
12	Effect of <i>E. operculata</i> on lipid profile	58
13	Liver glycogen content	61
14	Changes in glycosylated haemoglobin of normal control, diabetic control, extract and glibenclamide treated mice	62
15	IC ₅₀ of <i>E. operculata</i> extract and ascorbic acid.	63
16	Preliminary screening of secondary metabolites from aqueous and ethanol extract of <i>E. operculata</i> .	66

LIST OF PLATES

Plate No.	Description	Page No
1	<i>Eugenia operculata</i> Roxb.	24
2	Herbarium of <i>E. operculata</i>	27
3	Animal model	28
4	TLC fractions collected from column chromatography	69

LIST OF ABBREVIATIONS

µg	Micro gram
µl	Micro liter
°C	Degree Celsius
<i>E.operculata</i>	<i>Eugenia operculata</i>
hr	Hour
DMSO	Dimethyl sulphoxide
w/v	Weight/volume
Min	Minute
DPPH	Diphenylpicrylhydrazyl
mM	Milimolar
ml	Mililiter
M	Molar
nm	Nanometer
O.D	Optical density
u/ml	Unit/mililitre
mg	Miligram
Kg	Kilogram
b/w	Body weight
STZ	Streptozotocin
rpm	Revolution per minute
ATP	Adenosine tri phosphate
ADP	Adenosine di phosphate
dl	Deciliter
VLDL	Very low density lipoprotein
LDL	Low density lipoprotein
HDL	High density lipoprotein
HDLc	High density lipoprotein cholesterol
OsO ₄	Osmium tetroxide
PBS	Phosphate buffer saline
gm	Gram
TCA	Trichloroacetic acid
IC	Inhibitory concentration
GAE	Gallic acid equivalent
H ₂ SO ₄	Sulphuric acid
Hcl	Hydrochloric acid
TLC	Thin layer chromatography
NMR	Nuclear magnetic resonance
ppm	Parts per million
T2DM	Type 2 Diabetes Mellitus