



Department of Biotechnology
Hargobind Khurana School of Life Sciences
Assam University, Silchar
(A Central University constituted under Act XIII of 1989)
Silchar-788011, Assam, India

DECLARATION

I, Shailendra Yadav bearing the registration number **Ph.D/1707/11,15/09/2011**, hereby declare that the subject matter of the thesis entitled “**Microbial Diversity with special reference to methanogens in the leachate sample from Delhi Landfill Site and in Marshland of Silchar**” is the record of work done by me and the contents of this thesis did not form the basis for the award of any degree to me or to anybody else to the best of my knowledge. This thesis has not been submitted in any other University/Institute.

Place:

Date:

Shailendra Yadav

Acknowledgement

Completion of this doctoral research was possible with the support of several people. I would like to express my sincere gratitude to all of them.

First of all, I am extremely grateful to my research guide Dr. Sankar Kumar Ghosh, Professor, Department of Biotechnology, Hargobind Khurana School of Life Sciences for his valuable guidance and consistent encouragement, I received during my research work and during writing of this thesis. Sir has always made him available to clarify my doubts despite of his busy schedules and I consider it as an opportunity to do my doctoral programme under his guidance and expertise.

I would like to thank my co-guide Dr. S.S. Maitra, School of Biotechnology, Jawaharlal Nehru University, for allowing me to work in his lab for this research work, guidance and motivation.

I would also like to thank Honourable Vice chancellor, Dean School of Life Sciences, Head of the Department of Biotechnology, Assam University and board of research studies for their support in various phases of the programme.

All the faculty members and non teaching staffs of the Department of Biotechnology, Assam University for their help and support during various phases of this research and I do hereby acknowledge them.

Thank you to all the members of the “Molecular Biology laboratory for their support, cooperation and assistance in completing this work: Rosy di, Shilpee di, Pradosh da, Fazlur da, Ruhina di, Miranda di, Anil, Bishal, Javed and Sharbadeb.

Last but not least my thanks goes to my parents for their moral support throughout the research work.

CONTENTS

Chapter No	Heading	Page No
CHAPTER-I	INTRODUCTION	1-19
1.1	Metagenomics	1
1.2	Methanogenic Archaea:	2
1.3	Pathway for Methanogenesis	4
1.4	Ecology of Methanogens	6
1.5	Economic importance of methanogens	8
1.6	Molecular Phylogeny	9
1.7	Methane as greenhouse gas	11
1.8	Methanogenesis in Landfill and Marshland	12
1.9	National Status	16
1.10	Statement of the problem	17
1.11	Objectives	19
CHAPTER II	REVIEW OF LITERATURE	20-36
2.1	Microbial Diversity	20
2.1.1	16S rDNA sequence based understanding microbial diversity	21
2.1.2	Methyl coenzyme reductase A (mcrA) gene	28
2.2	Techniques used in Molecular diversity analysis	29
CHAPTER III: MATERIALS AND METHODS		37-65
3.1	MATERIALS	37-42
3.1.1	General chemicals and Kits	37
3.1.2	Buffers	37
3.1.3	Reagents	38
3.1.4	Composition of SAB medium for cultivation of methanogens	40
3.1.5	List of PCR Primers used in the study	41
3.1.6	Reagents for estimation of lactic acid production	42

3.2	METHODS	43-62
3.2.1	Sampling	43
3.2.2	Method for estimation of lactic acid production	46
3.2.3	Protocol for Genomic DNA extraction from landfill leachate sample	46
3.2.4	Genomic DNA extraction	47
3.2.5	Agarose Gel Electrophoresis	49
3.2.6	Purity check and yield of extracted DNA	49
3.2.7	Protocol for Polymerase Chain Reaction (PCR)	50
3.2.8	PCR purification	53
3.2.9	Preparation of competent cells	54
3.2.10	Protocol of Cloning	55
3.2.11	Plasmid DNA isolation	56
3.2.12	Denaturing Gradient Gel Electrophoresis (DGGE)	57
3.2.13	Culturing of Methanogens	60
3.2.14	Quantitative Real time PCR	61
3.3.	NUCLEOTIDE SEQUENCE ANALYSIS	62-65
3.3.1	DNA sequencing	62
3.3.2	<i>In silico</i> analysis of nucleotide sequences	62
3.3.3	Alignment of sequences using Clustal X	63
3.3.4	Phylogenetic tree and MEGA	63
CHAPTER IV	RESULTS	66-114
Chapter 4.1: The microbial diversity in the leachate using 16S rDNA sequences 66-80		
4.1.1	Anaerobic Digestion of Municipal Solid Waste (MSW)	66
4.1.2	Genomic DNA extraction	67
4.1.3	Cloning and Sequencing	68
4.1.4	Estimation of lactic acid accumulation	69
4.1.5	Identification of lactic acid bacteria from leachate	71
4.1.6	PCR for detection of lactic acid bacteria	72

4.1.7 Construction of Lactobacillus Identification Ladder (LIL)	73
4.1.8 Denaturing gradient gel electrophoresis (DGGE)	75
4.1.9 Molecular detection of Methanotrophs	78
Chapter 4.2: Comparative analysis of methanogenic diversity associated with marshlands samples in and leachate samples of landfill	81-90
4.2.1 DNA extraction, PCR amplification and cloning	81
4.2.2 Community profiling of methanogens from landfill site Delhi and marshland of Silchar using <i>mcrA</i> genes:	83
4.2.3 Comparative analysis of methanogenic diversity present in the leachate of Delhi landfill sites Ghazipur, Bhalsawa and marshland samples of Silchar using 16S rDNA sequences as a marker	86
Chapter 4.3: Quantification of Methanogens from the samples of marshland and leachate sample using Quantitative <i>Real Time</i> PCR	91-104
4.3.1 Growing Methanogens pure cultures	91
4.3.2 Absolute Quantification of <i>Methanobrevibacter arboriphilus</i> using Quantitative Real-time PCR	94
4.3.3 Absolute Quantification of <i>Methanobacterium bryantii</i>	96
4.3.4 Absolute quantification of <i>Methanosarcina mazei</i>	98
4.3.5 Absolute quantification of <i>Methanomicrobium mobile</i>	100
Chapter 4.4: Molecular Phylogenetic Relationship	105-114
4.4.1 Phylogenetic analysis of Bacterial 16S rDNA obtained from Landfill site Delhi using ML approach	105
4.4.2 Phylogenetic analysis of methanotrophs in Ghazipur landfill site Delhi using ML approach	107
4.4.3 Phylogenetic analysis of methanogens present in landfill site Delhi and marshlands Assam using 16S rDNA sequences using ML approach.	109
4.4.4 Phylogenetic analysis of methanogens present in landfill site Delhi	112

using mcrA sequences using ML approach

CHAPTER V:	DISCUSSION	115-123
5.1	Cultivation independent, molecular analysis of microbial diversity	116
5.2	Bacterial diversity analysis by clone library in landfill site Delhi	117
5.3	Methanogenic diversity in landfill and marshland	119
5.3.1	Evaluation of methanogenic diversity in landfill and marshland by 16S rDNA	119
5.3.2.	Methanogenic diversity in landfill by mcrA gene	121
5.3.3.	Methanotrophs and methane mitigation	122
CHAPTER VI:	SUMMARY	124-125
CHAPTER VII:	REFERENCES	126-150
PUBLICATION		

List of Tables

Sl No	Table Number	Legend of the Table	Page No
1	1.1	Showing morphological feature of methanogens.	3
2	3.1	Composition of SAB media for cultivation of methanogens.	40
3	3.2	Composition of trace vitamin solution for cultivation of methanogens	41
4	3.3	List of primers for amplification of bacterial, archaeal 16S rDNA and mcrA gene.	42
5	3.4	Showing sampling location and physiochemical parameters of Delhi landfill site (Ghazipur, Bhalsawa and Okhla) and Southern Assam marshland (Silcoorie Lake (Silchar), Badarpur and Karimganj) areas.	43
6	3.5	Showing sampling locations of marshland in Southern Assam, India	44
7	4.1	List of Lactobacillus pure culture obtained from NDRI, Karnal and used for construction of Lactobacillus identification Ladder (LIL).	73
8	4.2	Establishment of presence of heavy metals in MSW leachate (Ghazipur) by Atomic Emission spectroscopy.	76
9	4.3	Showing copy number and CT value for each standard dilution in duplicate.	93
10	4.4	Showing copy number and CT value for each standard dilution of <i>Methanobrevibacter arboriphilus</i> and landfill and marshland samples.	95
11	4.5	Showing copy number and CT value for each standard dilution of <i>Methanobacterium bryantii</i> and landfill and marshland samples.	97
12	4.6	Showing copy number and CT value for each standard dilution of <i>Methanosarcina mazei</i> and landfill and marshland samples.	99
13	4.7	Showing copy number and CT value for each standard dilution of <i>Methanomicrobium mobile</i> and landfill and marshland samples.	101
14	4.8	Shows copy number of methanogens present in the per gram samples of Okhla, Bhalsawa landfill site Delhi and Silcoorie lake, Assam, India.	102
15	4.9	Methanogenic pathways and microorganisms that is associated.	103
16	4.10	Methylotrophic 16S rDNA sequences with accession numbers submitted in NCBI.	107
17	4.11	Methanogenic 16S rDNA sequences with accession numbers submitted to NCBI.	110
18	4.12	Methanogens mcrA sequences with accession numbers submitted in NCBI.	112

List of Figures

Sl No	Figure Number	Legend of the Figure	Page No
1	1.1	Pathways of methanogenesis	5
2	1.2	Prevalence of methanogens in various habitat	8
3	1.3	Schematic representation of anaerobic digestion and pathway for methane production	13
4	1.4	Distribution of Wetland in India (SAC, National Wetland Atlas-2011)	15
5	3.1	A. Showing Okhla, Bhalsawa and Ghazipur landfill sites of Delhi from where sampling was done. B. Showing Highway, Silicoorie Lake, Badarpur Beetle nut pond, Darbi, Sonai road and Karimganj marshland Southern Assam from where sampling was don	45
6	3.2	. Flowchart Showing methodology adapted for identification of microbial /methanogenic diversity and universal tree having three domain of life based on 16S rDNA	65
7	4.1	Showing specially designed glass bioreactor. A. contains Leachate, B. contains Cowdung+Leachate, C. contains Cowdung	66
8	4.2	Showing metagenomic DNA isolated from Okhla leachate	68
9	4.3	Showing bacterial 16S rDNA amplicons with universal 27F and 1492R bacterial 16S rDNA primer	68
10	4.4	Showing screening of clones on LB-AMP ^r plate containing Xgal-IPTG for blue-white screening.	69
11	4.5	Bar graph showing the lactic acid production and accumulation in 1) leachate only 2)cow-dung only 3) cow-dung+leachate bioreactors. O.D. is proportional to lactic acid concentrations.	70
12	4.6	Line graph showing the lactic acid production during anaerobic digestion of 1) leachate 2) cow-dung only 3) cow-dung +leachate samples.	71
13	4.7	Growth in crude and clarified leachate reactor.	72
14	4.8	Shows PCR amplification of <i>Lactobacillus</i> pure cultures	74
15	4.9	Reamplification of 16S rDNA amplicon	74
16	4.10	Use of lactobacillus identification ladder (LIL) for identification of Lactic Acid Bacteria (LAB) present in MSW leachate.	75
17	4.11	Toxicity (coagulation) test with SRB <i>Desulfovibrio vulgaris-MTCC 115</i> .	76

18	4.12	Molecular diversity analysis of methylotrophic community present in leachate samples of Ghazipur landfill site. S is 100 bp DNA ladder. GZ1-GZ5 are leachate samples collected from five different locations in Ghazipur landfill site.	79
19	4.13	Showing Jaccard cluster analysis of methanotrophic community based on 16S rDNA obtained from five location of Ghazipur landfill site Delhi.	80
20	4.14	Showing genomic DNA isolated from the ten samples of Assam marshland samples and leachate samples of Ghazipur and Okhla.	81
21	4.15	Showing mcrA gene amplicons obtained from the genomic DNA isolated from the leachate sample of Ghazipur samples	82
22	4.16	Community profiling of methanogens present in the landfill site and marshlands using mcrA gene. M1-M10 contains mcrA gene amplicons amplified from genomic DNA	84
23	4.17	Band profile of methanogens from Bhalsawa, Ghazipur and Okhla landfill sites and Silicoorie Lake of southern Assam using Gel 2K software.	85
24	4.18	Showing Jaccard cluster analysis of methanogenic archaea from Bhalsawa, Ghazipur and Okhla landfill and Silicoorie Lake of southern Assam using Gel 2K software.	85
25	4.19	Shows GC clamp PCR amplicons of landfill site, Delhi and marshland samples of Southern Assam using primer set 519Fwd and GC915 Rev.	87
26	4.20	The community profiling of methanogenic diversity present in the leachate sample of Delhi landfill site (OK, BH and GZ) and marshland sample of Southern Assam (SON, SIL, KRM and BDR).	88
27	4.21	Band profile of methanogenic 16S rDNA obtained from landfill Delhi and marshland of southern Assam using Gel 2K software.	89
28	4.22	Jaccard cluster analysis of methanogenic 16S rDNA bands obtained from landfill Delhi and marshland of southern Assam using Gel 2K software.	89
29	4.23	Shows 16S rDNA amplicons (A) and size of insert (B) obtained from pure culture of methanogens. L1 contains 100BP DNA Ladder, L2- L5 contains 16S rDNA amplicons obtained from pure cultures <i>Methanobrevibacter arboriphilus</i> , <i>Methanobacterium bryantii</i> , <i>Methanomicrobium mobile</i> and <i>Methanosarcina mazei</i> respectively.	92
30	4.24	Shows amplification plots and standard curve for the <i>Methanobrevibacter arboriphilus</i> .	93

31	4.25	Showing amplification plots for standard dilution of <i>Methanobrevibacter arboriphilus</i> and samples from landfill and marshland.	95
32	4.26	Shows linear graph for copy number vs ct value of standard dilutions of <i>Methanobrevibacter arboriphilus</i> plasmids and samples from landfill and marshland.	96
33	4.27	Showing amplification plots for standard dilution of <i>Methanobacterium bryantii</i> plasmids and samples from landfill and marshland.	97
34	4.28	Linear graph shows copy number vs ct value of <i>Methanobacterium bryantii</i> plasmids samples from landfill and marshland.	98
35	4.29	Showing amplification plots for standard dilution of <i>Methanosarcina mazei</i> and samples from landfill and marshland.	99
36	4.30	Linear graph for copy number vs ct value of standard dilutions of <i>Methanosarcina mazei</i> plasmids and samples from landfill and marshland	100
37	4.31	Showing amplification plots for <i>Methanomicrobium mobile</i> standard dilution and samples from landfill and marshland.	101
38	4.32	Shows linear graph for copy number vs ct value of standard dilutions of <i>Methanomicrobium mobile</i> plasmids and samples from landfill and marshland.	102
39	4.33	Shows maximum likelihood tree of bacterial 16S rDNA sequences obtained from MSW leachate samples of Delhi landfill site Okhla and Ghazipur using Mega6.0.	106
40	4.34	Shows maximum likelihood tree of methylotrophic bacterial 16S rDNA sequences obtained from MSW leachate samples of Ghazipur Delhi landfill site using Mega6.0	108
41	4.35	The schematic diagram of the Maximum Likelihood (ML) tree based on 40 partial 16S rDNA sequences	111
42	4.36	Shows maximum likelihood tree of mcrA sequences obtained from MSW leachate samples of Ghazipur and Bhalsawa landfill site, Delhi using Mega6.0.	113