

REFERENCES

- Adachi, K., Nakatani, M. and Machida, H. (2002). Isolation of an Endophytic Diazotroph, *Klebsiella oxytoca*, from Sweet Potato Stems in Japan. *Soil Science and Plant Nutrition.*, 48 (6) : 889 – 895.
- Ahmad, M. H., Rafique Uddin, M., McLaughlin, W. (1984). Characterization of indigenous rhizobia from wild legumes. *FEMS Microbiology Letters*, 24: 197 – 203.
- Antoun, H., Beauchamp, C. J., Goussard N., Chabot, R. and Lalande, R. (1998). Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: Effect on radishes (*Raphanus sativus*L). *Plant and Soil*, 204 (Suppl 1): 57–67.
- Anonymous, (1957). *Manual of Microbiological Methods*, McGraw Hill Book Company Inc. New York. P.127.
- Anzai, Y., Kim, H., Park, J. Y., Wakabayashi, H. and Oyaizu, H. (2000). "Phylogenetic affiliation of the pseudomonads based on 16S rRNA sequence". *International Journal of Systematic Evolutionary Microbiology*, 50(4): 1563–89.
- Aserse, A. A., Rasanen, L. A., Aseffa, F., Hailemariam, A. and Lindstrom, K. (2012). Phylogenetically diverse groups of *Bradyrhizobium* isolated from nodules of *Crotalaria* spp., *Indigofera* spp., *Erythrina brucei* and *Glycine max* growing in Ethiopia. *Molecular Phylogenetics and Evolution*. 65:595-609.
- Asis Jr, C.A. and Adachi, K. (2004). Isolation of endophytic diazotroph *Pantoea agglomerans* and nondiazotroph *Enterobacter asburiae* from sweet potato stem in Japan. *Letters in Applied Microbiology*, 38: 19–23.
- Augusto, L., Crampon, N., Saur, E. and Trichet, P. (2005). High rates of nitrogen fixation of *Ulex* species in the understory of maritime pine stands and the potential effect of phosphorus fertilization. *Canadian Journal of Forest Research* 35.5: 1183-1192.
- Azevedo, J. L., Maccheroni, W., Pereira, J. O. and Araujo, W. L. (2000). Endophytic microorganisms: a review on insect control and recent advances on tropical plants. *Electronic Journal of Biotechnology*, 3:40–65.

Bacon, C. W. and White, J. F. Jr. (2000). *Microbial endophytes*. Dekker, New York, p 487

Bala, A., Murphy, P. and Giller, K. E. (2002). Occurrence and genetic diversity of rhizobia nodulating *Sesbania sesban* in African soils. *Soil Biology and Biochemistry*, 34: 1759-1768.

Bashan, Y. and Holguin, G. (1997). *Azospirillum* plant relationships: environmental and physiological advances (1990-1996). *Canadian Journal of Microbiology*, 43:103-121.

Bashan, Y., Holguin, G. and de-Bashan, L.E. (2004). *Azospirillum*-plant relationships: physiological, molecular, agricultural, and environmental advances (1997-2003). *Canadian Journal of Microbiology*, 50:521-577.

Balandreau, J. (1983). Microbiology of the association. *Canadian Journal of Microbiology*, 29(8): 851-859.

Bando, S. Y., Valle, G. R. F., Martinez, M. B., Trabulsi, L. R. and Moreira- Filho, C. A. (1998). Characterization of enteroinvasive Escherichia coli and Shigella strains by RAPD analysis. *FEMS Microbiology Letter*, 165: 159-165.

Balandreau, J. (1983) Microbiology of the association. *Canadian Journal of Microbiology*, 29:851–859.

Baldani, J. I. and Baldani, V. L. D. (2005). History on the biological nitrogen fixation research in graminaceous plants: special emphasis on the Brazilian experience. *Anais da Academia Brasileira de Ciencias*, 77:549–579.

Bao, G., Zhang, Y., Bu, C., Chen, Z., Li, Y., Cao, Z. and Ma, Y. (2013). Genome Sequence of *Klebsiella oxytoca* M5al, a promising strain for Nitrogen Fixation and Chemical Production. *Journal ASM organization*, 1: 1-12.

Barriuso, J. and Solano, B. R. (2008). Ecology, Genetic Diversity and Screening Strategies of Plant Growth Promoting Rhizobacteria (PGPR). *Journal of Plant nutrition*, 1-17.

- Barros Salgado, A. L., Lovadini, L. A. C., Pimental, M. and Gimenez, W. (1972). Instrucoes para a cultura da Crotalaria juncea. Instituto Agronomico, Campinas, Brazil. *Secao de Plantas Fibrosas Boletim*, 198.
- Beijerinck, M. W. (1901). "Über oligonitrophile Mikroben" [On oligonitrophic microbes]. *Centralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene* 7 (2): 561–582.
- Bergersen, F. (1980). *Methods for evaluating biological nitrogen fixation*. Wiley and Sons, Chichester.
- Berkum, P. and Bohlool, B. B. (1980). Evaluation of nitrogen fixation by bacteria in association with roots of tropical grasses. *Microbiological Reviews*, 44, 491–517.
- Boddey, R. M., Urquiaga, S., Alves, B. J. R. and Reis, V. (2003). Endophytic nitrogen fixation in sugarcane: present knowledge and future applications. *Plant Soil*, 252:139–149.
- Brett, P. J., DeShazer, D. and Woods, D. E. (1998). "Burkholderia thailandensis" sp. nov., a *Burkholderia pseudomallei*-like species". *International Journal of Systematic Bacteriology*, 48(1): 317–320.
- Buchanan, R. E., Gibbons, N. E., Cowan, S. T., Holt, J. G., Liston, J., Murray, R. G. E., Niven C. F., Raven A. W. and Stanier R. W. (1974). *Bergey's Manual of Determinative Bacteriology, Eighth Edition*, The Williams and Wilkins Company, Baltimore.
- Burch, G. and Sarathchandra, U. (2006). Activities and survival of endophytic bacteria in white clover (*Trifolium repens* L.). *Canadian Journal of Microbiology*, 52: 848–856.
- Caballero-Mellado J., Martínez-Aguilar, L., Paredes-Valdez, G. and Estrada-de los Santos, P. (2004). Burkholderia unamae sp. nov, an N₂-fixing rhizospheric and endophytic species. *International Journal of Systematic and Evolutionary Microbiology*, 5:1165–1172.
- Cacciari, I., Del Gallo, M., Ippoliti, S., Lippi, D., Pietrosanti, T. and Pietrosanti, W. (1986). Growth and survival of *Azospirillum brasiliense* and *Arthrobacter giacomelloi* in binary continuous culture. *Plant Soil*, 90: 107-116.

- Canfield, D. E., Glazer, A. N. and Falkowski, P. G. (2010). Evolution and future of earth's N cycle. *Science*, 330: 192–196.
- Cappuccino, N. and Carpenter, D. (2005). Invasive exotic plants suffer less herbivory than non-invasive exotic plants. *Biology Letters*, 1(4): 435-438.
- Cassman, K. G. (1999). Ecological intensification of cereal production systems: yield potential, soil quality and precision agriculture. *Proceedings of the National Academy of Sciences of the United States of America*, 96: 5952–5959.
- Cavalcante, V. A. and Dobereiner, J. (1988). A new acid-tolerant nitrogen fixing bacterium associated with sugarcane. *Plant Soil*.08: 23-31.
- Chan, Y. K., Barraquio, W. L. and Knowles, R. (1994). N₂-fixing Pseudomonads and related soil bacteria. *FEMS Microbiology Reviews*, 13: 95-118.
- Chakmakci M. L., Evans H. J. and Shidler R. J. (1981). Characteristics of Nitrogen-Fixing *Klebsiella oxytoca* isolated from wheat roots. *Plant and Soil*, 61: 53-63
- Chanway, C. P. (2002). Plant growth promotion by *Bacillus* and relatives, pp. 219-235. In Berkeley, R., Heyndrickx M, Logan, N., De Vos, P (eds), Applications and systematics of *Bacillus* and relatives. Blackwell, Oxford, U.K.
- Chelius, M. K. and Triplett, E. W. (2000). Immuno localization of dinitrogenase reductase produced by *Klebsiella pneumoniae* in association with *Zea mays* L. *Applied and Environmental Microbiology*, 66:783–787.
- Chen, H. K. and Shu, M. K. (1944). Note on the root-nodule bacteria of *Astragalus Sinicus* L. *Soil Science*, 58:291 –294.
- Chen, W. X., Li, G. S., Qi, Y. L., Wang, E. T., Yuan, H. L. and Li, J. L. (1991). *Rhizobium huakuii* sp. nov. isolated from the root nodules of *Astragalus sinicus*. *International Journal of Systematic Bacteriology*, 41:275-280.
- Choi, H. K., J. H. Mun., D. J. Kim., H. Zhu., J. M. Baek., J. Mudge., B. Roe., N. Ellis., J. Doyle., G. B. Kiss., N. D. Young. and D. R. Cook. (2004). Estimating genome conservation between crop model legume species. *P.N.A.S.*, 101: 15289-15294.

- Clarridge III, J. E. (2004). "Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases". *Clinical Microbiology Reviews*, 17(4): 840–862.
- Cleveland, C., Townsend, A., Schimel, D., Fisher, H., Howarth, R., Hedin, L., Perakis, S., Latty, E., Von Fischer, J., Elseroad, A. and Wasson, M. (1999). Global patterns of ter-restrial biological nitrogen (N_2) fixation in natural ecosystems. *Global Biogeochemical Cycles*, 13: 623-645.
- Coenye, T. and Vandamme, P. (2003). "Intragenomic heterogeneity between multiple 16S ribosomal RNA operons in sequenced bacterial genomes". *FEMS Microbiology Letters*, 228(1): 45–49.
- Colebatch, G., Trevaskis,B. and Udvardi, M. (2002). Symbiotic nitrogen fixation research in the postgenomics era. *New Phytologist*, 153(1): 37-42.
- Cui, Z., Su, B., Cai, M., Hai, W. and Xie, G. (1996). Studies on the resource of N_2 -fixing bacteria in North-China paddy. *Journal of China Agricultural University*, 1: 63.
- Curl, E. A. and Truelove, B. (1986). The Rhizosphere. *Springer*, New York.
- Darwin, C. (1859). On the Origin of Species by Means of Natural Selection: Or, The Preservation of Favoured Races in the Struggle for Life. Murray, London.
- Deacon, J. (1997). "The Nitrogen cycle and Nitrogen fixation". *Institute of Cell and Molecular Biology*. The University of Edinburgh.
- de Faria, S. M., Lewis, G. P., Sprent, J. I. and Sutherland, J. M. (1989). Occurrence of nodulation in the leguminosae. *New Phytologist*, 111: 607–619.
- de Lajudie, P., Willems, A., Nick, G., Moreira, F., Molouba, F., Torck, U., Neyra, M., Collins, M .D., Lindstrom, K., Dreyfus, B., Gillis, M., (1998). Characterization of tropical tree rhizobia and description of Mesorhizobium plurifarum sp. nov. *International Journal of Systematic Bacteriology*, 48: 369–382.
- Devereux, R. and Willis, S. G. (1995). Amplification of ribosomal RNA sequences. In *Molecular microbial ecology manual* (pp. 277-287). Springer Netherlands.

- Dixon, R., Kahn, D, (2004). Genetic regulation of biological nitrogen fixation. *Nature Reviews Microbiology*, 2:621–631.
- Dobbelaere, S., Vanderleyden, J. and Okon, Y. (2003). Plant growth-promoting effects of diazotrophs in the rhizosphere. *Critical Reviews in Plant Sciences*. 22:107-149.
- Döbereiner, J. and Ruschel, A. P. (1958). Uma nova espécie de *Beijerinckia*. *Revista de Biologia*, 1:261-272.
- Döbereiner, J. and Pedrosa, F. O. (1987). Nitrogen-fixing bacteria in non-leguminous crop plants. *Science Tech, Inc.*, Madison, Wisconsin.
- Dobereiner, J. (1966). *Azotobacter paspalisp*. n. uma bactkria fixadora de nitrog kniona rhizosfera de *Paspalurn*. *Pesquisa Agropecuaria Brasileira*, 1: 357-365.
- Dobereiner, J. (1970). Further research on *Azotobacter paspali* and its variety specific occurrence in the rhizosphere of *Paspalurn notatum*. *Fliigge. Zentralbl. Bakteriol. Parasitenkd. Infektionskr.* 124:224-230.
- Döbereiner, J. (1997). Biological nitrogen fixation in the tropics: Social and economic contributions. *Soil Biology and Biochemistry*, 29: 771–774.
- Döbereiner, J. (1989). Avanços recentes napesquisaem fixação biológica de nitrogênio no Brasil, IEA/USP, São Paulo, p. 23.
- Dommergues, Y. R. and Marco-Bosco. (1998).The contribution of N₂- fixing trees to soil productivity and rehabilitation in tropical, subtropical and Mediterranean regions. In *Microbial Interactions in Agriculture and Forestry* Oxford & I.B.H, New Delhi. Edited by Subba. Rao, N. S., Dommergues, Y. R., 65–96.
- Dubey, R. C. and Maheshwari, D. K. (2002). A Textbook of Practical Microbiology. S. Chand and Co. Ltd, Ram Nagar, New Delhi.
- Dubey, R. C. (2004). *Biological nitrogen fixation*. A textbook of Biotechnology. S. Chand and Company ltd. New delhi-110 055.45-405.
- Edwards, A. W. F. (1972). Likelihood, Expanded Edition. John Hopkins Press, Baltimore: 67-76.

Egamberdiyeva, D. (2005). Plant-growth-promoting rhizobacteria isolated from a Calcisol in a semi-arid region of Uzbekistan: biochemical characterization and effectiveness. *Journal of Plant Nutrition and Soil Science*, 168: 94-99.

Ehrenfeld, J. G. (2003). Effects of Exotic Plant Invasions on Soil Nutrient Cycling Processes. *Ecosystems*, 6: 503-523.

Elmerich, C., Zimmer, W. and Vieille, C. (1992). Associative nitrogen fixing bacteria. In: Stacey, G., Burris, R. H., Evans, H. J. (eds) *Biological nitrogen fixation*. Chapman and Hall Inc, New York, pp 212–258.

Fageria, N. K. and Stone, L. F. (2006). Physical, Chemical, and Biological Changes in the Rhizosphere and Nutrient Availability, *Journal of Plant Nutrition*. 29:7.

Felsenstein, J. (1985) Confidence limits on phylogenies: An approach using the bootstrap. *Evolution*, 39:783-791.

Feng, Y., Shen, D. and Song, W. (2006). Rice endophyte *Pantoea agglomerans* YS19 promotes host plant growth and affects allocations of host photosynthates. *Journal of Applied Microbiology*, 100: 938–945.

Frache, C., Lindström, K. and Elmerich, C. (2009). Nitrogen-fixing bacteria associated with leguminous and non-leguminous plants. *Plant and Soil*, 321: 35-59.

Franzuebbers, K., Hossner, L. R. and Juo, A. S. R. (1998). Integrated Nutrient Management for Sustained Crop Production in Sub-Saharan Agriculture. A Review. Trop Soils Texas A and M University Technol. Bull 98-03. Texas A and M University, College Station.

Fred, E. B., Baldwin, I. L. and McCoy, E. (1932). Root nodule bacteria and leguminous plants. University of Wisconsin Press, Madison.

Freiberg, C., Fellay, R., Bairoch, A., Broughton, W. J., Rosenthal, A. and Perret, X. (1997). Molecular basis of symbiosis between *Rhizobium* and legumes. *Nature*, 387: 394 –401.

- Fujie, T., Huang, Y. D., Higashitani, A., Nishimura, Y., Iyama, S., Hirota, Y., Yoneyama, Y. and Dixon, R. A. (1987). Effect of inoculation with *Klebsiella oxytoca* and *Enterobacter cloacae* on dinitrogen fixation by rice-bacteria associations. *Plant Soil*, 103: 221–226.
- Galloway, J. N. (1998). The global nitrogen cycle: changes and consequences. *Environmental Pollution*, 102: 15–24.
- Gajbhiye, A., Rai, A. R., Meshram, S. U. and Dongre, A. B. (2010). Isolation, evaluation and characterization of *Bacillus subtilis* from cotton rhizospheric soil with biocontrol activity against *Fusarium oxysporum*. *World journal of Microbiology and Biotechnology*, 26(7):1187-94.
- Gehring, C., Vlek, P. L. G., de Souza, L. A. G. and Denich, M. (2005). Biological nitrogen fixation in secondary regrowth and mature rainforest of central Amazonia. *Agriculture Ecosystems and Environment*, 111: 237-252.
- Giller, K. E., (2001). Nitrogen Fixation in Tropical Cropping Systems, Second ed., CAB International, Wallingford, p. 423.
- Govindarajan, M., Kwon, S. W. and Weon, H. J. (2007). Isolation, molecular characterization and growth promoting activities of endophytic sugarcane diazotroph *Klebsiella* sp. GR9. *World Journal of Microbiol Biotechnology*, 1 (23): 997–1006.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Pretty, J., Robinson, S., Thomas, S. M. and Toulmin, C. (2010). Food security: the challenge of feeding 9 billion people. *Science*, 327: 812-818.
- Goldstein, C. L., Williard, K. W. J., Schoonover, J. E., Baer, S. G., Groninger, J. W. and Snyder, J. M. (2010). Soil and groundwater nitrogen response to invasion by an exotic nitrogen-fixing shrub. *Journal of Environmental Quality*, 39: 1077–1084.
- Goulding, K. W. T., Bailey, N. J., Bradbury, N. J. , Hargreaves, P., Howe, M., Murphy, D. V., Poulton, P. R. and Willison, T. W. (1998). Nitrogen deposition and its contribution to nitrogen cycling and associated soil processes. *New Phytologist*, 139: 49–58.

Gordon R. E., Haynes, W. C. and Pang, C. H. (1973). The genus *Bacillus*. Agriculture Handbook No. 427, U.S.D.A., Washington D.C.

Gray, J. P. and Herwig, R. P. (1996). "Phylogenetic analysis of the bacterial communities in marine sediments". *Applied and Environmental Microbiology*, 62(11): 4049–59.

Graham, P. H. (1988). Principles and Application of Soil Microbiology, 322–345.

Grimont, P. A. D., Grimont, F., Farmer III, J. J. and Asbury, M. A. (1981). *Cedecea davisae* gen. nov., sp. nov. and *Cedecea lapagei* sp. nov., New *Enterobacteriaceae* from clinical specimens. *International Journal of Systematic Bacteriology*, 31: 317-326.

Gupta, R. M. Kale, P. S. Rathi, M. L. and Jadhav, N. N. (2015). Isolation, characterization and identification of endophytic bacteria by 16S rRNA partial sequencing technique from roots and leaves of Prosopis cineraria plant. *Asian Journal of Plant Science and Research*, 5(6):36-43.

Habibi, S., Djedidi, S., Prongjunthuek, K., Mortuza, Md. F., Ohkama-Ohtsu, N., Sekimoto, H. and Yokoyoma, T. (2014). Physiological and genetic characterization of rice nitrogen fixer PGPR isolated from rhizosphere soils of different crops. *Plant Soil*, 379:51–66.

Hallmann, J., Quadt-Hallmann, A., Mahaffee, W. F. and Kloepper, J. W. (1997). Bacterial endophytes in agricultural crops. *Canadian Journal of Microbiology*, 43: 895-914.

Hardy, R. W. F., Burns, R. C., Holsten, R. D. (1973). Application of the acetylene-ethylene reduction assay for measurement of nitrogen fixation. *Soil Biology and Biochemistry*, 5:47–81.

Hardy, R. W. F., Holsten, R. D. and Jackson, E. K. (1968). The acetylene-ethylene assay for N₂-fixation-laboratory and field evaluation. *Plant Physiology*, 43: 118–127.

Hartmann, A. and Baldani, J. I. (2006). The Genus *Azospirillum*. In: The Prokaryotes, Springer, New York 5: 115-140.

- Hayward, A. C., Fegan, N., Fegan, M. and Stirling, G. R. (2010). Stenotrophomonas and Lysobacter: ubiquitous plant-associated gamma-proteobacteria of developing significance in applied microbiology. *Journal of Applied Microbiology*, 108: 756–770.
- Henriksen, I., Michelsen, A. and Schlonvoigt, A. (2002). Tree species selection and soil tillage in alley cropping systems with *Phaseolus vulgaris* L. in a humid premontane climate: biomass production, nutrient cycling and crop responses. *Plant Soil*, 240: 145–15.
- Hellriegel, H. and Wilfarth, H. (1888). Untersuchung enüber die Stickstoff nahrung der Gramineen und Leguminosen [Studies on the nitrogen intake of Gramineae and Leguminosae]. Berlin: Buchdruckerei der "Post" Kayssler and Co.
- Henson, B. J., Hesselbrock, S. M., Watson, L. E. and Barnum, S. R. (2004). Molecular phylogeny of the heterocystous cyanobacteria (subsections IV and V) based on *nifD*. *International Journal of Systemic and Evolutionary Microbiology*, 54: 493-497.
- Hill, R. D., Rinker, R. G., Wilson, H. D. (1979). "Atmospheric Nitrogen Fixation by Lightning". *Journal of the Atmospheric Science*, 37(1): 179–192.
- Hiltner, L. (1898). Über die Entstehung und physiologische Bedeutung der Wurzelknöllchen. *Forstlich Naturwissenschaftliche Zeitschrift*, 7: 415-423.
- Holguin, G., Guzman, M. A. and Bashan, Y. (1992). Two new nitrogen-fixing bacteria from the rhizosphere of mangrove trees: Their isolation, identification and in vitro interaction with rhizosphere *Staphylococcus* sp. *FEMS Microbial Ecology*, 101:207-216.
- Hodge, T. and Cope, M. (2000). "A Myosin Family Tree". *Journal of Cell Science*, 113(19): 3353–4.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. (1994). Bergey's Manual of Determinative Bacteriology, Williams & Wilkins, Baltimore.

- Hugh, R. and Leifson, E. (1953). The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gram-negative bacteria. *Journal of Bacteriology*, 66: 24–26.
- Hurek, T. and Reinhold-Hurek, B. (2003). Azoarcus sp. strain BH72 as a model for nitrogen-fixing grass endophytes. *Journal of Biotechnology*, 106:169–178.
- Huss-Danell, K. (1997). Actinorhizal symbioses and their N₂-fixation. *New Phytologist*, 136: 375–405.
- Huss-Danell, K. (1990). *The physiology of actinorrhizal roots*. In *The Biology of Frankia and Actinorrhizal Plants*. Academic Press San Diego, U.S.A., Edited by Schwintzer, C. R., Tjepkema, J. D., 128–156.
- Islam, S., Akanda, A. M., Prova, A., Islam, Md. T. and Hossain, Md. M. (2016). Isolation and Identification of Plant Growth Promoting Rhizobacteria from Cucumber Rhizosphere and Their Effect on Plant Growth Promotion and Disease Suppression. *Frontiers in Microbiology*, 6:1360.
- Issar, S., Sharma, S., Choudhary, D. K., Gautam, H. K. and Gaur, R. K. (2012). Molecular Characterization of *Pseudomonas* spp. Isolated from Root Nodules of Various Leguminous Plants of Shekhawati Region, Rajasthan, India. *American Journal of Plant Sciences*, 3: 60-63.
- Iizuka, H. and Komogata, K. (1963). "New species of Pseudomonas belonged to fluorescent group (Studies on the microorganisms of cereal grains. Part V)". *Journal of the Agricultural Chemical Society of Japan*, 37: 137–141.
- Jackson, L. E., Martin, B. and Cavagnaro, T. R. (2008). Roots, nitrogen transformations, and ecosystem services. *Plant Biology*, 59.1: 341.
- James, E. K. and Olivares, F. L. (1998). Infection and colonization of sugarcane and other graminaceous plants by endophytic diazotrophs. *Critical Reviews in Plant Sciences*, 17:77–119.
- Janda, J. M. and Sharon L. A. (2006). The Enterobacteria (2nd ed.). Washington, D.C.: ASM Press. p. 411.

- Jekendra, S. S., Kumar, P. S., Dutta, B. K. and Sahoo, U. K. (2009). Chemical composition and nutritive indices in *Parkia roxburghii* G. Don, a leguminous plant of India. *Indian Journal of Agricultural Biochemistry*, 22: 87-93.
- Jensen, E. S. and Hauggaard-Nielsen, H. (2003). How can increased use of biological N₂-fixation in agriculture benefit the environment? - *Plant and Soil*, 252: 177-186.
- Jha, P. K., Nair, S., Gopinathan, M. C. and Babu, C. R. (1995). Suitability of rhizobia-inoculated wild legumes *Argyrolobium flaccidum*, *Astragalus graeolens*, *Indigofera gangetica* and *Lespedeza stenocarpa* in providing a vegetational cover in an unreclaimed lime stone quarry. *Plant Soil*, 177: 139 –149.
- Jiménez, G., Urdiain, M., Cifuentes, A., López-López, A., Blanch, A. R., Tamames, J., Kämpfer, P., Kolstø, A.-B., Ramón, D., Martínez, J. F., Codoner, F. M. and Rosselló-Móra, R. (2013). Description of *Bacillus toyonensis* sp. nov., a novel species of the *Bacillus cereus* group, and pairwise genome comparisons of the species of the group by means of ANI calculations. *Systematic and Applied Microbiology*, 36: 383-391.
- Kan, F. L., Chen, Z. Y., Wang, E. T., Tian, C. F., Sui, X. H. and Chen, W. X. (2007). Characterization of symbiotic and endophytic bacteria isolated from root nodules of herbaceous legumes grown in Qinghai-Tibet plateau and in other zones of China. *Archives of Microbiology*, 188: 103-115.
- Khan, H. R., Mohiuddin, M. and Rahman, M. (2008). Enumeration, Isolation and Identification of Nitrogen-Fixing bacterial strains at seedling stage in Rhizosphere of rice grown in Non-Calcareous Grey flood plain soil of Bangladesh. *Journal of the Faculty of Environmental Science and Technology, Okayama University*, 13:97-101.
- Kolbert, C. P. and Persing, D. H. (1999). "Ribosomal DNA sequencing as a tool for identification of bacterial pathogens". *Current Opinion in Microbiology* 2(3): 299–305.
- Kneip, C., Lockhart, P., Maier, U-G. (2007). Nitrogen fixation in eukaryotes – new models for symbiosis. *BMC Evolutionary Biology*, 7:55.

Krieg, N. R. and Holt, J. G. (1984). *Bergey's Manual of Systematic Bacteriology*. Vol. 1. Baltimore: Williams and Wilkins.

Kuklinsky-Sobral, J., Araujo, W. L., Mendes, R., Geraldi, I. O., Pizzirani-Kleiner, A. A. and Azevedo, J. L. (2004). Isolation and characterization of soybean-associated bacteria and their potential for plant growth promotion. *Environmental Microbiology*, 6:1244–1251.

Kumar, P., Dubey, R. C. and Maheshwari, D. K. (2012). *Bacillus* strains isolated from rhizosphere showed plant growth promoting and antagonistic activity against phytopathogens. *Microbiological Research*. 167: 493–499.

Kundu, B. C., 1964. Sunn-hemp in India. *Proceedings – Soil and Crop Science Society of Florida*, 24: 396–404.

Ladha, J. K., Barraquio, W. L. and Watanabe, I. (1983). Isolation and identification of nitrogen-fixing *Enterobacter cloacae* and *Klebsiella planticola* associated with rice plants. *Canadian Journal of Microbiology*, 29: 1301-1308.

Lai, M. L., Yang, C. C. and Ching, P. S. (1967). Introduction and selection of the dual-purpose varieties of sunn hemp and their fiber extraction and paper manufacturing experiments. *Taiwan Agric. Q.* 3: 34–46.

Li, J. H., Wang, E. T., Chen, W. F. and Chen, W. X. (2008). Genetic diversity and potential for promotion of plant growth detected in nodule endophytic bacteria of soybean grown in Heilongjiang province of China. *Soil Biology and Chemistry*, 40:238-246.

Li, H., Wang, X., Han, M., Zhao, Z., Wang, M., Tang, Q., Liu, C., Kemp, B., Gu, Y., Shuang, J. and Xue, Y. (2012). Endophytic *Bacillus subtilis* ZZ120 and its potential application in control of replant diseases. *African Journal of Biotechnology*, 11(1): 231-242.

Lindström, K. and Martínez-Romero, E. (2007). International Committee on Systematics of Prokaryotes; Subcommittee on the taxonomy of *Agrobacterium* and *Rhizobium*. *International Journal of Systematic and Evolutionary Microbiology*, 57: 1365-1366.

- Lin, L., Qiao, Y. S., Ju, Z. Y., Ma, C. W., Liu, Y. H., Zhou, Y. J. and Dong, H. S. (2009). Isolation and characterization of endophytic *Bacillus subtilis* Jaas ed1 antagonist of eggplant *Verticillium* wilt. *Bioscience Biotechnology and Biochemistry*, 73(7): 1489-93.
- Lipman, J. G. (1903). Report on the New Jersey Agricultural Experiment Station, 24: 217- 285.
- Liu, X. Y., Wang, E. T., Li, Y. and Chen, W. X. (2007). Diverse bacteria isolated from root nodules of *Trifolium*, *Crotalaria* and *Mimosa* grown in the subtropical regions of China. *Archives of Microbiology*, 188: 1–14
- Loiret, F. G., Ortega, E., Kleiner, D., Ortega-Rode, P., Rode, R. and Dong, Z. (2004). A putative new endophytic nitrogen-fixing bacterium *Pantoea* sp. from sugarcane. *Journal of Applied Microbiology*, 97: 504-511.
- L'taief, B., Sifi, B., Gtari, M., Zaman-Allah, M. and Lachaal, M. (2007). Phenotypic and molecular characterization of chickpea rhizobia isolated from different areas of Tunisia. *Canadian Journal of Microbiology*, 53: 427-434.
- Lu, T., Stroot, P. G. and Oerther, D. B. (2009). "Reverse Transcription of 16S rRNA to Monitor Ribosome Synthesizing Bacterial Populations in the Environment". *Applied and Environmental Microbiology*, 75(13): 4589–4598.
- Maâtallah, J., Berraho, E. B., Sanjuan, J. and Lluch, C. (2002). Phenotypic characterization of rhizobia isolated from chickpea (*Cicer arietinum*) growing in Moroccan soils. *Agronomie*, 22: 321-329.
- MacFaddin, J. F. (1980). Biochemical Tests for Identification of Medical Bacteria. Williams and Wilkins, Baltimore: pp 51–54.
- Maher, B. A. (2002). Uprooting the Tree of Life. *The Scientist*, 16:18.
- Mano, H. and Morisaki, H. (2008). Endophytic bacteria in the rice plant. *Microbes and Environments*, 23:109 117.
- Mascarenhas, H. A. A., Braga, N. R., de Miranda, M. A. C., Feitosa, C. T. and Bataglia, O. C., (1980). Efeito de adubos verdese organico snaproducao de soja. Instituto Agronomico, Campinas, Brazil. *Boletim. Tecnico*, 63.

- McInroy, S. G., Campbell, C. D., Haukka, K. E., Odee, D. W., Sprent, J. I., Wang, W-J., Young, J. P. W. and Sutherland, J. M.(1999). Characterisation of rhizobia from African acacias and other tropical woody legumes using Biolog and partial 16S rRNA sequencing. *FEMS Microbiology Letters*, 170: 111–117.
- Meeks J. C. and Elhai, J. (2002). Regulation of cellular differentiation in filamentous cyanobacteria in free-living and plant-associated symbiotic growth states. *Microbiology and Molecular Biology Reviews*, 66:94–121.
- Mhamdi, R., Jebara, M., Aouani, M. E., Ghrir, R. and Mars, M. (2000). Phenotypic characterization of common bean (*Phaseolus vulgaris*) nodulating rhizobia in Tunisian soil. In: (Abstracts) Mediterranean Conference of Rhizobiology, Workshop on symbiotic nitrogen fixation for Mediterranean areas, Montpellier, France.
- Mia, M. A. B., Shamsuddin, Z. H., Zakaria, W. and Marziah, M. (2010). Rhizobacteria as bio-enhancer for growth and yield of banana (Musa spp. cv. “Berangan”). *Scientia Horticulturae*, 126:80–87.
- Minkwitz, A. and Berg, G. (2001). Comparison of antifungal activities and 16S ribosomal DNA sequences of clinical and environmental isolates of *Stenotrophomonas maltophilia*. *Journal of Clinical Microbiology*, 39: 139–145.
- Mirza, M. S., Ahmad, W., Latif, F., Haurat, J., Bally, R., Normand, P. and Kauser, A. M., (2001). Isolation, partial characterization and the effect of plant growth-promoting bacteria (PGPB) on micro-propagated sugarcane *in Vitro*. *Plant and Soil*, 237: 47-54.
- Mullis, K. B. (1993). Rapid purification of DNA. U.S. Patent No. 5,187,083. Washington, DC: U.S. Patent and Trademark Office.
- Naiker, R. B. (2003). Characterization of endorhizosphere diazotrophic bacteria and their influence on growth and yield of maize plants. *Msc. (Agri.) Thesis*, University of Agricultural Sciences, Dharawad.
- Newton, W.E. (2007). Physiology, biochemistry, and molecular biology of nitrogen fixation. In *Biology of the Nitrogen Cycle*. Elsevier, Amsterdam, 109-129.

- Nhu, V. T. P. and Diep, C. N. (2014). Isolation, characterization and phylogenetic analysis of endophytic bacteria in rice plant cultivated on soil of Phu Yen province, Vietnam. *American Journal of Life Sciences*, 2(3): 117-127.
- O'Donnell, A. G., Norris, J. R., Berkeley, R. C. W., Claus, D., Kaneko, T., Logan, N. A. and Nozaki, R. (1980). Characterization of *Bacillus subtilis*, *Bacillus pumilus*, *Bacillus licheniformis*, and *Bacillus amyloliquefaciens* by Pyrolysis Gas-Liquid Chromatography, Deoxyribonucleic Acid-Deoxyribonucleic Acid Hybridization, Biochemical Tests, and API Systems. *International Journal of Systematic Bacteriology*, p. 448-459.
- Odee, D. W., Haukka, K., McInroy, S. G., Sprent, J. I., Sutherland, J. M., and Young, J. P. W. (2002) Genetic and symbiotic characterization of rhizobia isolated from tree and herbaceous legumes grown in soils from ecologically diverse sites in Kenya. *Soil Biology and Biochemistry*, 34: 801–811.
- Odee, D., (1990). Some characteristics of the Rhizobium symbiosis of Sesbania sesban and its potential for biological nitrogen fixation in Kenya. In: Macklin, B., Evans, D.O. (Eds.), Perennial Sesbania Species in Agroforestry Systems, ICRAF and Nitrogen Fixing Tree Association, Wimanalo, Hawaii, pp. 203–209.
- Olivares, F. L., Baldani, V. L. D., Reis, V. M., Baldani, J. I. and Dobereiner, J. (1996). Occurrence of the endophytic diazotrophs *Herbaspirillum spp.* in roots, stems and leaves predominantly of Gramineae. *Biology and Fertility of Soils*, 21:197–200.
- Ozawa, T., Ohwaki, A. and Okumura, K. (2003). Isolation and Characterization of Diazotrophic bacteria from the surface-sterilized roots of some legumes. *Scientific Report of the Graduate School of Agriculture and Biological Science, Osaka Prefecture University*, 55:29-36.
- Park, M., Kim, C., Yang, J., Lee, H., Shin, W., Kim, S. and Sa, T. (2005). Isolation and characterization of diazotrophic growth promoting bacteria from rhizosphere of agricultural crops of Korea. *Microbiological Research*, 160: 127-133.
- Peoples, M. B., Faizah, A. W., Rerkasem, B. and Herridge, D. F. (1989). Methods for evaluating nitrogen fixation by nodulated legumes in the field. *Monographs*.

- Peoples, M. B., Herridge, D. F. and Ladha, J. K. (1995). Biological nitrogen fixation: an efficient source of nitrogen for sustainable agricultural production?. *Plant and soil*, 174(1-2): 3-28.
- Pereira, F., Carneiro, J., Matthiesen, R., van Asch, B., Pinto, N., Gusmao, L. and Amorim, A. (2010). "Identification of species by multiplex analysis of variablelength sequences". *Nucleic Acids Research* 38(22): e203– e203.
- Polhill, R. M., Raven, P. H. and Stirton, C. H. (1981). Evolution and systematics of the Leguminosae. In R. M. Polhill., P. H. Raven., eds., Advances in Legume Systematics Part 1. Royal Botanic Gardens, Kew, U.K, pp 1–26.
- Pommer, E. H. (1959). "Über die Isolierung des Endophytenaus den Wurzelknöllchen *Alnusglutinosa* Gaertn. undübererfolgreiche Re-Infektionsversuche." *Berichte Deutschen Botanischen Gesellschaft*, 72: 138-150.
- Postgate, J. (1981). Microbiology of the free-living nitrogen fixing bacteria excluding cyanobacteria. In: Gibson, A. H., Newton, W. E. (eds). Current perspectives in nitrogen fixation. *Elsevier/North-Holland Biomedical*, Amsterdam: pp 217–228.
- Postgate, J. (1998). Nitrogen Fixation (3rd ed.). Cambridge: Cambridge University Press.
- Prabudoss, V. and Stella, D. (2009). Isolation and Nitrogen Fixing Efficiency of a novel diazotroph *Gluconacetobacter diazotrophicus* associated with different Sugar Rich crops. *Global Journal of Environmental Research*, 3(2): 96-98.
- Purseglove, J. W. (1968). *Tropical Crops, Dicotyledons*. Wiley, New York.
- Quispel, A. N. N. (1974). *The biology of nitrogen fixation*. North-Holland Press, Amsterdam.
- Rao, N. S. (2008). Factors controlling the salinity in groundwater in parts of Guntur district, Andhra Pradesh, India. *Environmental Monitoring and Assessment*, 138: 327-341
- Ravina, M. D., M. J. Acea, and T. Carballas. (1992). Seasonal fluctuations in microbial populations and available nutrients in forest soil. *Biology and Fertility of Soils*, 16: 198-204.

- Reed, H. E. and Martiny, J. B. H. (2007). Testing the functional significance of microbial composition in natural communities. *FEMS Microbiology Ecology*, 62:161-170.
- Reed, S. C., Cleveland, C. C. and Townsend, A. R. (2008). Tree species control rates of free-living nitrogen fixation in a tropical rain forest. *Ecology*, 89:2924-2934.
- Reed, S. C., Cleveland, C. C. and Townsend, A. R. (2011). Functional ecology of free-living nitrogen fixation: a contemporary perspective. *Annual Review of Ecology, Evolution and Systematics*, 42: 489–512.
- Reinhardt, E.L., Ramos, P.L., Manfio, G.P., Barbosa, H.R., Pavan, C. and Moreira-Filho, C. A. (2008). Molecular characterization of nitrogen-fixing bacteria isolated from Brazilian Agricultural plants at Sao Paulo State. *Brazilian Journal of Microbiology*, 39: 414-422.
- Reinhold-Hurek, B. and Hurek, T. (1998). Life in grasses: diazotrophic endophytes. *Trends in Microbiology*, 6:139–144.
- Rennie, R. J., Freitas, J. R. Ruschel, A. P. and Vose, P. B. (1982). Isolation and identification of N₂-fixing bacteria associated with sugar cane (*Saccharum* sp.). *Canadian Journal of Microbiology*, 28: 462-467.
- Rennie, R. J. (1980). Dinitrogen-fixing bacteria: computer-assisted identification of soil isolates. *Canadian Journal of Microbiology*, 26:1275– 1283.
- Rotar, P. P. and Joy, R. J. (1983). ‘Tropic Sun’ sunn hemp, *Crotalaria juncea* L. Univ. of Hawaii, College of Tropical Agric. and Human Resources, Institute of Tropical Agric. and Human Resources Research Extension Series 36.
- Ruschel A. P. and Döbereiner J. (1965). Bactérias assímbioticas fixadoras de N na rhizosfera de gramíneas forrageiras. In: Congresso Internacional de Pastagens, 9, São Paulo, SP, Brasil.; 1103–1107.
- Russelle, M. (2001) Alfalfa. *American Scientist*, 89: 252–259.
- Ryan, R. P., Germaine, K., Franks, A., Ryan, D. J. and Dowling, D. N. (2008). Bacterial endophytes: recent developments and applications. *FEMS Microbiology Letters*, 278:1–9.

- Sahgal, M. and Johri, B. N. (2003). The changing face of rhizobial systematics. *Current Science*, 84 (Suppl 1): 43–48.
- Saitou, N. and Nei, M. (1987). The Neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*, 4:406-425.
- Saikkonen, K., Wali, P., Helander, M. and Faeth, S. H. (2004). Evolution of endophyte–plant symbioses. *Trends Plant Science*, 9:275–280.
- Samba, R. T., de Lajudie, P., Gillis, M., Neyra, M., Spencer-Barreto, M. M. and Dreyfus, B. (1999). Diversity of rhizobia nodulating *Crotalaria* spp. from Senegal. *Symbiosis*, 27: 259–268.
- Sanchez, P. A. (2002). Soil fertility and hunger in Africa. *Science*, 295: 2019–2020.
- Satapute, P. P., Olekar, H. S., Shetti, A. A., Kulkarni, A. G., Hiremath, G. B., Patagundi, B. I., Shivsharan, C. T and Kaliwal, B. B. (2012). Isolation and Characterization of Nitrogen Fixing *Bacillus subtilis* strain AS-4 from Agricultural soil. *International Journal of Recent Scientific Research*, 3: 762-765.
- Schmid, M. and HartMann, A. (2007). Molecular Phylogeny and Ecology of Root Associated Diazotrophic α- and β-Proteobacteria. *Nitrogen Fixation: Origins, Applications, and Research Progress*, 5: 21-40.
- Schmidt, T. M. and Relman, D. A. (1994). “Phylogenetic identification of uncultured pathogens using ribosomal RNA sequences”. *Methods in Enzymology*, 235: 205–22.
- Schwintzer, R., and Tjepkema, J. D. (1990). The Biology of *Frankia* and Actinorrhizal Plants. Academic Press Inc. San Diego, U.S.A., 99.
- Sevilla, M., Burris, R. H., Gunapala, N. and Kennedy, C. (2001). Comparison of benefit to sugarcane plant growth and N₂ incorporation following inoculation of sterile plants with *Acetobacter diazotrophicus* wild-type and Nif- mutant strains. *Molecular Plant-Microbe Interactions*, 14:358–366.
- Sharma, R. S., Mohammed, A., Mishra, V. and Babu, C. R. (2005). Diversity in a promiscuous group of rhizobia from three *Sesbania* spp. colonizing ecologically

- distinct habitats of the semi-arid Delhi region. *Research in Microbiology*, 156(1):57-67.
- Shetta, N. D., Al-Shaharani, T. S. and Abdel-Aal, M. (2011). Identification and Characterization of *Rhizobium* Associated with Woody Legume Trees Grown under Saudi Arabia Condition. *American-Eurasian Journal of Agriculture and Environmental Science*, 10 (3): 371-379.
- Shilpkar, P., Modi, K. R., Shah, M. C. and Shilpkar, D. (2009). Microbial dominance and nutritional status in rhizospheric soil of *Polyalthia longifolia* over different monsoon seasons. *Indian Journal of Science and technology*, 2(12): 44-45.
- Shivaji, S., Chaturvedi, P., Suresh, K., Reddy, G. S. N., Dutt, C. B. S., Wainwright, M., Narlikar, J. V. and Bhargava, P. M. (2006). *Bacillus aerius* sp. nov., *Bacillus aerophilus* sp. nov., *Bacillus stratosphericus* sp. Nov. and *Bacillus altitudiinis* sp. Nov., isolated from cryogenic tubes used for collecting air samples from high altitudes. *International Journal of Systematic and Evolutionary Microbiology*, 56 1465-473.
- Singh, K., Agrawal, K. N. and Bora, G. C. (2011). Advanced techniques for weed and crop identification for site specific weed management. *Biosystems Engineering*, 109:52–64.
- Singh, N. K., Luthra, U. and Desai, N. (2013). Phenotypic and Genotypic Characterization of *Rhizobium* species isolated from the root nodules of *Sesbania sesban* found in Mumbai and its suburban areas. *Indian journal of Applied Research*, 3(7): 60-67.
- Slosson, E. (1919). *Creative Chemistry*. New York, NY: The Century Co. pp. 19–37.
- Smibert, R. M. and Krieg, N. R. (1994). Phenotypic characterization. In “methods for General and Molecular Bacteriology” (ed. Gerhardt, P.). *American Society for Microbiology, Washington D.C.* 607-654.
- Smil, V. (2000). Cycles of Life. *Scientific American Library*.
- Sprent, J. I. and R. Parson, (2000). Nitrogen fixation in legumes and non-legume trees. *Field Crop Research*, 65: 183-196.
- Sprent, J. I. (2001). Nodulation in legumes. Royal Botanic Gardens, Kew, U.K.

- Srivastava, S. C. and Pandit, S. N. (1968). Relative role of sunn hemp for tops and roots in contributing to the green-manuring benefits of sugarcane. *The Indian Journal of Agricultural Sciences*, 38: 338–342.
- Steel, M. and Penny, D. (2010). Origins of life: Common ancestry put to test. *Nature*, 465 (7295): 168-9.
- Stewart, W. D. P. (1969). Biological and Ecological Aspects of Nitrogen Fixation by Free-Living Micro-Organisms. Proceedings of the Royal Society of London. Series B, (Proc. Roy. Soc. B.) *Biological Sciences*, 172: 367-388.
- Suliasih and Widawati, (2005). Isolation and Identification of Phosphate Solubilizing and Nitrogen Fixing Bacteria from soil in Wamena Biological Garden, Jayawijaya, Papua. *Biodiversitas*, 6: 175-177.
- Sy, A., Giraud, E., Jourand, P., Garcia, N., Willems, A., de Lajudie, P., Prin, Y., Neyra, M., Gillis, M., Boivin-Masson, C. and Dreyfus, B. (2001). Methylotrophic *Methylobacterium* bacteria nodulate and fix nitrogen in symbiosis with legumes. *Journal of Bacteriology*, 183:214–220.
- Takezaki, N., Rzhetsky, A. and Nei, M. (2004). Phylogenetic test of the molecular clock and linearized trees. *Molecular Biology and Evolution*, 12:823-833.
- Tamura, K., Dudley, J., Nei, M. and Kumar, S. (2007) MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Molecular Biology and Evolution*, 24:1596-1599.
- Tamura, K., Nei, M. and Kumar, S. (2004) Prospects for inferring very large phylogenies by using the Neighbor-joining method. *Proceedings of the National Academy of Sciences (USA)*, 101:11030-11035.
- Teixeira, M. A., Melo, ISd., Vieira, R. F., Costa, F. E. C. and Harakava, R. (2007). Microrganismo sendofíticos de mandioca de áreas comerciais e etno variedade semtrês estados brasileiros. *Pesquisa Agropecuaria Brasileira*, 42:42–49.
- Thokchom, E., Kalita, M. C. and Talukdar, N. C. (2014). Isolation, screening, characterization, and selection of superior rhizobacterial strains as bioinoculants for seedling emergence and growth promotion of Mandarin orange (*Citrus reticulata* Blanco). *Canadian Journal of Microbiology*, 60: 85–92.

Thoma, P. E. (1983). *Leucaena – Rhizobium* Compatibility and Nitrogen Fixation.
Botany department, University of Wisconsin – Milwaukee.

Thomson, J. P. (1989). Counting viable *Azotobacter chroococcum* in vessitols. *Plant Soil*, 117: 9-16.

Tilak, K. V. B. R., Ranganayaki, N., Pal, K. K., De, R., Saxena, A. K., Nautiyal, C. S., Mittal, S., Tripathi, A. K. and Johri, B. N. (2005). Diversity of plant growth and soil health supporting bacteria. *Current Science*, 89: 136-150.

Trinick, M. J. (1980). Relationships Amongst the Fast-growing Rhizobia of *Lablab purpureus*, *Leucaena leucocephala*, *Mimosa* spp., *Acacia farnesiana* and *Sesbania grandiflora* and their Affinities with Other Rhizobial Groups. *Journal of Applied Microbiology*, 49: 39-53.

Uchino, F., Hambali, G. G. and Yatazawa, M. (1984). Nitrogen-Fixing Bacteria from Warty Lenticellate Bark of a Mangrove tree, *Bruguiera gymnorhiza*(L.) Lamk. *Applied and Environmental Microbiology*, 47(1): 44-48.

Ueda, T., Suga, Y., Yahiro, N. and Matsuguchi, T. (1995). Remarkable N₂-fixing bacterial diversity detected in rice roots by molecular evolutionary analysis of *nifH* gene sequences. *Journal of Bacteriology*, 177(5): 1414-1417.

Van Berkum, P., Beyene, D. and Eardly, B. D. (1996). Phylogenetic relationships among *Rhizobium* species nodulating the common bean (*Phaseolus vulgaris*L.). *International Journal of Systematic Bacteriology*, 46: 240 –244.

Van Rossum, D., Schuurmans, F. P., Gillis, M., Muyotcha, A., van Verseveld, H. W., Stouthamer, A. H. and Boogerd, F. C. (1995). Genetic and phenetic analyses of Bradyrhizobium strains nodulating peanut (*Arachis hypogaea* L.) roots. *Applied Environmental Microbiology*, 61: 1599–1609.

Veena, S. C. (1999). Development of inoculums consortia for enhanced growth and nutrient uptake of sorghum (*Sorghum bicolor*L.) *Msc. (Agri.) Thesis*, University of Agricultural Sciences, Dharawad.

Vessey, J. K. (2003). Plant growth promoting rhizobacteria as biofertilizers. *Plant Soil*, 255: 571–586.

- Vessey, J. K., Pawłowski, K. and Bergman, B. (2004). Root-based Nitrogen fixing symbioses: legumes, actinorhizal plants, parasponia and cycads. *Plant Soil*, 266:205-230.
- Vinuesa, P., Silva, C., Lorite, M. J., Izaguirre-Mayoral, M. L., Bedmar, E. J., and Martínez-Romero, E. (2005) Molecular systematics of rhizobia based on maximum likelihood and Bayesian phylogenies inferred from *rrs*, *atpD*, *recA* and *nifH* sequences, and their use in the classification of *Sesbania* microsymbionts from Venezuelan wetlands. *Systematic and Applied Microbiology*, 28: 702–716.
- Vincent, J. M. (1982). Enumeration and determination of growth. In Vincent, J. M. (ed.). *Nitrogen Fixation in Legumes*, Sidney: Academic Press.
- Vitousek, P. M., Aber, J., Howarth, R. W., Likens, G. E., Matson, P. A., Schindler, D. W., Schlesinger, W. H. and Tilman, G. D. (1997). Human alteration of the global nitrogen cycle: Causes and Consequences. *Ecological Applications*, 7: 737–750.
- Wang, E. T., Kan, F. Ling., Toledo, Z. Y. T. I., Chen, W. X. and Martínez Romero, E. (2003). Diverse *Mesorhizobium plurifarum* populations native to Mexican soils. *Archives of Microbiology*, 180: 444–454
- Wang, E. T., Martínez-Romero, J. and Martínez-Romero, E. (1999). Genetic diversity of rhizobia nodulating *Leucaena leucocephala* in Mexican soils. *Molecular Ecology*, 8:711–724.
- Wang, E. T., van Berkum, P., Beyene, D., Sui, X. H., Dorado, O., Chen, W. X. and Martinez-Romero, E. (1998). "Rhizobium huautlense sp. nov., a symbiont of *Sesbania herbacea* that has a close phylogenetic relationship with *Rhizobium galegae*". *International Journal of Systematic Bacteriology*, 48 (3): 687–699.
- Wang, E. and Martínez-Romero, E. (2000). Phylogeny of root- and stem-nodule bacteria associated with legumes. In: Triplett, E.W., (Ed.), Prokaryotic Nitrogen Fixation, Horizon Scientific Press, Wymondham, UK, pp. 177–186.
- Wang, S., Hu, T., Jiao, Y., Wei, J. and Cao, K. (2009). Isolation and characterization of *Bacillus subtilis* EB-28, an endophytic bacterium strain displaying biocontrol

activity against *Botrytis cinerea* Pers. *Frontiers of Agriculture in China*, 3: 247-252.

Widowati, T., Nuriyanah. And Sukiman, H. (2013). Potency of Endophyte Bacterium Isolated from *Shorea selanica* on Producing IAA Hormone and Supporting the Growth of Soybean. *Annales Bogorienses*, 17(2).

Watt, M. S., Clinton, P. W., Whitehead, D., Richardson, B., Mason, E. G. and Leckie, A. C. (2003). Above-ground biomass accumulation and nitrogen fixation of broom (*Cytisus coparius* L.) growing with juvenile *Pinus radiata* on a dryland site. *Forest Ecology and Management*, 184: 93–104.

Weisburg, W. G., Barns, S. M., Pelletier, D. A. and Lane, D. J. (1991). “16S ribosomal DNA amplification for phylogenetic study”. *Journal of Bacteriology*, 173(2): 697–703.

Werner, D. (1992). *Symbiosis of Plants and Microbes*, Chapman and Hall, New York, 387–400.

Wheeler, C. T. and Miller, J. M. (1990). Current and potential uses of actinorrhizal plants in Europe. In The Biology of *Frankia* and Actinorrhizal Plants. Academic Press, San Diego, U.S.A., Edited by Schwintzer, C. R., Tjepkema, J. D., 365–389.

White, G. A. and Haun, J. R. (1965). Growing *Crotalaria juncea*, a multi-purpose legume, for paper pulp. *Economic Botany*, 19(2): 175-183.

Widmer, F., Shaffers, B. T., Porteous, L. A. and Seidler, R. J. (1999). Analysis of a *nifH* gene pool complexity in soil and litter at a Douglas Fir forest site in the Oregon cascade mountain range. *Applied and Environmental Microbiology*, 65(2): 374-380.

Wilson, P. W. and Knight, S. C. (1952). *Experiments in bacterial physiology*, Burgess, Minneapolis, USA: pp 49.

Wilson, D. (1995). Endophyte – the evolution of a term and clarification of its use and definition. *Oikos* 72:274–276.

Woese, C. R. and Fox, G. E. (1977). Phylogenetic structure of the prokaryotic domain: The primary kingdoms. *Proceedings of the National Academy of Sciences of the United States of America*, 74(11): 5088-5090.

- Wolde-meskel, E., Terefework, Z., Frostegard, A. and Lindstrom, K. (2005). Genetic diversity and phylogeny of rhizobia isolated from agroforestry legume species in southern Ethiopia. *International Journal of Systematic and Evolutionary Microbiology*, 55: 1439–1452.
- Xie, G. H., Cui, Z., Yu, J., Yan, J., Hai, W. and Steinberger, Y. (2006). "Identification of nif genes in N₂-fixing bacterial strains isolated from rice fields along the Yangtze River Plain". *Journal of Basic Microbiology*, 46 (1): 56–63.
- Yanni, Y. G., Rizk, R. Y., Corich, V., Squartini, A., Ninke, K., Philip-Hollingworth, S., Orgambide, G., de. Bruijn, F., Stolzfus, J., Buckley, D., Schmidt, T. M., Mateos, P. F., Ladha, J. K. and Dazzo, F. B. (1997). Natural endophytic association between *Rhizobium leguminosarum* bv. *Trifolii* and rice roots and assessment of its potential to promote rice growth. *Plant and Soil*, 194 (Suppl 1-2): 99–114.
- Yan, Y., Yang, J., Dou, Y., Chen, M., Ping, S., Peng, J., Lu, W., Zhang, W., Yao, Z., Li, H., Liu, W., He S. Geng. L., Zhang, X., Yang, F., Yu, H., Zhan, Y., Li, D., Lin, Z., Wang, Y., Elmerich, C., Lin, M. and Jin, Q. (2008). Nitrogen fixation island and rhizosphere competence traits in the genome of root-associated *Pseudomonas stutzeri* A1501. *Proceedings of the National Academy of Sciences U.S.A.*, 105:7564–7569.
- Young, J. P. W. (1992). Phylogenetic classification of nitrogen-fixing organisms. In *Biological Nitrogen Fixation*, Chapman and Hall New York. Edited by Stacey, G., Burris, R.H., Evans, H.J., 43–86.
- Young, J. P. W. and Haukka, K. E., (1996). Diversity and phylogeny of rhizobia. *New Phytologist*, 133: 87–94.
- Young, J. P. W. (1992). Phylogenetic classification of nitrogen-fixing organisms. *Biological nitrogen fixation*. books.google.com.
- Young, P. (1992). Phylogenetic classification of nitrogen-fixing organisms. In: Stacey, G., Burris, R. H., Evans, H. J., (eds). *Biological nitrogen fixation*. Chapman and Hall Inc, New York: pp 43–86.
- Zahran, H. H. (2001). Rhizobia from wild legumes: diversity, taxonomy, ecology, nitrogen fixation and biotechnology. *Journal of Biotechnology*, 91: 143–153.

- Zahran, H. H. (1999). Rhizobium-legume symbiosis and nitrogen fixation under severe conditions and in an arid climate. *Microbiology and Molecular Biology Reviews*, 63: 968-989.
- Zehr, J., Mellon, M., Braun, S., Litaker, W., Steppe, T. and Paerl, H. (1995). Diversity of heterotrophic nitrogen fixation genes in a marine cyanobacterial mat. *Applied and Environmental Microbiology*, 61: 2527-2532.
- Zhang, X., Harper, R., Karsisto, M. and Lindstrom, K. (1991). Diversity of *Rhizobium* bacteria isolated from the root nodules of leguminous trees. *International Journal of Systematic Bacteriology*, pp104-113.
- Zehr, J. P. and McReynolds, L. A. (1989). Use of degenerate oligonucleotides for amplification of the nifH gene from the marine cyanobacterium *Trichodesmium thiebautii*. *Applied Environmental Microbiology*, 55: 2522-2526.