

Department of Biotechnology
Hargobind Khurana School of Life Sciences
Assam University, Silchar
(A Central University constituted under Act XIII of 1989)
Silchar-788011, Assam, India

### **DECLARATION**

I, Seram Anil Singh, bearing registration number Ph.D./2177/12 dated 26/09/12, hereby declare that the subject matter of the thesis entitled "Study of the risk factors associated with Nasopharyngeal Carcinoma in North-East India" is the record of work done by me and that the contents of this thesis did not form the basis for award of any degree to me or to anybody else to the best of my knowledge. The thesis has not been submitted in any other University / Institute.

Place: Assam University, Silchar (Seram Anil Singh)

Date:

### **ACKNOWLEDGEMENT**

I take this opportunity to convey my gratefulness to one and all those who have supported and guided me through the entire tenure of PhD work.

First and foremost, a sincere and heart filled gratitude to my mentor Prof. (Dr) Sankar Kumar Ghosh for being such a wonderful and motivating guide. His stimulating suggestions, experience and encouragement accompanied by the freedom of thought that he granted, has not only helped me to discover my potential but also kept me sparked throughout my Ph.D tenure. I will never forget the generosity that he offered on several occasions. Sir, I thank you for everything and will always be proud to have been mentored by you.

I want to express my warmest thanks to all Molecular Medicine Lab members, Dr. Shilpee Srivastava, Dr. Rosy Mondal, Dr. Fazlur R Talukdar; Dr. Ruhina S Laskar, Bishal Dhar, Shailendra Yadav, Sharbadeb Kundu, Wetetsho Kapfo, Manish Kumar, Saheen Laskar and Raima Das who helped me in innumerable ways during the entire period. A special thanks to my batch mate Javed H Choudhury who has always been there for me. Thanks to Abhijeet Paul, and Sukumar Sonar for all their enumerable help. I would also like to thank all MSc students who help me during their dissertation Sourav Phukan, Niren Khomdram, and Sourav Sen. All these people have kept the lab environment lively during these years and made it a second home.

I would like to convey my heartiest gratitude to Dr. Y. Indibor Singh, Regional Institute of Medical Science (RIMS), Manipur; Dr. V Khamo, Nagaland Hospital Administration Kohima (NAHAK), Nagaland, and Dr. Z Eric, Government Civil Hospital, Aizwal, Mizoram for providing valuable clinical inputs and samples for

this research. Special thanks to Dr. Rajesh Laishram, RIMS for his priceless support

while analysing PBCRs data.

I want to express my sincere gratitude to Department of Biotechnology (DBT),

Government of India for providing infra-structural facilities (BT/Med/NE-SFC/2009)

and (BT/NE/TBP/204(Med)/3/2011) which makes this work a reality.

I am also thankful to Dean Hargobind Khurana School of life Science, Head

Department of Biotechnology, and faculty members, technical and official staff of

Department of Biotechnology for their kind co-operation.

And the most important people in my life, my parent, my brother and sisters,

without their love and support the completion of this work would have not been

possible. Finally, Geetanjali, my wife you always have been my greatest strength and

source of inspiration.

Date:

Place: Assam University, Silchar

(Seram Anil Singh)

# **CONTENTS**

Ch	apter	Topics	Page
L	ist of T	Γables	i
L	ist of F	Figures	iii
1	Intr	roduction	1-32
1.1	Can	1cer	1
	1.1.1	Classification of cancer	2
	1.1.2	Global Cancer Scenario.	3
1.2	Nasc	sopharyngeal Cancer	4
	1.2.1	Stages of NPC	5
	1.2.2	Histological subtypes of NPC	5
	1.2.3	Racial and geographical distribution	6
	1.2	2.3.1 Ethic information of northeast India: A high incidence	
		region of NPC	7
1.3	Etio	ology of nasopharyngeal carcinoma	8
	1.3.1	Environmental factors	8
	1.3	3.1.1 Dietary factors	8
	1.3	3.1.2 Tobacco use	9
	1.3	3.1.3 Alcohol consumption	11
	1.3	3.1.4 Occupational exposure	12
	1.3	3.1.5 Viral pathogenesis	12
1.4	Gen	netic susceptibility of NPC	14
	1.4.1	Metabolic activation and detoxification genes	15
	1.4	4.1.1 Phase I metabolic gene	17
		Cytochrome P 450, superfamily A, polypeptide 1 (CYP)	<i>1A1)</i>
	1.4	4.1.2 Phase II metabolic gene	18
		Glutathione S-transferase (GSTs)	
	1.4.2	DNA repair genes	19

	1.4	2.1 Polymorphism in repair genes	
		XRCC1 (x-ray repair cross-complementation 1)	
		XRCC2 (x-ray repair cross-complementation 2)	
	1.4.3	Newly identified susceptible loci	
		TNFRSF19 (Tumor Necrosis Factor Receptor Superfamily, Member19)	
		MDS1 and EVI1 [MDS1 (myelodysplasia 1) and EVI1 (ecotropic viral	
		insertion site 1 fusion proteins) complex locus protein]	
		CDKN2B-AS1 (CDKN2B antisense RNA 1)	
	1.4.4	Mitochondria. 24	
	1.4	4.1 Mitochondria in cancer	
	1.4	4.2 Mitochondrial DNA copy number alterations in	
		human cancer	
1.5	Rati	onale of the propose study28	
	1.5.1	Objectives of the study	
2	Revi	ew of Literature 33-59	)
2.1	Glob	pal scenario of cancer	
	2.1.1	India cancer scenario	
	2.1.2	Nasopharyngeal carcinoma: A global perspective36	
2.2	Envi	ronmental risk factors for NPC39	
	2.2.1	Dietary factors: Preserved foods, herbal medicine, fresh	
		fruits and vegetables	
	2.2.2	Lifestyle related factors: Tobacco, other smoke, and alcohol42	
	2.2.3	Viral factor: Epstein Barr virus infection	
2.3	Gene	etic factors48	
	2.3.1	Metabolic and DNA repair genes	
	2.3.2	Newly identified susceptible loci in GWAS	
	2.3.3	MtDNA copy number variation in human cancers	
3	Mate	erials and Methods60-8	1

3.1	Mate	erials	S	.60
	3.1.1	Sur	vey for cancer prevalence	.60
	3.1.	1.1	Survey of International Cancer Registries.	60
	3.1.	1.2	Survey of National Cancer Registries	.60
	3.1.2	Stud	dy design	60
	3.1.	2.1	Ethical Clearance	.61
	3.1.	2.2	Selection of subjects	.61
	3.1.	.2.3	Collection of samples.	.62
	3.1.3	Che	emicals and Reagents	.62
	3.1.	3.1	Stock solution preparation	.63
	3.1.	.3.2	Buffers preparation.	.64
3.2	Meth	ıods.		65
	3.2.1	Isol	ation of genomic DNA	.65
	3.2.	1.1	Isolation from buccal swap	66
	3.2.	1.2	Isolation from whole blood	67
	3.2.2	Qua	ality and quantity analysis of the extracted DNA	.68
	3.2.	2.1	Spectrophotometric Analysis	68
	3.2.	.2.2	Agarose gel electrophoresis for genomic DNA quality	
			and quantity analysis	69
	3.2.3	Poly	ymerase chain reaction (PCR)	69
	3.2.	3.1	Primer designing and optimisation	.70
	3.2.	.3.2	Restriction enzyme digestion	71
	3.2.	.3.3	Multiplex PCR genotyping for GSTT1 and GSTM1	
			metabolic genes	71
	3.2.	3.4	PCR-RFLP genotyping of CYP1A1 T3801C polymorphism	72
	3.2.	.3.5	PCR amplification of viral LMP1 gene to detection of	
			EBV infection.	72
	3.2.	3.6	PCR-RFLP genotyping of XRCC1 Arg399Gln polymorphism.	72

	3.2.3.7	PCR-RFLP genotyping of XRCC2 Arg188His polymorphism	73
	3.2.3.8	PCR Amplification of Hotspot Genes Related to NPC	73
	3.2.3.9	Purification of PCR products by Gel purification	74
	3.2.3.10	Sanger Sequencing.	75
	3.2.3.11	Relative quantitative of mitochondrial DNA copy number	
		using real-time PCR	76
	3.2.3.12	SNaPShot Multiplex System	77
	3.2.3.13	Genotyping of MECOM, TNFRSF19 and CDK2BAS1	
		genes using SNaPshot assay	78
3.3	Bioinfor	natics analysis	79
3.4	Statistica	l analysis	79
	3.4.1 Log	gistic Regression Analysis	80
	3.4.2 Mu	ltifactor Dimensionality Reduction (MDR) Analysis	80
	3.4.3 Inte	raction Entropy Graphs	81
	3.4.4 Fal	se Positive Report Probability (FPRP)	81
4	Results		82-145
4.1	1 Prevalence and environmental risk factors associated with nasophary		ryngeal
	cancer (N	NPC) among the ethnic population of Northeast India	82
	4.1.1 Nas	opharyngeal carcinoma in different cancer registries	82
	4.1.2 Der	mographic characteristics of the study population	86
	4.1.3 Env	rironmental risk factors associated with NPC	89
	4.1.3.1	Dietary habits and risk o NPC development	89
	4.1.3.2	Tobacco and alcohol habits and herbal medicine use and	
		risk of NPC development.	90
	4.1.3.3	Epstein Barr Virus (EBV) infection and risk	
		of NPC development	92
	4.1.4 Inte	eraction of Epstein Barr Virus (EBV) and other environmental	
	rick	factors in NPC	93

4.2. Met	abolic genes, their interaction with environmental factors	
	PC	
4.2.1	Polymorphisms in metabolic genes (GSTT1, GSTM1 and CYP1A1)	
	and the risk associated with NPC96	
4.2.2		
	in NPC progression10	)3
4.2.3	Multifactorial dimensionality reduction analysis of metabolic	
	gene-environmental interaction10	8
4.2.4	Interaction entropy graph of metabolic gene-environment	
	interactions	9
4.2.5	False positive report possibility (FPRP)	
	morphism in DNA repair genes, their interaction with	
_	ronmental risk factors in NPC11:	5
4.3.1	Polymorphisms in DNA repair genes (XRCC1 and XRCC2)	_
	and the risk of associated with NPC11:	5
4.3.2	Interaction of DNA repair genes and environmental risk	
1.3.2	factors in NPC progression	0.0
4.3.3	Multifactorial dimensionality reduction analysis of repair	
1.5.5	gene-environmental interaction and NPC ris	) 3
4.3.4	Interaction entropy graph of repair gene-environment interactions12	
4.3.5	False positive report possibility (FPRP)	
	morphism in newly identified susceptible loci (MECOM,	U
·	FRSF19 and CDKN2B-AS1) and risk of NPC in northeast	
		O
	an population 12	ð
4.4.1	Genetic variants of <i>MECOM</i> , <i>TNFRSF19</i> and <i>CDKN2B-AS1</i>	O
4.4.2	genes and NPC predisposition 12	ð
4.4.2	Multifactorial dimensionality reduction analysis for	4
	gene-gene interactions.	4

	4.4.3	False positive report possibility (FPRP)	
4.5	Dysf	unction of mitochondria due to environmental carcinogens	
	and	the risk of NPC137	
	4.5.1 using (	Relative quantification of mitochondrial DNA copy number (mtDNA) quantitative real time PCR (qPCR)	
	4.5.2	Mitochondrial DNA content and the risk associated with NPC141	
	4.5.3	Mitochondrial DNA copy number and risk of NPC stratified by dietary and	
tobacco habits			
5	Discussion		
	Summary15		
	Bibliography163		
	Apper	ndix	
	A.	List of Abbreviationsv	
	B.	List of Publicationsviii	
	C.	Research papers presented in scientific conferencesix	
		Published Research Articles	

## **List of Tables**

Tables	Page No
Table 1.1 Cancer Incidence, mortality and prevalence in the world	3
Table 1.2 Risk allele associated with the three hotspot genes	22
Table 2.1 Incidence, mortality and prevalence of NPC in the World	37
Table 2.2 NPC (Age-adjusted incidence rate) by sex and world areas	37
Table 3.1 List of primers use for amplification of different genes	70
Table 3.2 External primer pair for SNaPshot	78
Table 3.3 Internal primers for SNaPshot	78
<b>Table 4.1.1</b> NPC incidence, mortality and prevalence: Estimate for India, 2012	82
<b>Table 4.1.2</b> Comparison of age adjusted incidence rates (AAR) of PBCRs in northeast India, 2009-2010	84
<b>Table 4.1.3</b> Number of cases, Percentage (%) and Rate of Incidence Cases, 2010-2012	85
<b>Table 4.1.4</b> Demographic characteristics and socioeconomic status of the cases, FDRs and controls	88
<b>Table 4.1.5</b> Smoked meat, fermented fish, tobacco and alcohol habits and the risk of NPC	91
<b>Table 4.1.6</b> Sex, age and ethnicity wise detection of EBV in the study population	93
<b>Table 4.1.7</b> Risk of NPC by intake of smoked meat, fermented fish, tobacco smoking, herbal medicine use and EBV infection	95
<b>Table 4.2.1</b> Distribution of <i>GSTM1</i> , <i>GSTT1</i> and <i>CYP1A1</i> T3801C genotype among the study subjects	99
<b>Table 4.2.2</b> Odds ratios for the interaction of <i>GSTM1</i> , <i>GSTT1</i> and <i>CYP1A1</i> T3801C genotypes in the study subjects	102
<b>Table 4.2.3</b> Association between <i>GSTM1</i> genotype and NPC, stratified by smoked meat, fermented fish, smoking and tobacco-betel quid habits	105
<b>Table 4.2.4</b> Association between <i>GSTT1</i> genotype and NPC, stratified by smoked meat, fermented fish, smoking and tobacco-betel quid habits	106
<b>Table 4.2.5</b> Association between <i>CYP1A1</i> T3801C genotype and NPC, stratified by smoked meat, fermented fish, smoking and tobacco-betel quid habits	107

<b>Table 4.2.6</b> Summary of multifactorial dimensionality reduction analysis for NPC risk prediction	108
<b>Table 4.2.7</b> False Positive Reports Probability (FPRP) for odd ratios of the Logistic Regression (LR) analysis in gene-gene interaction	112
<b>Table 4.2.8</b> False Positive Reports Probability (FPRP) for odd ratios of the Logistic Regression (LR) analysis in gene-environmental interaction	113
<b>Table 4.2.9</b> False Positive Reports Probability (FPRP) for odd ratios of the Multifactor Dimensionality Reduction (MDR) analysis in gene-environmental interaction	114
<b>Table 4.3.1</b> Genotype frequency distribution of <i>XRCC1</i> Arg399Gln and XRCC2 Arg188His polymorphisms and risk of NPC	119
<b>Table 4.3.2</b> Combined genotype analysis of XRCC1 Arg399Gln and XRCC2 Arg188His on risk of NPC	120
<b>Table 4.3.3</b> Association of <i>XRCC1</i> Arg399Gln genotype, stratified by smoked meat, fermented fish, smoking, and tobacco-betel quid habits	122
<b>Table 4.3.4</b> Summary of multifactorial dimensionality reduction analysis for NPC risk prediction	123
<b>Table 4.3.5</b> False Positive Reports Probability (FPRP) for odd ratios of the Logistic Regression (LR) and Multifactor Dimensionality Reduction (MDR) analysis	127
<b>Table 4.4.1</b> Genetic variants of <i>MECOM</i> , <i>CDNK2B-AS1</i> and <i>TNFRSF19</i> genes and NPC predisposition	132
<b>Table 4.4.2</b> Summary of multifactorial dimensionality reduction analysis for NPC risk prediction	134
<b>Table 4.3.4</b> False Positive Reports Probability (FPRP) for odd ratios of the Multifactor Dimensionality Reduction (MDR) analysis	136
<b>Table 4.5.1</b> Level of mtDNA content in peripheral blood of the control, FDRs and NPC patients	141
<b>Table 4.5.2</b> Odds ratios (ORs) and 95 % CI for relative mitochondrial DNA copy number and risk of NPC	144
<b>Table 4.5.3</b> Mitochondrial DNA copy number and risk of NPC stratified by genetic and environmental risk factors	145

## **List of Figures**

Figures	Page No
Figure 1.1 Main sites of metastases for some common cancer types	2
Figure 1.2 Schematic representation of Head and Neck region	4
<b>Figure</b> Geographical map of northeast India States showing high NPC incidence areas viz., Manipur, Mizoram and Nagaland	7
Figure 1.4 Percentages of different factors contributing to cancer	8
Figure 1.5 A model for Epstein Barr virus (EBV) infection and persistence	14
Figure 1.6 Schematic representation of xenobiotic detoxification and processes leading to cancer development	16
<b>Figure 1.7</b> Illustration of human mitochondrial genome with its 37 genes and the coding region	25
Figure 3.1 Schematic representation of SNaPshot genotyping	77
Figure 4.1.1 Photomicrograph of nasopharynx	87
<b>Figure 4.1.2</b> Bar diagram showing the risk (Odds ratios) of NPC associated with environmental factors (smoked meat and fermented fish).	89
<b>Figure 4.1.3</b> Bar diagram showing the risk (Odds ratios) of NPC associated with environmental factors (tobacco-betel quid, smoking, alcohol and herbal medicine)	90
Figure 4.1.4 PCR based detection of EBV-LMP1 in NPC	92
Figure 4.1.5 Odds ratio for interaction of EBV and dietary and tobacco habits	94
Figure 4.2.1 Polymorphism in <i>GSTM1</i> , <i>GSTT1</i> and <i>CYP1A1</i> metabolic genes	97
Figure 4.2.2 Sanger sequencing results showing nucleotide changes confirming PCR-RFLP results	98
<b>Figure 4.2.3</b> Bar diagram showing the risk (Odds ratios) of NPC associated with <i>CYP1A1</i> T3801C, <i>GSTT1</i> and <i>GSTM1</i> polymorphism	100
<b>Figure 4.2.4</b> Interaction entropy graph for gene-environmental interaction in NPC	109
<b>Figure 4.2.5</b> Summary of the four-factor model ( <i>GSTM1</i> , fermented fish, smoked meat and smoking) in MDR analysis	110

<b>Figure 4.3.1</b> PCR based detection of <i>XRCC1</i> Arg399Gln gene polymorphism in NPC	117
<b>Figure 4.3.2</b> PCR based detection of <i>XRCC2</i> Arg188His gene polymorphism in NPC	118
<b>Figure 4.3.3</b> Combined effect of dietary and tobacco habits with <i>XRCC1</i> Arg399Gln genotypes	121
<b>Figure 4.3.4</b> MDR analysis showing entropy graph for gene-environment interaction and NPC risk	124
<b>Figure 4.3.5</b> Summary of the five-factor model ( <i>XRCC1</i> , fermented fish, smoked meat, smoking and chewing) in MDR analysis	125
<b>Figure 4.4.1</b> Multiplex PCR amplification of <i>MECOM</i> , <i>TNFRSF19</i> and <i>CDKN2B-AS1</i> genes	128
Figure 4.4.2 DNA sequencing result of TNFRSF19 (rs9510787) gene	129
Figure 4.4.3 DNA sequencing result of CDKN2B-AS1 (rs1412829) gene	130
Figure 4.4.4. DNA sequencing result of MECOM (rs6774494) gene	131
<b>Figure 4.4.5</b> Validation of sequencing results by SNapShot singel base extension method	133
<b>Figure 4.4.6</b> MDR analysis showing entropy graph for gene-gene interaction and NPC risk in the study	135
<b>Figure 4.5.1.</b> Amplification plot showing <b>a</b> cycle threshold (CT) where fluorescence signal is detected; <b>b</b> Quantitative PCR of D-loop region and GAPDH gene (representative curve)	139
Figure 4.5.2. Quantitative PCR for mitochondrial DNA copy number determination	142
<b>Figure 4.5.3.</b> Correlation of nuclear DNA content and mitochondrial DNA content in peripheral blood in normal group and NPC patients	143
<b>Figure 5.1</b> Schematic representation of the etiology of nasopharyngeal carcinoma (NPC)	157

#### List of Abbreviations

AAR- Age adjusted incidence rate

BART- BamHI A rightward transcript

Bcl2- B-cell lymphoma 2

BER- Base excision repair

BHRF1- BamHI fragment H rightward open reading frame

CD21- Cluster of differentiation 21

CDK- Cyclin dependent kinase

CDKN2B-AS1- CDKN2B antisense RNA 1

CHRNA3- Cholinergic receptor nicotinic alpha 3

CIAP- Calf intestine alkaline phosphatase

COX2- Cyclooxygenase-2

CR2- Complement receptor type 2

CSB- Conserve sequence box

CVC- Cross validation consistency

CYP1A1- Cytochrome P450, family 1, member A1

CYP2E1- Cytochrome P450, family 2, subfamily E, polypeptide 1

DNA- Deoxyribose nucleic acid

DRC- DNA repair capacity

EA- Early antigen

EBER- Epstein-Barr virus-encoded small RNA

EBNA- Epstein Barr Nuclear Antigen

EBV- Epstein-Barr virus

EDTA- Ethylene diamine tetrachloro acetic acid

ENT- Ear nose throat

ESCC- Esophageal squamous cell carcinoma

ETAS- Extended termination associated sequences

EtBr- Ethidium bromide

EVII- Ecotropic viral insertion site 1

FDRs- First degree relatives

FFPE- Formalin fixed paraffin embedded tissues

FMO- Flavin-containing monooxygenases

FPRP- False positive report probability

GABBR1- Gamma amino butyric acid b receptor 1

GAPDH- Glyceraldehyde 3-phosphate dehydrogenase

GST- Glutathione-S-transferase

GSTM1- Glutathione S-transferase mu 1
GSTP1- Glutathione S-transferase pi 1
GSTT1 - Glutathione S-transferase theta 1

GWAS- Genome wide association study

HCC- Human hepatocellular carcinoma

*HLA*- Human leukocyte antigen

HpaII- Haemophilus parainfluenzae IIHphI- Haemophilus parahaemolyticus I

HRR- Homologous Recombination Repair

HSP- Heavy strand promoter

JNK- c-Jun N-terminal kinase

IARC- International agency for research on cancer hOGG1- Human 8-oxoguanine DNA N-glycosylase 1 KSHV- Kaposi's sarcoma associated herpes virus

*LMP1*- Latent membrane protein 1

LR- Logistic regression
LSP- Light strand promoter

MDR- Multifactor dimensionality reduction

MDS 1- Myelodysplasia 1

MECOM- Myelodysplasia 1 and ecotropic viral insertion site 1

MspI- Moraxella species

MT- Methyl transferase

NaCl- Sodium chloride

NADPH- Nicotinamide adenine dinucleotide phosphate

NAT2- N-acetyltransferase 2

NCRP- National Cancer Registry Programme

NDEA- Nitrosodiethylamine NDMA- Nitrosodimethylamine

NER- Nucleotide excision repair

NNN- Nitrosonornicotine

NNK- 4 (Methylnitrosamino)-1,3-pyridyl-1-butanone

NPC- Nasopharyngeal carcinoma

NPYR- Nitrosopyrrolidine

NQO- NADPH-quinone oxidoreductase

NQO1- NAD (P) H dehydrogenase quinone 1

NSCLC- Non-small cell lung cancer

OSCC- Oral squamous cell carcinoma

OXPHOS- Oxidative phosphorylation

PAH- Polycyclic aromatic hydrocarbon

POLG- Polymerase gamma

PRC- Polycomb repressive complex

rRNA- Ribosomal RNA

tRNA- Transfer RNA

RCC- Renal cell carcinoma

RFLP- Restriction fragment length polymorphism

ROS- Reactive oxygen species

SDS- Sodium dodecyl sulphate

SSC- Squamous-cell carcinoma

SULT- Sulfotransferase

TAE- Tris acetic acid EDTA

TBA- Testing balance accuracy

*TERT-* Telomerase reverse transcriptase

TES- Tris-HCl EDTA sodium chloride

TGF- Transforming growth factor

TNFRSF19- Tumor necrosis factor receptor super family 19

TRADD- Tumour necrosis factor receptor type 1-associated death domain

TRAF- TNF receptor-associated factor

TrBA- Training balance accuracy

TSNA- Tobacco specific nitrosamines

UGT- UDP-glucuronosyltransferase

VCA- Viral capsid antigen

VEGF- Vascular endothelial growth factor

WHO- World Health Organization

*XRCC1*- X-ray repair cross-complementing protein 1

*XRCC2*- X-ray repair cross-complementing protein 2