

CHAPTER-7:
BIBLIOGRAPHY

- Allan, J. D. and Flecker, A. S. (1993). Biodiversity conservation in running waters. *BioScience*. 43: 32-43.
- Altschul, S. F., Gish, W., Miller, W., Myers, E. W. and Lipman, D. J. (1990). Basic local alignment search tool. *Journal of molecular biology*. 215(3): 403-410.
- Amor, N., Farjallah, S., Merella, P., Said, K. and Ben Slimane, B. (2011). Molecular characterization of *Hysterothylacium aduncum* (Nematoda: Raphidascaridae) from different fish caught off the Tunisian coast based on nuclear ribosomal DNA sequences. *Parasitology research*. 109: 1429-1437.
- Andrews, C. (2006). The ornamental fish trade and fish conservation . *Journal of Fish Biology*, 37 (Supplement A), 53 - 59.
- April, J., Mayden, R. L., Hanner, R. H. and Bernatchez, L. (2011). Genetic calibration of species diversity among North America's freshwater fishes. *Proceedings of the National Academy of Sciences of the United States of America*. 108(26): 10602-10607.
- Asgharian, H., Sahafi, H. H., Ardalan, A. A., Shekarriz, S. and Elahi, E. (2011). Cytochrome c oxidase subunit 1 barcode data of fish of the Nayband National Park in the Persian Gulf and analysis using meta-data flag several cryptic species. *Molecular ecology resources*. 11(3): 461-472.
- Avise, J. C. (1975). Systematic value of electrophoretic data. *Systematic Zoology*. 23: 465–481.
- Avise, J. C. (1994). Molecular Markers, Natural History and Evolution. Springer.
- Badek, A., Dabert, M., Mironov, S. V. and Dabert, J. (2008). A new species of the genus *Proctophyllodes* (Analgoidea: Proctophyllodidae) from cetti's warbler *Cettia cetti* (Passeriformes:Sylviidae) with DNA barcode data. *Annales Zoologici*. 58: 397-402.
- Ballard, O., William, J. and Rand, David.(2005). The population biology of mitochondrial DNA and its phylogenetic implications. *Annual review of Ecology, Evolution and Systematics*. 36(621-642).
- Bartlett, S. E. and Davidson, W. S. (1991). Identification of *Thunnus tuna* species by the polymerase chain reaction and direct sequence analysis of their mitochondrial

- cytochrome b genes. *Canadian Journal of Fisheries and Aquatic Science*. 48: 309–317.
- Bartlett, S. E. and Davidson, W. S. (1992). FINS (forensically important nucleotide sequences): a procedure for identifying the animal origin of biological specimens. *Biotechniques*. 12: 408–411.
- Becker, S., Hanner, R. and Steinke, D. (2011). Five years of FISH-BOL: brief status report. *Mitochondrial DNA*. 22 Suppl 1: 3-9.
- Bell, D., Long, D. G., Forrest, A. D., Hollingsworth, M. L., Blom, H. H. And Hollingsworth, P. M. (2011). DNA barcoding of European Herbertus (Marchantiopsida, Herbertaceae) and the discovery and description of a new species. *Molecular ecology resources*. 12(1): 36-47.
- Bennett, C. E., Wilson, B. S. and Desalle, R. (2011). DNA barcoding of an invasive mammal species, the small Indian mongoose (*Herpestes javanicus*; E. Geoffroy Saint-Hillaire 1818) in the Caribbean and Hawaiian Islands. *Mitochondrial DNA*. 22(1-2): 12-18.
- Benziger, A., Philip, S., Raghavan, R., Anvar Ali, P. H., Sukumaran, M., Tharian, J. C., Dahanukar, N., Baby, F., Peter, R., Devi, K. R., Radhakrishnan, K. V., Haniffa, M. A., Britz, R. and Antunes, A. (2011). Unraveling a 146 years old taxonomic puzzle: validation of Malabar snakehead, species status and its relevance for channid systematics and evolution. *Plos One*. 6(6): e21272.
- Borisenko, A. V., Sones, J. E. and Hebert, P. D. (2009). The front-end logistics of DNA barcoding: challenges and prospects. *Molecular ecology resources*. 9 Suppl s1: 27-34.
- Brown, J. W., Miller, S. E. and Horak, M. (2003). Studies on New Guinea moths. Description of a new species of *Xenothictis* Meyrick (Lepidoptera: Tortricidae: Archipini). *Proceedings of the Entomological Society of Washington*. 105: 1043–1050.
- Bucklin, A., Steinke, D. and Blanco-Bercial, L. (2011). DNA barcoding of marine metazoa. *Annual review of marine science*. 3: 471-508.
- Burns, J. M., Janzen, D. H., Hajibabaei, M., Hallwachs, W. and Hebert, P. D. N. (2007). DNA barcodes of closely related (but morphologically and ecologically

- distinct) species of skipper butterflies (Hesperiidae) can differ by only one to three nucleotides. *Journal of the Lepidopterists Society*. 61(3):138–153.
- Busenlehner, L. S., Codreanu, S. G., Holm, P. J., Bhakat, P., Hebert, H., Morgenstern, R. and Armstrong, R. N. (2004). Stress sensor triggers conformational response of the integral membrane protein microsomal glutathione transferase 1. *Biochemistry*. 43(35): 11145-11152.
- Busse, H. J., Denner, E. B. M. and Lubitz, W. (1996). Classification and identification of bacteria: current approaches to an old problem. Overview of methods used in bacterial systematics. *Journal of Biotechnology*. 47: 3–38.
- Byrkjedal, I., Rees, D. J. and Willassen, E. (2007). Lumping lump suckers: molecular and morphological insights into the taxonomic status of *Eumicrotremus spinosus* (Fabricius, 1776) and *Eumicrotremus eggvinii* Koefoed, 1956 (Teleostei: Cyclopteridae). *Journal of Fish Biology*. 71:111-131.
- Carvalho, D. C., Neto, D. A., Brasil, B. S. and Oliveira, D. A. (2011). DNA barcoding unveils a high rate of mislabeling in a commercial freshwater catfish from Brazil. *Mitochondrial DNA*. 22 Suppl 1: 97-105.
- Clare, E. L., Lim, B. K., Fenton, M. B. and Hebert, P. D. (2011). Neotropical bats: estimating species diversity with DNA barcodes. *Plos One*. 6(7): e22648.
- Cohen, N. J., Deeds, J. R., Wong, E. S. and Hanner, R. H. (2009). Public Health Response to Puffer Fish (Tetrodotoxin) Poisoning from Mislabeled Product. *Journal of Food Protection*. 72: 810-817.
- Collins, R. A., Armstrong, K. F., Meier, R., Yi, Y., Brown, S. D. J., Cruickshank, R. H., Keeling, S. and Johnston, C. (2012). Barcoding and Border Biosecurity: Identifying Cyprinid Fishes in the Aquarium Trade. *Plos One*. 7(1): e28381.
- Costa, F. O. and Carvalho, G. R. (2010). New insights into molecular evolution: prospects from the Barcode of Life Initiative (BOLI). *Theory in biosciences = Theorie in den Biowissenschaften*. 129(2-3): 149-157.
- Costa, F. O., Landi, M., Martins, R., Costa, M. H., Costa, M. E., Carneiro, M., Alves, M. J., Steinke, D. and Carvalho, G. R. (2012). A Ranking System for Reference Libraries of DNA Barcodes: Application to Marine Fish Species from Portugal. *Plos One*. 7(4): e35858.

- Dabert J, E. R., DabertM (2008). *Glaucalges tytonis* sp. n. (Analgoidea, Xolalgidae) from the barn owl *Tytoalba* (Strigiformes, Tytonidae): compiling morphology with DNA barcode data for taxon descriptions in mites (Acari). *Zootaxa*. 1719: 41–52.
- Dawnay, N. and Ogden, R. (2007). Validation of the barcoding gene COI for use in forensic genetic species identification. *Forensic Science International*. 173(1): 1-6.
- DeSalle, R., Egan, M. G. and Siddall, M. (2005). The unholy trinity: taxonomy, species delimitation and DNA barcoding. *Philosophical Transactions of the Royal Society of London Series. B* 360: 1905–1916.
- Dey, S. C. (1973). Studies on the Distribution and Taxonomy of the Ichthyofauna of the Hill Streams of Kamrup-Khasi-Garo Regions of Assam with Special Reference to the Functional Morphology of some Rheophilic Fishes. D.Sc. Thesis, University of Calcutta, India, 299pp.
- Dey, S. C. and Kar, D. (1989). Aquatic macrophytes of Lake Sone in Assam. *Environment and Ecology*. 7(1): 253-254.
- Eschmeyer, W. N., Fricke, R. and Eds (2012) Catalog of Fishes electronic version.
- Folmer, O., Black, M., Hoeh, W., Lutz, R. and Vrijenhoek, R. (1994). DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*. 3: 294–299.
- Froese, R. and Pauly, D., Eds (2012) FishBase. World Wide Web electronic publication.
- Ghosh, S. K. and Lipton, A. P. (1982). Ichthyofauna of the NEH Region with special reference to their economic importance. ICAR Research Complex, NEH Region, *Shillong Special Bulletin*. 1: 119-126.
- Ghosh, S. K. (2012). A test book of DNA barcoding. Book space, India.
- Goldman KJ (1997). Regulation of body temperature in the white shark, *Journal of comparative physiology B*. vol 167, pp. 423-429.
- Goswami, U. C., Basistha, S. K., Bora, D., Shyamkumar, K., Saikia, B. and Changsan, K. (2012). Fish diversity of North East India, inclusive of the Himalayan and Indo Burma biodiversity hotspots zones: A checklist on their taxonomic status,

- economic importance, geographical distribution, present status and prevailing threats. *International Journal of Biodiversity and Conservation*. 4: 592-603.
- Hajibabaei, M., Singer, G. A., Hebert, P. D. and Hickey, D. A. (2007). DNA barcoding: how it complements taxonomy, molecular phylogenetics and population genetics. *Trends in genetics*. 23(4): 167-172.
- Hajibabaei, M., Singer, G. A. and Hickey, D. A. (2006). Benchmarking DNA barcodes: An assessment using available primate sequences. *Genome*. 49(7): 851-854.
- Hamilton, B. (1822). Account of the Fishes found in the River Ganges and its tributaries. Edinburgh (UK): 405pp.
- Hanner, R., Corthals, A. & Dessauer, H. C. (2005). Salvage of genetically valuable tissues following a freezer failure. *Molecular Phylogenetics and Evolution*. 34: 452–455.
- Hebert, P. D., Cywinska, A., Ball, S. L. and deWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society Series B*. 270(1512): 313-321.
- Hensen, R. R., Ploeg, A., & Fosså, S. A. (2010). Standard names for freshwater fishes in the Ornamental Aquatic Industry. *Ornamental Fish International*, Maarssen, Netherlands.
- Hebert, P. D., Cywinska, A., Ball, S. L. and deWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society series B*. 270(1512): 313-321.
- Hebert, P. D., Penton, E. H., Burns, J. M., Janzen, D. H. and Hallwachs, W. (2004). Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceedings of the National Academy of Sciences of the United States of America*. 101(41):14812-14817.
- Hebert, P. D., Stoeckle, M. Y., Zemlak, T. S. and Francis, C. M. (2004). Identification of Birds through DNA Barcodes. *PLoS biology*. 2(10): e312.
- Hora, S. L. (1951). Geography of India. *Journal of the Zoological Society of India*. 3(1): 183-187.
- Hora, S. L. (1953). Fish distribution and Central Asian Orography. *Current Science*. 22(4): 93-94.

- Jackson, R. B., Carpenter, S. R. and Dahm, C. N. (2001). Water in a changing world. *Ecological Applications*. 11: 1027–1045.
- Janzen, D. H., Hallwachs, W., Burns, J. M., Hajibabaei, M., Bertrand, C. and Hebert, P. D. (2011). Reading the complex skipper butterfly fauna of one tropical place. *Plos One*. 6(8): e19874.
- Jayaram, K. C. (1981). The freshwater fishes of India, Pakistan, Bangladesh, Burma, and Sri Lanka: handbook, Zoological Survey of India.
- Jayaram, K. C. (1999). Freshwater fishes of the Indian region, Narendra Publishing House.
- Kerr, K. C. R., Birks, S. M., Kalyakin, M. V., Red'kin, Y. A., Koblik, E. A., & Hebert, P. D. N. (2009a). Filling the gap - COI barcode resolution in eastern Palearctic birds. *Frontiers in Zoology*, 6:1–13.
- Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of molecular evolution*. 16(2): 111-120.
- Kurtzman, C. P. (1994). Molecular taxonomy of the yeasts. *Yeast* 10: 1727–1740.
- Kurup, B.M and C.T. Samuel. (1985). Fish and fishery resources of the Vembanad lake. In Proceedings of Harvest and post harvest technology of fish, Society of Fisheries Technologists. 77-82
- Lambert, D. M., Baker, A., Huynen, L., Haddrath, O., Hebert, P. D. and Millar, C. D. (2005). Is a large-scale DNA-based inventory of ancient life possible? *The Journal of heredity*. 96(3): 279-284.
- Lipscomb, D., Platnick, N. and Wheeler, Q. (2003). The intellectual content of taxonomy: a comment on DNA taxonomy. *Trends in Ecology and Evolution*. 18: 65-66.
- Lukhtanov, V. A., Sourakov, A., Zakharov, E. V., & Hebert, P. D. N. (2009). DNA barcoding Central Asian butterflies: increasing geographical dimension does not significantly reduce the success of species identification. *Molecular Ecology Resources*, 9:1302–1310.
- Lundberg, G., Kottelat, M., Smith, G. R., Stiassny, M. L. J. and Gill, A. C. (2000). So many fishes, so little time : an overview of recent ichthyological discovery in continental waters. *Annals of the Missouri Botanical Gardens*. 87: 26–62.

- Mahapatra, B. K., Vinod, K. and Mandal, B. K. (2003). Studies on native ornamental fish of Meghalaya with a note on their cultural prospects. *Aquaculture*, 4 (2): 171-180.
- Mahapatra, B. K., Vinod, K. and Mandal, B. K. (2004). Ornamental fish of North Eastern India – Its distribution and conservation status. *Environment Ecology*. 22(3): 674-683.
- Malimqvist, B. and Rundle, S. (2002). Threats to the running water ecosystems of the world. *Environmental Conservation*. 29: 134–153.
- McFadden, C. S., Benayahu, Y., Pante, E., Thoma, J. N., Nevarez, P. A. and France, S. C. (2011). Limitations of mitochondrial gene barcoding in Octocorallia. *Molecular ecology resources*. 11(1): 19-31.
- McGowin, A. E., Truong, T. M., Corbett, A. M., Bagley, D. A., Ehrhart, L. M., Bresette, M. J., Weege, S. T. and Clark, D. (2011). Genetic barcoding of marine leeches (*Ozobranchus* spp.) from Florida sea turtles and their divergence in host specificity. *Molecular ecology resources*. 11(2): 271- 278.
- Meiklejohn, K. A., Wallman, J. F. and Dowton, M. (2011). DNA-based identification of forensically important Australian Sarcophagidae (Diptera). *International journal of legal medicine*. 125(1): 27-32.
- Meier, R., Shiyang, K., Vaidya, G., & Ng, P. K. L. (2006). DNA barcoding and taxonomy in Diptera: a tale of high intraspecific variability and low identification success. *Systematic Biology*. 55:715–728.
- Menon, A. G. K. (1999). Check list - Fresh water fishes of India. *Records of the Zoological Survey of India*. Miscellaneous Publication. 175(i-xxviii): 1-366.
- Meusnier, I., Singer, G. A., Landry, J. F., Hickey, D. A., Hebert, P. D. and Hajibabaei, M. (2008). A universal DNA mini-barcode for biodiversity analysis. *BMC genomics* 9: 214.
- Meyer, C. P. & Paulay, G. (2005). DNA barcoding: error rates based on comprehensive sampling. *PLoS Biology*. 3:2229–2238.
- Min, X. J. and Hickey, D. A. (2007). DNA Barcodes Provide a Quick Preview of Mitochondrial Genome Composition. *Plos One*. 2(3): e325.
- Misra, K. S. (1959). An aid to the identification of commercial fishes of India and Pakistan. *Records of Indian Museum*. 57(1-4): 1-320.

- Naiman, R. J. and Magnuson, J. J. (1995). The Freshwater Imperative: A Research Agenda. Island Press, Washington D.C., U.S.A.
- Naiman, R. J. and Turner, M. G. (2000). A future perspective on North America's freshwater ecosystems. *Ecological Applications*. 10: 958–970.
- Nath, P. and Dey, S. C. (1989). Two new species of the genus *Amblyceps* Blyth from Arunachal Pradesh, India. *Journal of Assam science*. 32: 1-16.
- Nath, P. and Dey, S. C. (1997). Fish and Fisheries of Northeastern India. Vol. I : Arunachal Pradesh, 140pp.
- Nath, P. and Dey, S. C. (2000). Conservation of Fish Germplasm Resources of Arunachal Pradesh. In: Ponniah, A.G. and U.K: 49-67 pp.
- Nelson, J. S. (2006). *Fishes of the World*. John Wiley & Sons, Inc, Hoboken, New Jersey.
- Packer, L., Gibbs, J., Sheffield, C. and Hanner, R. (2009). DNA barcoding and the mediocrity of morphology. *Molecular Ecology Resources*. 9(suppl.1):42-50.
- Palomares, M. D. and Bailly, N. (2011). Organizing and disseminating marine biodiversity information: the Fishbase and Sea Life Base story: 24-46 pp.
- Ponniah, A. G., Sarkar, U. K., 2006. Evaluation of North East Indian Fishes for their Potential as Cultivable, Sport and Ornamental Fishes along with their Conservation and Endemic Status. NBGR, Lucknow.
- Postel, S. and Ricther, B. (2003). Rivers for Life: Managing Water for People and Nature. Island Press, Washington D.C., U.S.A.
- Raghavan, R., Dahanukar, N., Tlusty, M. F., Rhyne, A. L., Krishna Kumar, K, Molur, S. and Rosser, A. M. (2013). Uncovering an obscure trade: Threatened freshwater fishes and the aquarium pet markets. *Biological Conservation*. 164 : 158–169.
- Rahel, F. J. (2002). Homogenization of freshwater faunas. *Annual Review of Ecology and Systematics*. 33: 291–315.
- Ratnasingham, S. and Hebert, P. D. (2007). bold: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular ecology notes*. 7(3): 355-364.
- Ratnasingham S, H. P. (2007). BOLD: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular Ecology Notes*. 7: 355-364.

- Revenga, C., Campbell, I. and Abell, R. (2005). Prospects for monitoring freshwater ecosystems towards the 2010 targets. *Philosophical Transactions of the Royal Society Series B*. 360: 397–413.
- Rohilla, M. S. and Tiwari, P. K. (2008). Simple method for blood sampling from Indian freshwater turtles for genetic studies. *Acta herpetologica*. 3: 65-69.
- Rubinoff, D. (2006). Utility of mitochondrial DNA barcodes in species conservation. *Conservation Biology*, 20:1026–1033.
- Sambrook, J. and Russel, D. W. (2001). Molecular Cloning- a laboratory manual (Cold Spring Harbor Laboratory Press, Cold Spring Harbor).
- Saunders, G. W. (2005). Applying DNA barcoding to red macroalgae: a preliminary appraisal holds promise for future applications. *Philosophical transactions of the Royal Society of London Series B*. 360(1462): 1879-1888.
- Schlick-Steiner, B. C., Steiner, F. M., Seifert, B. and Stauffer, C. (2010). Integrative taxonomy: a multisource approach to exploring biodiversity. *Annual Review of Entomology*. 55: 431–438.
- Sen, N. (1982). Studies on the Systematics, Distribution and Ecology of the Ichthyofauna of Meghalaya and their bearing on the Fish and Fisheries of the State. PhD Thesis, University of Gauhati, Assam, 576pp.
- Sen, N. (2000). Occurrence, Distribution and Status of Diversified Fish Fauna of northeastern India. In: Ponniah, A.G. and U.K: 31-48 pp.
- Sen, T. K. (1985). The Fish Fauna of Assam and the Neighbouring Northeastern States of India. *Records of Zoological Survey of India Occasional Paper* No. 64: 1-216
- Shaw, G. E. and Shebbeare, E. O. (1937). The fishes of northern Bengal. *Journal of Royal Asiatic Society of Bengal Science*. 137pp.
- Smith, M. A., Woodley, N. E., Janzen, D. H., Hallwachs, W. and Hebert, P. D. (2006). DNA barcodes reveal cryptic host-specificity within the presumed polyphagous members of a genus of parasitoid flies (Diptera: Tachinidae). *Proceedings of the National Academy of Sciences of the United States of America*. 103(10): 3657-3662.

- Steinke, D., Zemlak, T. S. and Hebert, P. D. (2009). Barcoding nemo: DNA-based identifications for the ornamental fish trade. *Plos One*. 4(7): e6300.
- Steinke, D. and Hanner, R. (2011). The FISH-BOL collaborators protocol. *Mitochondrial DNA*. 22(Supp. 1): 10–14.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M. and Kumar, S. (2011). MEGA5: molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods. *Molecular biology and evolution* 28(10): 2731-2739.
- Talwar, P. K. and Jhingran, A. G. (1991). Inland fishes of India and adjacent countries, Oxford & IBH Pub. Co.
- Tautz, D., Arctander, P., Minelli, A., Thomas, R. H. and Vogler, A. (2003). A plea for DNA taxonomy. *Trends in Ecology and Evolution*. 18: 70–74.
- Thompson, J. D., Gibson, T. J. and Higgins, D. G. (2002). Multiple sequence alignment using ClustalW and ClustalX. Current protocols in bioinformatics / editorial board, Chapter 2: Unit 23.
- Vishwanath, W. and Tombi (1985). On the collection of fishes from Tengnoupal District of Manipur with some new records. *International Journal of Academic Ichthyology (Proc. v. AISI)* 6: 85-90.
- Vishwanath, W., W. Manojkumar, L. Kosygin and K. Selim (1998). Biodiversity of freshwater fishes of Manipur, India. *Italian Journal of Zoology (Modena)*. 65: Suppl: 321-324.
- Vishwanath, W. (2000). *Fishes Fauna of Manipur*. Manipur Association for Science and Society, 137pp+VIpls.
- Vishwanath, W. and Darshan, A. (2006). A new species of the genus *Batasio* Blyth (Teleostei-Bagridae) from Manipur, India. *Zoo's Print Journal* .21(2):2160-2163.
- Vishwanath, W., W.S. Lakra and U.K. Sarkar (2007). *Fishes of North East India*. National Bureau of Fish Genetic Resources, Lucknow, UP, India, 264pp.
- Vishwanath, W. and Linthoingambi, I. (2007). Fishes of the genus *Glyptothorax* Blyth (Teleostei-Sisoridae) from Manipur, India with description of three new species. *Zoo's Print Journal*. 22(3):2617-2626.

- Vishwanath. W. and Shantakumar, M. (2007). Fishes of the genus *Osteobrama* Heckel of North eastern India (Teleostei-Cyprinidae). *Zoo's Print Journal.* 22(11):2881-2884.
- Vishwanath, W. and Juliana, L. (2004). A new species of *Rasbora* Bleeker (Cypriniformes-Cyprinidae) from Manipur, India. *Journal of the Bombay Natural history society.* 101(3):429-432.
- Vishwanath, W. and Devi, K.S. (2005). A new fish species of the genus *Garra* Hamilton-Buchanan (Cypriniformes-Cyprinidae) from Manipur, India. *Journal of the Bombay Natural history society.* 102(1):86-88.
- Vishwanath, W., Darshan, A., Mahanta, P.C. and Barat, A. (2011). *Mystus ngasep*, a new catfish species (Teleostei: Bagridae) from the headwaters of Chindwin drainage in Manipur, India. *Journal of Threatened Taxa.* 3(11): 2177–2183.
- Vishwanath, W. and Dishma, M. (2012). *Barilius profundus*, a new cyprinid fish (Teleostei: Cyprinidae) from Koladyne basin, India. *Journal of Threatened Taxa.* 4(2): 2363–2369.
- Vogler, A. P. and Monaghan, M. T. (2007). Recent advances in DNA taxonomy. *Journal of Zoological Systematics and Evolutionary Research.* 45: 1–10.
- Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R. and Hebert, P. D. (2005). DNA barcoding Australia's fish species. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences.* 360(1462): 1847-1857.
- Ward, R. D. (2012). FISH-BOL, a case study for DNA barcodes. *Methods Mol Biol.* 858: 423-439.
- Weigt, L. A., Baldwin, C. C., Driskell, A., Smith, D. G. and Ormos, A. (2012). Using DNA Barcoding to Assess Caribbean Reef Fish Biodiversity: Expanding Taxonomic and Geographic Coverage. *Plos One.* 7(7) (e41059).
- Wilson, K. H. (1995). Molecular biology as a tool for taxonomy. *Clin. Infect. Dis.* 20(Suppl.): 192-208.

- Wong, L. L., Peatman, E., Lu, J., Kucuktas, H., He, S., Zhou, C., Na-nakorn, U. and Liu, Z. (2011). DNA barcoding of catfish: species authentication and phylogenetic assessment. *Plos One*. 6(3): e17812.
- Yassin, A., Capy, P., Madi-Ravazzi, L., Ogereau, D. and David, J. R. (2008). DNA barcode discovers two cryptic species and two geographical radiations in the invasive drosophilid *Zaprionus indianus*. *Molecular Ecology Resources*. 8: 491–501.
- Yoshitake, H., Kato, T., Jinbo, U. and Ito, M. (2008). A new Wagnerinus (Coleoptera: Curculionidae) from northern Japan: description including a DNA barcode. *Zootaxa*. 1740: 15-27.

ss