

7: REFERENCES:

- Abdillahi, H.S.A., Verschaeve, L., Finniea, J. F and Stadna, J. V. 2012. Mutagenicity, antimutagenicity and cytotoxicity evaluation of South African Podocarpus Species. *Journal of Ethnopharmacology*: 139: 2012(728-738).
- Abdul, A.B., Abdelwahab, S.I., Fong, H.K., Mohan, S.M., Al-Zubairi, A.S., Elhassan, M.M. 2009. *In vitro* response of cancer cells to the growth-inhibitory effects of dichloromethane extract of *Goniothalamus umbrosus*. *Research Journal of Pharmacology*: 3:1-6.
- Abraham P and Sugumar E. 2008. Enhanced PON1 activity in the kidneys of cyclophosphamide induced oxidative stress. *Archives of Toxicology*: 82: 237–238.
- Agrabeyli, A. 2012. Antimutagenic activities extracts from leaves of the *Morus alba* *morus nigra* and their mixtures. *International Journal of Biology*: 4(2): 166-172.
- Agur, Z., Arnon, R., Schechter, B. 1988. Reduction of cytotoxicity to normal tissues by new regimens of cell-cyclephase specific drugs. *Mathematical Biosciences*: 92(1):1-15.
- Ahmad, P., Jaleel, C.A., Salem, M.A., Nabi, G. and Sharma, S. 2010. Roles of enzymatic and nonenzymatic antioxidants in plants during abiotic stress. *Critical Reviews in Biotechnology*:30(3): 161-175.
- Aksoy,L., Kolay, E., Agilonu, Y., Aslan, Z. and Kargioglu,M. 2013. Free radical scavenging activity, total phenolic content, total antioxidant status, and total antioxidant status of endemic *Thermopsis turcica*. *Saudi Journal of Biological Sciences*: 20: 235-239.
- Al-Awaida and Akash, M. 2014. Protective role of aqueous medicinal herbal extracts against oxidative stress on glucose-6-phosphate dehydrogenase activity and RBC fragility. *Life Science*: 11(2): 385-391.

Alkan, F.U., Gursel, F.E., Ates, A., Ozyurke, M., Guclu, K and Altun, M. 2012. Protective effects of *Salvia officinalis* extract against cyclophosphamide-induced genotoxicity and oxidative stress in rats. Turkish Journal of Veterinary and Animal Sciences: 36(6): 646-654.

Alothman, M., Rajeev B and Karim, A.A. 2009. Antioxidant capacity and phenolic content of selected tropical fruits from Malaysia, extracted with different solvents. Food Chemistry. 115(3): 785-788.

Ames, B.N., McCann, J. and Yamasaki, E. 1975. Methods for detecting carcinogens and mutagens with the Salmonella/mammalian microsome mutagenicity test. Mutation Research: 31: 347-364.

Amudha, G., Josephine, A., Mythili, Y., Sundarapandian, R and Varalakshmi, P. 2007. Therapeutic efficacy of DL- α -lipoic acid on cyclosporine A induced renal alterations. European Pharmacology: 571: 209-214.

Anand, P., Kunnumakkara, A.B., Sundaram, C., Harikumar, K.B., Tharakan, S.T., Lai, O.S., Sung,B., Misra, K. and Aggarwal, B.B. 2008. Cancer is a preventable disease that requires major life style changes. Pharmacological Research: 25: 2097-2116.

Angelova, O., Miadokova, E., Parvanova, P., Gregan, F and Chankova, S. 2014. Differences in the bioactivity of methanolic and water extracts of poppy (*Papaver rhoes* L). Comptes Rendus de Academic Bulgare Science: 67(2): 243-250.

Anna, P., Fiorella, P., Mattia, L., Russo, L., Anna, L., Maria, G.L., Giulia, T., Giorgio, F. 2001. Determination of blood total, reduced, and oxidized glutathione in pediatric subjects. Clinical Chemistry: 47 (8): 1467-9.

Anetor, J.I., Anetor, G.O., Uduah, D.C. and Adeniyi, F.A.A. 2008. Chemical carcinogenesis and chemoprevention: Scientific priority area in

rapidly industrializing developing countries. African Journal of Environmental Science and Technology: 2: 150-56.

Anoopkumar, D. S., Walker, R.B., Daya, S. 2001. A sensitive and reliable method for the detection of lipid peroxidation in biological tissues. Journal of Pharmacy and Pharmacology: 53:263-6.

Arouma, O. 1996. Assessment of potential pro-oxidant and antioxidant actions. Journal of American Oil Chemist Society: 73: 1617-1625.

Arouma, O.I.2003. Methodological considerations for characterizing potential antioxidant actions of bioactive components in plant foods. Mutation Research: 523-524: 9-20.

Arulmozhi, D.K., Sridhar, N., Veeranjaneyulu, A. and Arora, S.K. 2006. Preliminary mechanistic studies on the smooth muscle relaxant effect of hydroalcoholic extract of *Curcuma caesia*. Journal of Herbal Pharmacotherapy: 6: 117-24.

Athar, M., Zakir, H. S and Hassan, N. 1997. Drug metabolizing enzymes in the liver. In: Rana, S.V.S., Taketa, K. (Eds.), Liver and Environmental Xenobiotics. Narosa Publishing House, New Delhi. 1997. 189.

Atjanasuppat, K., Wongkham, W., Meepowpan, P., Kittakoop, P., Sobhon, P., Bartlett, A., Ahitfield, P.J. 2009. In vitro screening for anthelmintic and antitumour activity of ethnomedicinal plants from Thailand. Journal of Ethnopharmacology: 123: 475-482.

Aziz, D.M. 2006. Assessment of bovine sperm viability by MTT reduction assay. Annal Reproduction Science: 92: 1-8.

Azwanida, N.N. 2015. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. Medicinal Aromatic Plants journals: 4:196.

Baharum, Z., Akim, A.M., Taufiq- Yap, Y.H., Hamid, R.A and Kasran Rosmin. 2014. In Vitro Antioxidant and Antiproliferative Activities of Methanolic extracts of *Theobroma cacao*. Molecules: 19: 18317-18331.

Banerjee, A. and Nigam S. S. 1976. Antifungal activity of the essential oil of *Curcuma caesia* Roxb. Indian Journal of Medicine Research:64(9): 1318-1321.

Barkatullah, M.I., Naveed, M., Innaya, U, R., Mujeeb, U, R and Khan, A. 2013. Chemical Composition and Biological screening of Essential Oils of *Zanthoxylum armatum* DC leaves. Clinical Toxicology: 3:5.

Baumann, F and Priess, R. 2001. Cyclophosphamide and related anticancer drugs. Journal of Chromatography B: Biomedical Science Applications: 25: 764(1-2): 173-192.

Berhow, M.A., Wagner, E.D., Vaughn, S.F and Plewa, M.J. 2000. Characterization and antimutagenic activity of soyabean saponins. Mutation Research: 448(1): 11-22.

Biesaga, M.2011. Influence of extraction methods on stability of flavanoids. Journal of Chromatography. A: 1218: 2505-2512.

Bjelakovic, G., Nikolova, D. and Gluud, L.L. 2007. Mortality in randomised trials of antioxidant supplements for primary and secondary prevention. Journal of American Medical Association: 297: 842-857.

Blois, M.S. 1958. Antioxidant determination by the use of stable free radicals. Nature: 181: 1199-2000.

Briviba, K and Seis, H. 1994. Non enzymatic antioxidant defence systems. In: Frei,B.(Eds), Natural Antioxidant in Human Health and Disease. Academic Press, New York: 107-128.

Brooker, R.J and Robert. 2011. Genetics: analysis and principles (4th Ed.). McGraw-Hill Science.

Burgarin, D., Slavenko, G., Orcic, D., Mitic-Culafic, D., Vukucevic, J.K and Dukik, N.M. 2014. Essential Oil of Eucalyptus Gunnii Hook.as a Novel Source of Antioxidant, Antimutagenic and Antibacterial Agents. Molecules: 19: 19007-19020.

Cardador, M.A., Albores, A., Bah, M., Calderon, S.V., Castano, T.E., Guevara, G.R., Shimada, M.A and Loarca, P.G. 2006. Relationship among antimutagenic, antioxidant and enzymatic activities of methanolic extract from common beans (*Phaseolous vulgaris*, L). Plant Foods for Human Nutrition: 61(4): 161-168.

Cadenas, E. and K.J.A. Davies. 2000. Mitochondrial free radical generation, oxidative stress and aging. Free Radical Biology and Medicine: 29: 222-230.

Cadet, J., sage, E and Douki, T. 2005. Ultraviolet radiation mediated damage to cellular DNA. Mutation Research: 571: 3-17.

Cancer Prevention. 2010. 7 steps to reduce your risk. Mayo Clinic.

Cassanova, N.A., Ariagno, J.I., Nigro, M.M.L., Mendeluk, G.R., Gette, M.A., Palaoro, L.A., Petenatti, E and Carballo, M.A. 2013. In vivo antigenotoxic activity of watercress juice (*Nasturtium officinale*) against induced DNA damage. Applied Toxicology: 33(9):880-5.

Chen, Y., Jungsueadee, P., Vore, M., Butterfield, D.A and St Clair, D.K. 2007. Colorectal damage in Cancer Chemotherapy: Oxidative stress in Nontargeted tissues. Molecular Interventions: 7: 147-516.

Chae, H.Z., Kim, H.J., Kang, S.W., Rhee, S.G. 1999. Characterisation of three isoforms of mammalian peroxiredoxin that reduce peroxides in the presence of thioredoxin. Diabetes Research and Clinical Practice: 45(2-3): 101-112.

Chakraborty, P., Hossain, U.S., Murmu, N., Das, J.K., Pal, S and Bhattacharya, S. 2009. Modulation of Cyclophosphamide induced cellular toxicity by Diphenylmethyl Selenocyanate in Vivo, an enzymatic Study. Journal of Cancer Molecules: 4(6): 183-189.

Chang, T.S., Cho, C.S., Park, S., Yu, S., Kang, S.W., Rhee, S.G. 2004. Peroxiredoxin III, a mitochondriom-specific peroxidase, regulates apoptotic signalling by mitochondria. Journal of Biological Chemistry: 279(40): 41975-41984.

Chemotherapy Principles. 2014: American Cancer Society.

Chou, S.T., Chan, Y.R and Chung, Y.C. 2012. Studies on the antimutagenic and antioxidant activity of the hot water extract of Glechoma hederacea. Journal of Food and drug Analysis: 20(3): 637-645.

Chrystal, K., Cheong, K and Harper, P. 2004. Chemotherapy of small cell lung cancer state of the art. Current Opinion in Oncology: 16(2):136-40.

Clark. J. 2007. The Acidity of Phenol, ChemGuide.

Cohen, B.L. 2002. Cancer risk from low level radiation. American journal of Roentgenology: 179: 1137-43.

Conklin, K.A. 2004. Chemotherapy-Associated Oxidative stress: Impact on Chemotherapeutic Effectiveness. Integrative Cancer Therapies: 3: 294-300.

Conforti, F., Menichini, F., Loizzo, M.R., Statti, A.G., Rapisarda, A., Francesco, M and Houghton, P.J. 2008. Antioxidant, α -

amylase inhibitory and brine-shrimp toxicity studies on *Centaurea centaurium* L. methanolic root extract. Natural Product Research: 22(16): 1457-1466.

Cooke, M.S., Evans, M.D., Dizdaroglu, M., Lunec, J. 2003. Oxidative DNA damage: mechanisms, mutation, and disease. FASEB: 17: 1195-214.

Cosa, p., Vlietinck, A.J., Berghe, D.V., Maes, L. 2006. Anti-infective potential of natural products: How to develop a stronger in vitro ‘proof-of-concept’. Journal of Ethnopharmacology: 106: 290-302.

Cox, A.G., Winterbourn, C.C., Hampton, M.B. 2010. Mitochondrial peroxidation involvement in antioxidant defence and redox signaling. Biochemical Journal: 425(2): 313-325.

Dalermalina, J.M., Dutra, J.C.V and Batitucci, M.C.P. 2014. Antimutagenic activity of ipriflavone against the DNA-damage induced by cyclophosphamide in mice. Food Chemical and Toxicology: 65: 140-146.

Dai, J and Mumper, R.J. 2010. Plant phenolics: Extraction, Analysis and their antioxidant and anticancer properties. Molecules: 15: 7313-7352.

Das, S., Bordoloi, P.K., Phukan, D. and Singh, S. 2012. Study of the anti-ulcerogenic activity of the ethanolic extracts of rhizome of *Curcuma caesia* (eecc) against gastic ulcers in experimental animals. Asian Journal of Pharmaceutical Clinical Research: 5: 200-3.

David, M and Richard, J.S. 1983. In: Methods of enzymatic analysis, Bergmeyer, J and Grab M.(Eds), Verlag Chemie Wenhein Deer Field, Beach Floride: 358.

Davies, M.J. 2005. The oxidative environment and protein damage. *Biochemica et Biophysica Acta (BBA)- Proteins and Proteomics*: 1703(2): 93-109.

De Flora, S., Bronzetti, G and Sobels, F.H. 1992. Assessment of antimutagenicity and anticarcinogenicity. *Mutation Research*: 267: 153-55.

De Flora, S. and Ferguson, L.R. 2005. Overview of mechanisms of cancer chemopreventive agents. *Mutation Research*: 11: 8-15.

Dela Rosa, L.A., Vazquez-Flores, A.A., Alvarez-Parrilla, E., Rodrigo-Garcia, J., Medina-Campos, O.N., Avila-Nava, A., Gonzalez-R, S., Pedraza-Chaverri, J. 2014. Content of major classes of polyphenolic compounds, antioxidant, antiproliferative, and cell protective activity of pecan crude extracts and their fractions. *Journal of Functional Foods*: 7: 219-228.

Deponte, M. 2013. Glutathione catalysis and the reaction mechanisms of glutathione-dependent enzymes. *Biochmal et Biophysica Acta*: 1830(5): 3217-3266.

Devasagayam, T.P.A., Boloor, K.K., Ramasarma, T. 2003. Methods for estimating lipid peroxidation: an analysis of merits and demerits. *Indian Journal of Biochemistry and. Biophysics*: 40 (5):300-8.

Devasagayan, T.P., Tilak, J.C., Boloor, K.K., Sane, K.S., Ghaskadbi, S.S. and Lele, R.D. 2005. Free radicals and antioxidants in human health: current status and future prospects. *Journal of Physicians India*: 52: 794-804.

Devi, K.R., Vani, S., Minney, J.P. 2014. Protective effect of *Solanum lycopersicum* fruit extract on cyclophosphamide induced bone marrow cells of mice. *Innovate. Archives of Medicine and Health Science*: 4: 67-70.

Devi, H.P., Mazumder, P.B and Devi, L.P., Antioxidant and Antimutagenic activity of *Curcuma caesia* Roxb. rhizome extracts, *Toxicol. Rep.* (2015), <http://dx.doi.org/10.1016/j.toxrep.2014.12.018>.

Dimopolous, M.A., Hamilos, G., Zomas, A. and Gika, D. 2004. Pulsed cyclophosphamide thalidomide and dexamethasone: an oral regimen for previously treated patients with multiple myeloma. *American Journal of Hematology*: 5(2): 112-7.

Dion, M.E., Agler, M., Milner, J.A. 1997. S-allyl cysteine inhibits nitrosomorpholine formation and bioactivation. *Nutrition and Cancer*: 28: 1-6.

Dizdaroglu, M., Jaruga, P., Birincioglu, M and Rodriguez, H. 2002. Free radical-induced damage to DNA: mechanisms and measurement. *Journal of Free Radical and Biological Medicine*: 32: 1102-15.

Dolphin, D., Poulson, R and Avramovic, O. 1989. Eds, in *Glutathione: Chemical, Biochemical and metabolic Aspects*. Vols A and B. J. Willey and Sons.

Domej, W., Oettl, K and Renner, W. 2014. Oxidative stress and free radicals in COPD- implications and relevance for treatment. Dovepress: 9(10): 1207-1224.

Doudach, L., Meddah, B., Faouzi, M., Khatib, A.M., Lalou, C., Hammami, K., Elomri, A and Cherrah., Y. 2013. Cytotoxic and antioxidant activity of various extracts of *Corrigiola telephifolia* pourr. *International Journal of Pharmacy and Pharmaceutical Sciences*: 5(3). 2013.

Duh, P.D., Tu, Y.Y. and Yen, G.C. 1999. Antioxidant activity of the aqueous extract of harn jyur (*Chrysanthemum morifolium* Ramat). *Lebensmi-Wiss and Technology*: 32: 269-277.

Duke, J.A. 2008. Chemicals and their Biological Activities in: *Lavandula angustifolia* Miller (Lamiaceae) English Lavender. Health and Fitness.

Dunstan, H. M., Ludlow, C., Goehle, S., Cronk, M., Szankasi, P., Evans, D. R, Simon, J A. and Lamb, J. R. J. 2002. Cell-based assays for identification of novel double-strand break-inducing agents. Journal of the National Cancer Institute: 94, 88-94

Durling, N.E., Owen, J.C., John,B.G., Rosemarry, F.W., Kelvi, A.M, Yeap,F.L and Nigel, B.P. 2007. Extraction of phenolics and essential oil from dried sage (*Salvia officinalis*) using ethanol-water mixtures. Food Chemistry: 101(4): 1417-1424.

Edenharder, R., Von Petersdorff, I. and Rauscher, R.1993. Antimutagenic effects of flavonoids, chalcones and structurally related compounds on the activity of 2-amino-3-methylimidazo [4,5-f] quinoline (IQ) and other heterocyclic amine mutagens from cooked food. Mutation Research: 287: 261-274.

Eisenhauer, N., Kiler, M., Partsch, S., Sabais, A.C.W., Scherber, C., Weisser, W and Scheu, S. 2009. No interactive effects of pesticides and plant diversity on soil microbial biomass and respiration. Applied Soil Ecology: 42: 31-36.

El-Sayed, W.M and Hussain, W.A. 2013. Antimutagenic and antioxidant activity of novel 4-substituted phenyl-2, 2'- bichalcophenes and aza-analogs. Journal of Drug Design, Development and Therapy: 7: 73-81.

El-Sayed, W.M and Hussain, W.A., Al-Faiyz, Y.S., Ismail, M.A. 2013. The position of imidazopyridine and metabolic activation are pivotal factors in the antimutagenic activity of novel imidazo [1,2-a] pyridine derivatives. European Journal of Pharmacology: 715: 212-21.

Escalon, M.P., Liu, N.S. and Yang, Y. 2005. Prognostic factors and treatment of patients with T-cell non Hodgkin lymphoma. *Cancer*: 103(10):2091-2098.

Espin, J.C., Soler,R. C and Wickers, H.J. 2000. Characterization of the Total Free Radical Scavenger Capacity of Vegetable Oils and Oil Fractions Using 2, 2- Diphenyl-1-picrylhydrazyl Radical. *Journal of Agricultural and Food Chemistry*: 48: 648-56.

Esposito, L.A., Kokoszka, J.E., Waymire, K.G., Cottrell, B., MacGregor, G.R., Wallace, D.C. 2000. Mitochondrial oxidative stress in mice lacking the glutathione peroxidase-1 gene. *Free Radical Biology and Medicine*: 28(5): 754-766.

Esworthy, R.S., Ho, Y.S. and Chu, F.F 1997. The GPx1 gene encodes mitochondrial glutathione peroxidase in the mouse liver. *Archives of Biochemistry and Biophysics*: 340(1): 59-63.

Evans, M.D., Dizdaroglu, M and Cooke, M.S. 2004. Oxidative DNA damage and disease: induction, repair and significance. *Mutation research/ Reviews in Mutation Research*: 567(1): 1-61.

Evan, G.I. and Vousden, K.H. 2001. Proliferation, cell cycle and apoptosis in cancer. 411: 342-348.

Everette, J.D., Bryant, Q. M., Green, A.M., Abbey, Y.A., Yvonne, A., Wangila, G.W., Walker, R.B. 2010. Thorough study of Reactivity of Various Compound Classes toward the Folin-Ciocalteu Reagent. *Journal of Agriculture and Food Chemistry*: 58(14):8139.

Fahmi., Ibrahim, A., Al-Shehawi, A, M and Nagaty, M.A. 2013. Antioxidant and Antimutagenic activities of Taif Grape (*Vitis vinifera*) Cultivars. *American Journal of Biochemistry and Biotechnology*: 9(2): 102-117.

Fang, Y.Z., Yang, S and Wu, G. 2002. Free Radicals, Antioxidants and Nutrition. *Nutrition*: 18: 872-79.

Fatemeh, K and Khorso, P. 2013. In vitro cytotoxic activity of aqueous root extract of *Althea kurdica* against Endothelial Human Bone Marrow Cells (line k562) and Human Lymphocytes. Bulletin of Environment, Pharmacology and Life Science: 2(6): 23-29.

Franco, R., Schoneveld, o., Georgakilas, G.A., Panayiotidis, I.M. 2008. Oxidative stress, DNA methylation and carcinogenesis. Cancer Letters: 266: 6-11.

Fenech, M. 2000. The in vitro micronucleus technique. Mutation Research: 455: 81-95.

Ferguson, L.R., 1994. Antimutagens as cancer chemopreventive agents in the diet. Mutation Research 307, 395–410.

Fernie, A.R., Trethewey, R.N and Krotzky, A.J. 2004. Innovation-Metabolite profiling: from diagnostics to systems biology. Nature Reviews Molecular Cell Biology: 5: 763-769.

Fleming, R.E. 1997. An overview of cyclophosphamide and ifosfamide pharmacology. Journal of Pharmacotherapy: 17: 1465-1545.

Fulda, S. and Efferth, T. 2015. Selected Secondary Plant Metabolites for Cancer Therapy. Modern Research on Chinese Materia Medica. Doi: 10.15806/j.issn.2311-8571.2014.0005.

Furman, Grace. 2008. Genotoxicity Testing for Pharmaceuticals Current and Emerging Practices. Paracelsus.

Gateva, S., Joytchev, G, Stankoy, A and Gragan F. 2014. Antigenotoxic capacity of *Papaver rhoes* L. extract. International Journal of Pharmacology and Pharmaceutical Science: 6(1): 717-723.

Gawlik-Dziki. U., S-Wieca. M., Sulkowski, M., Dziki, D., Baraniak, B and Czy-z, J.2013. Antioxidant and anticancer activities of *Chenopodium quinoa* leaves extracts In vitro study. Food and Chemical Toxicology: 57: 154-160.

Gentile, J. M., Rahimi, S., Zwiesler, J., Gentile,G. J and Ferguson,L. R. 1998. Effects of selected antimutagens on the genotoxicity of antitumour agents. Mutation Research:402: 289–298.

Ghali, W., Vaudry, D., Jouenne, T., Mazouki, M.N. 2013. Assessment of cyto-protective, Assessment of cyto-protective, antiproliferative and antioxidant potential of a medicinal plant *Jatropa podagraria*. Industrial Crops Production: 44:111-118.

Ghosh, A., Ghosh, P and Chatterjee, P. 2013. Evaluation of the bioactive potentialities of a diacetaldehyde terpenoid isolated from *Curcuma caesia* Roxb. The journal o Phytopharmacology: 2(4): 1-7.

Gill, R., Kalsi, V. and Singh, A. 2011. Phytochemical investigation and evaluation of anthelmintic activity of *Curcuma amada* and *Curcuma caesia* comparative study. Inventi Impact: Ethnopharmacology., 2011.

Gordon, M.H. 1990.The mechanism of antioxidant action in vitro. In: BJF Hudson (Ed.), Food antioxidants Elsevier Applied Science London: 1–18.

Graham, H.D. 1992. Stabilization of the Prussian Blue Color in the Determination of Polyphenols. Journal of Agricultural and Food Chemistry: 40: 801-05.

Greenwald, P. BMJ. 2004: 324-714.

Grigorov, B. 2012. Reactive oxygen species and their relation to carcinogenesis.Trakia Journal of sciences: 10(3): 83-92.

Gulcin, I., Oktay, M.O. 2002. Determination of antioxidant activity of lichen *Citraria islandica* (L). Arc. Journal of Ethnopharmacology: 79: 325-329.

Guyot, S., Marnet,N., Drilleau.J. 2001. Thiolysis-HPLC characterization of apple procyanidins covering a large range of polymerization states. Journal of Agriculture and Food Chemistry: 49:14-20.

Habibi,E., Moha., Chabra, A., Fars., Maleki, R.Z. 2014. Protective effects of *Oliganum vulgare* L. ethanolic extract against cyclophosphamide-induced liver toxicity in mice. *Pharmaceutical Biology*: 1-6.

Hales, B. 1982. Comparison of mutagenicity and teratogenicity of cyclophosphamide and its active metabolites, 4 Hydroxycyclophosphamide, phosphoramide mustard and acrolein: *Cancer Research*: 42: 3016-3021.

Halliwell, B. and Gutteridge, J.M.C. 1985. The importance of free radicals and catalytic metal ions in human diseases. *Molecular Aspects of Medicine*:8: 89-193.

Halliwell, B and Gutteridge, J.M.C. 1989. Free radicals, Ageing and Diseases. In: *Free Radicals Biology and Medicine*, Halliwell, B and J.M.C Gutteridge (Eds). Oxford Univ. Press, Oxford, Uk: 419-422.

Halliwell, B. and Gutteridge, J.M.C. 1999. The deoxyribose method: a simple test tube assay for determination of rate constant for reaction of hydroxyl radicals. *Anal Biochemistry*: 165: 215-219.

Harman, D. 1961. Mutation cancer and ageing. *Lancet* 1: 200-201.

Han, J.C and Han, G.Y. 1994. *Analyt. Biochem*: 220: 5-10.

Handa,S.S., Khanuja, S.P.S., Longo, G., Rakesh, D.D. 2008. Extraction Technologies for Medicinal and Aromatic Plants (1st edn), no. 66. Italy United Nations Industrial Development Organization and International Centre for Science and High Technology.

Harman, D. 1965. Aging: A theory based on free radical and radiation chemistry. *Journal of Gerontology*:11:298-300.

Hartwell, J.L.1971. Plants used against cancer. *Lloydia*: 34(1-4): 103-160.

Helen, G.S., Jacob III.P., Peng, M., Dempsey, D.A., Hammond, S.K and Benowitz, N.L. 2014. Intake of toxic and carcinogenic Volatile

Organic Compounds from Secondhand Smoke in Motor Vehicles. Cancer Epidemiology, Biomarkers and Prevention: 23(12): 2774-82.

Hollstein, M., Sidransky, D., Vogelstein, B. and Harris, C.C. 1991. P⁵³ mutations in human cancers. Science: 253: 49-53.

Hong, W.K. and Sporn, M.B. 1997. Recent advances in the chemoprevention of cancer. Science: 278: 1073-77.

Hosseinimehr, S.J., Azadbakhi, M. and Abadi, A.J. 2008. Protective effect of hawthorn extract against genotoxicity induced by cyclophosphamide in mouse bone marrow cells. Environmental Toxicology and Pharmacology: 25(1): 51-56.

Huang ,D.J; Ou, B.X; Prior, R.L. 2005. The chemistry behind antioxidant capacity assays. Journal of Agriculture and Food Chemistry: 53:1841-1856.

Hung, Y.H., Wang, Y.J. and Chou, C.C. 2009. Antimutagenic activity of *Aspergillus awamori*-fermented black soyabean response to stimulated digestive juice treatments and its antimutagenic mechanisms. LWT-Food Science Technology:42: 56-62.

Huttunen, K.M., Raunio, H and Rautio, J. 2011. Prodrugs from serendipity to rationale design. Journal of Pharmacological Reviews: 63(3): 750-71.

IARC. 2011. IARC Classifies Radiofrequency Electromagnetic Fields As Possible Carcinogenic To Humans. Press Release.

IARC (1987): IARC monograph on the evaluation of carcinogenicity: an update of IARC monographs 1 to 42. International Agency for Research on Cancer Supplement 7.

Ikken, Y., Morales, p., Martinez, A., Marin, M.L., Haza, A.L, and Cambero, M.I. 1999. Antimutagenic effect of fruit and vegetable

ethanolic extracts against N-Nitrosamines evaluated by the Ames test. Journal of Agriculture and Food Chemistry: 47: 3257-3264.

International Agency For Research on Cancer. IARC Monographs: 112: evaluation of five organophosphate insecticides and herbicides. 2015.

Issazadeh, K and Aliabadi, M.A. 2012. Antimutagenic activity of Olive Leaf Aqueous Extract by Ames Test. Advance Studies in Biology: 4(9): 397-405.

IUPAC.2006. Compendium of Chemical Terminology, 2nd ed (the Gold Book) acute toxicity.

Jain, R and Jain S.K. 2011. Screening of in vitro cytotoxic activity of some medicinal plants used traditionally to treat cancer in Chhattisgarh state, India. Asian Pacific Journal of Tropical Biomedicine: 1: 147-150.

Jena, G.B., Kaul, C.L and Ramarao, P. 2002. Genotoxicity testing, a regulatory requirement for drug discovery and development: impact of ICH guidelines. Indian Journal of Pharmacology: 34: 86-99.

Jermal, A., Seigel, R., Ward, E., Hao, Y., Xu, J. and Thun, M.J.2009. Cancer statistics. CA Cancer Journal of Clinicians: 59: 225-249.

Jermal, A., Bray, F., center, M.M., Ferlay, J., Ward, E., Forman, D. 2011.Global cancer statistics. CA: A cancer Journal of Clinicians: 61(2): 69-90.

Johnson, I.T. 2007. Phytochemicals and cancer. Proceedings of Nutrition Society: 66(2): 207-215.

Jonston, D.E. 1999. Special considerations in interpreting liver function tests. American Family Physician: 59(8): 2223-30.

Jorgensen, L.V., Madsen, H.L., Thomsen, M.K., Dragsted, L.O. and Skibsted, L.H. 1999. Regulation of phenolic antioxidants from

phenoxy radicals: An ESR and electrochemical study of antioxidant hierarchy. Free Radical Research:30: 207-220.

Kahl, R and Kappus, H. 1993. Toxicology of the synthetic antioxidants BHA and BHT in comparison with the natural antioxidant vitamin E. Z Lebensm Unters Forsch: 196(4): 329-38.

Kamangar, F., Dores, G.M. and Anderson, W.F. (2006). Patterns of cancer incidence, mortality, and prevalence across five continents: defining priorities to reduce cancer disparities in different geographic regions of the world. Journal of Clinical Oncology:24: 2137–50.

Karmakar, I., Saha, P., Sarkar, N., Bhattacharya, S. and Halder, P.K. 2011. Neuropharmacological assessment of *Curcuma caesia* Roxb. rhizome in experimental animal models. Oriental Pharmacy and Experimental Medicine: 11: 251-55.

Kaur, R., Sharma, U., Singh, B and Arora, S. 2011. Antimutagenic potential of chickrassy(*Chukrasaia tabularis* A. Juss.)bark. Journal of medicinal plant Research: 5(20): 5021-5033.

Keawsa-ard, S., Liawruangrath, B., Liawruangrath, S., Teerawutgulrag, A and Pyne, S.G. 2012. Chemical constituents and antioxidant and biological activities of the essential oil from leaves of *Solanum spirelae*. Natural Product Communications: 7(7): 955-8.

Keith, R., Loeb. and Lawrence, Loeb, A. 1999. Significance of multiple mutations in cancer. Carcinogenesis: International Journal of Canc. Research: 21: 379-385.

Kennedy, I.C., Erebi, I.K., Adaobi, E.C. 2013. Protective potential of Aqueous leaf extract of *Vernonia amygdalina* in Cyclophosphamide-induced Myelotoxicity. Journal of Pharmacy. 4(3): 6-14.

Khandelwal, K.R. 2002. Practical Pharmacognosy Techniques and Experiments. 9th ed. Nirali Prakashan: 156-161.

Khandelwal, K.R. 2006. Practical Pharmacognosy Techniques and Experiments, Nirali Prakashan, India. 16: 15-163.

Khatib, O and Aljurf, M. 2008. Cancer prevention and control in the Eastern Mediterranean region: the need for a public health approach. Hematology/ Oncologyand Stem Cell Therapy: 1(1):44-52.

Kim, M., Wu, X., Song, I., Fu, M., Chang, S.H., Lisanti, M.P., Pestell, R. 2008. Selective cytotoxicity of synthesized procyanidine 3-O-gallolylepicatechin-4b, 8-3-O-gallolylcatechin to human cancer cells. Cell cycle: 7: 1648-1657.

Kim, S.H., Lee, I.C., Lim,J.H., Moon, C., Bae, C.S., Kim, S.H., Shin, D.H., Park,S.C., Kim, H., Kim, J.C. 2012. Protective effect of pine barks extract on developmental toxicity of cyclophosphamide in rats. Food Chemical and Toxicology: 50(2): 109-115.

Kirsch, V.M., Elhajouji, A., Cundari, E., Van, H.P. 1997. The in vitro micronucleus test: a multi- endpoint assay to detect simultaneously mitotic delay, apoptosis, chromosomal breakage, chromosome loss and non disjunction. Mutation Research: 392: 19-30.

Kirsch, V.M., Fenech, M. 2001. Inclusion of micronuclei in non-devide mononuclear lymphocytes and necrosis/apoptosis may provide a more comprehensive cytokinesis block micronucleus assay for biomonitoring purposes. Mutagenesis: 16(1): 51-58.

Kleinerman, R.A. 2007. Cancer risk following diagnostic and therapeutic radiation exposure in children. Pediatric Radiology: 37: 109-11.

Kokosa, L., Tauchen, J., Doskocil, I., Caffi, C., Lulekal, E., Marsik, P., Havlik, J. and Damme, P.V.2015. In vitro antioxidant and anti-proliferative activity of Ethiopianmedicinal plant extracts. Industrial Crop Production: 75(2015): 671-679.

Kolle and Susane, 2012: “Genotoxicity and Carcinogenicity.”
BASF The Chemical Company.

Kryston, B.T., Georgeiv, B.A., Pissis, P and Georgakilas, G.A. 2011. Role of oxidative stress and DNA damage in human carcinogenesis. Mutation Research: 711:193-201.

Krishna, G. And Hayashi,M. 2008. In vivo rodent micronucleus assay, protocol, conduct & data interpretation. Mutation Research/Fundamentals and Molecular Mechanisms: 455: 1-2: 155-166.

Kumar, R.S., Gupta, M., Mazumder, U.K., Rajeshwar, Y., Kumar, T.S., Gomathi, P and Roy, R. 2005. Effects of methanol extracts of *Caesalpinia bonduc* and *Bauhinia racemosa* on hematology and hepatorenal function in mice. The journal of Toxicological Sciences: 30(4): 265-274.

Kundu, J.K. and Surh, Y.J. 2009. Molecular basis of chemoprevention with dietary phytochemicals: redox-regulated transcription factors as relevant targets. Phytochemistry Reviews:8: 333-47.

Kwak, M.K., Wakabayashi, N. and Kensler, T.W. 2004. Chemoprevention through the Keap1- Nrf2 signalling pathway by phase 2 enzyme inducers. Mutation Research:555: 133-148.

Lakshmi, A., Ajith, T.A., Jose, N. and Janardhanan, K.K. 2006. Antimutagenic activity of methanolic extract of *Ganoderma lucidum* and its effect on hepatic damage caused by benzo[a]pyrene. Journal of Ethnopharmacology:107: 297–303.

Lee, K.W., Bode, A.M and Dong, Z. 2011. Molecular targets of phytochemicals for cancer prevention. Natural reviews of Cancer: 11:211-218.

Liebler, D.C., Burr, J.A., Philips, I and Ham, A.J.L. 1996. Gas chromatography-mass spectrometry analysis of vitamin E and its oxidation products. *Anal Biochemistry*: 236: 27-34.

Leimberg-Apes, D.C., Willems, P.H.G.M., Koopman, W.J.H., Greftet, S. 2015. Interactions between mitochondrial reactive oxygen species and cellular glucosemetabolism. *Archives of Toxicology*: 89: 1209-1226.

Lim, S.K., Lee, J.Y. and Huang, W.I. 2004. Antioxidant and anticancer activities from *Platycodon grandiflorum* A. De Candolle roots. *Journal of Ethnopharmacology*: 93(2004): 409-415.

Little, M.P. 2009. Cancer and non cancer effects in Japanese atomic bomb survivors. *Journal of Radiological Protection*: 29: 43-49.

Livshits, Z., Rao, R.B., Smith, S.W. 2014. An approach to chemotherapy- associated toxicity. *Emergency Medicine Clinics of North America*: 32(1): 167-203.

Lobo, V., Patil, A., Phatak, A. and Chandra, N. 2010. Free radicals antioxidants and functional foods: Impact on human health. *Pharmacognosy Reviews*:4(8): 118-126.

Lohrmann, H. P. 1984. The problem of permanent bone marrow damage after cytotoxic drug treatment. *Oncology*: 41(3): 180-4.

Loizzo, M.R., Rashed, K., Said, A., Bonesi, M., Menichini, F. And Tundis, R. 2014. Antiproliferative and antioxidant properties of *Alhagi maurorum* boiss(leguminosea) aerial parts. *Industrial Crops Production*: 53: 289-295.

Lowry, O.H., Rosebrough, N.J., Farr, A.L and Randall, R.J. 1951. Protein measurement with the Folin Phenol Reagent. *Journal of Biological Chemistry*: 193: 265-275.

Machlin, L.J and Bendich. A. 1987. Free radicals tissue damage: protective role of antioxidant nutrients: FASEB J: 1(6):441-445.

Ma, Q. and Kineer, K. 2002. Chemoprotection by Phenolic Antioxidants. Journal of Biological Chemistry: 277: 2477-84.

Makin G. 2014. Principles of Chemotherapy. Paeditr Child Health (Oxford): Medicinal plants and Cancer:24(4): 161-165.

Malomo, S.O. 2000. Toxicological implication of Ceftriaxone administration in rats. Nigerian Journal of Biochemistry and Molecular Biology: 15(1): 33-38.

Mangla, M., Shuaib, M., Jain, J. and Kashyap, M. 2010. In-vitro evaluation of antioxidant activity of *Curcuma caesia* Roxb. International Journal of Pharmaceutical Science and Research: 1: 98-102.

Manda, K and Bhatia, A.L. 2003. Prophylactic action of melatonin against cyclophosphamide-induced oxidative stress in mice. Cell Biol. Toxicol: 19:367-372.

Mannervik, B. 1987. The enzymes of glutathione metabolism: an overview. Biochemical Society Transactions: 15(4): 717-8.

Mariswamy, Y., Wesely, E.G., Johnson, M.A., Adaikalam., A.A and Jamesraj, V. 2013. GC-MS studies on Methanolic Extracts of *Aerva lanata* L. American Journal of Pharm research: 3(3).

Marnett, L.J. 1999. Lipid Peroxidation-DNA damage by malondialdehyde. Mutation research: 8: 424(1-2): 83-95.

Maron, D.M., Ames, B.N. 1983. Revised methods for the *Salmonella* mutagenicity test. Mutation Research: 113: 173–215.

Mathur N and Bhatnagar P. 2007. Mutagenicity assessment of textile dyes from Sanganer (Rajasthan). Journal of Environmental Biology: 28, 123-126.

McClatchey and Kenneth, D. 2002. Clinical laboratory medicine. Lippincott Williams & Williams. 288.

McMillen and Matt. 2013. 8 Common Surgery Complications. WebMD Feature. WebMD. Retrieved 2013-03-31.

Meister, A. 1988. Glutathione metabolism and its selective modification. *Journal of Biological Chemistry*: 263(33): 17295-8.

Mengel., Mark, B., Schwiebert, L and Peter. 2005. Family medicine: Ambulatory care & prevention: 268.

Methods Optimization in Accelerated Solvent Extraction in Technical note. 2013: 208: 1-4.

Meerloo, J.V., Kaspers, G.J., Cloos, J. 2011. Cell sensitivity assays: the MTT assay. *Methods in Molecular Biology*: 731: 237-45.

Metivier, R.P., Francis, F.J., Clydesdale, F.M. 1980. Solvent extraction of anthocyanins from wine pomace. *Food Science*: 45: 1099-1100.

Mierlici, I.D., Ghioghită, G and Cararu, G. 2009. Some cytogenic effects induced in barley by the treatments with hydroalcoholic rosemary extract. *Analele Stiintifice Ale Universității Alexandru Ioan Cuza din Iași, Secțiunea II A: Genetica și Biologie Moleculară*: 10: 57-61.

Milsted, A.V.R., Jarman, M. 1982. Metabolism of high doses of cyclophosphamide. *Cancer Chemotherapy and Pharmacology*: 8: 311-313.

Mishra, A., Gupta, V., Nagar, h and Srivastav, V. 2013. Protective effect of *Murraya koenigii* (Curry leaf) Leaves Extract Against Genotoxicity Induced by Cyclophosphamide in Mouse Bone Marrow cells. *Global Veterinaria*: 10(2): 128-133.

Mitcher, L.A., Drake, S., Gollapuri, J.A., Harris and Shankel, D.M. 1986. Antimutagenesis and Anticarcinogenesis Mechanisms. Plenum Press, New York.

Modzelewska, A., Sur, S., Kumar, S.K and Khan, S.R. 2005. Sesquiterpenes: natural products that decrease cancer growth. Current Medicinal Chemistry- Anticancer Agents: 5(5): 477-99.

Monika, S., Nikhlesh, K., Shuaib, M., Garg, V.K and Sharma, A. 2014. A Review on renal protective agents for cyclophosphamide induced nephrotoxicity. World Journal of Pharmacy and Pharmaceutical sciences: 3(3): 737-747.

Morandi, P., Ruffini, P.A., Benvenuto, G.M., Raimondi, R. and Fosser, V. 2005. Cardiac toxicity of high-dose chemotherapy. Bone Marrow Transplant: 35: 323-34.

Morre, F.R., Urda, G.A and Krishna, G. 1995. An in vivo/in vitro method for assessing micronucleus and chromosome aberration induction in rat bone marrow and spleen 1. Studies with cyclophosphamide. Mutation Research: 335: 191-199.

Morffi, J., Rodeiro, I., Hernandez, S.L., Gonzalez, L., Herrere, J and Aauirre., J.E. 2012. Antimutagenic Properties of *Magnifera indica* L. Stem Bark Extract and Evaluation of its Effects on Hepatic CYP1A1. Plant food and Human Nutrition: 67: 223-228.

Moron, M.S., Depierre, J.W. and Mannervik, B. 1979. Biochimica et Biophysica Acta: 582:67.

Muley, B.P., Khadabadi, S.S and Banarase, N.B.2009. Phytochemical Constituents and Pharmacological Activities of *Calendula officinalis* Linn (Asteraceae): Tropical Journal of Pharmaceutical Research: 8(5): 455-465.

Muneeb, U., Rehman, M.T., Farrah, A., Wajhul, Q., Abdul, I., Khan, R., Quaiyoom, A., Hamiza, O.O and Sultana, S. 2012.

Cyclophosphamide-induced nephrotoxicity, genotoxicity and damage in kidney genomic DNA of Swiss albino mice: the protective effect of Ellagic acid. Molecular and Cellular Biochemistry: 365: 199-127.

Murata, M., Suzuki, T and Midorikawa, K. 2004. Oxidative DNA damage by a hydroperoxide derivative of cyclophosphamide. Free Radical Biology and Medicine: 37:793-802.

Murphy, m.P. 2009. How mitochondria produce reactive oxygen species. Journal of Biochemistry: 417(1): 1-13.

Naczk, M and Shahidi.F. 2004. Review: Extraction and analysis of phenolics in food. Journal of Chromatography. A: 1054: 95-111.

Nair, R and Chanda, S. 2006. Activity of some medicinal plants against certain pathogenic bacterial strains. Indian Journal of Pharmacology: 38: 142-144.

Narciso, C., Naglis, M., Simon., Barber and Jill. 2013. Partition and turnover of Glutathione Reductase from *Saccharomyces cerevesiae*, a proteome Approach. Proteome Research: 12(6): 2885-94.

National Cancer Institute. 2014. Defining Cancer.

National Comprehensive Cancer Network. 2013.What is Metastatasized Cancer.

Negi, P.S., Jayaprakasha, G.K. and Jena, B.S. 2003. Antioxidant and antimutagenic activities of pomegranate peel extracts. Food Chemistry: 80: 393–397.

Nenadis, N., Wang, I.F., Tsimidou, M and Zhang, H.Y. 2004. Estimation of scavenging activity of phenolic compounds using the ABTS assay. Journal of Agricultural and Food Chemistry: 52: 4669-74.

Newman, D.J and Cragg, G.M. 2007. Natural products as sources of new drugs over the last 25 years. *Journal of Natural products*: 70(3): 461-477.

Nicolini, A., Mancini, P and Ferrari, P. 2004. Oral low dose cyclophosphamide in metatstatic hormone refractory prostrate cancer (MHRPC). *Biomedicine and Pharmacotherapy*: 58(8): 447-50.

Nirmala, M.J., Samundeeswari, A and Shankar, P.D.2011. Natural plant resource in anti-cancer therapy. *Research in Plant Biology*: 1(3): 01-14.

Nishino, H. 1998. Cancer prevention by carotenoids. *Mutation Research*: 402(1-2):159-163.

Nishikimi, M., Rao, N.A. and Yagi, K. 1972. The Occurrence of Superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen. *Biochemical and Biophysical Research Communication*: 46(2): 849-54.

Nishino, H. 1998. Cancer prevention by carotenoids. *Mutation Research*: 402(1-2):159-163.

Nobili, S., Lippi, D., Witort, E., Donnini, M., Bausi, L., Mini, E and Capaccioli, S. 2009. Natural compounds for cancer treatment and prevention. *Pharmacological Research*: 59: 365-78.

Noctor, G and Foyer, C.H. 1998. Ascorbate and glutathione: keeping active oxygen under control. *Annual Review of Plant Biology*. 49: 249-279.

Nolin, T.D and Himmelfarb, J. 2010. Mechanisms of drug-induced nephrotoxicity. *Hand B Experimental Pharmacology*: 196: 111-30.

Nusse, M., Beisker, W., Kramer, J., Miller, B.M., Schreiber, G.A., Viaggi, S., Weller, E.M and Wessels, J.M. 1994. Measurement of

micronuclei by flow cytometry. Methods in cell Biology: 42(pt B): 149-158.

OECD. 2001. Organisation of Economic Cooperation and Development Guidelines for testing of chemicals, updated guidelines 423, Acute Oral Toxicity- Fixed Dose procedure. Paris: 1-7.

OECD. 2007 OECD guideline for the testing of chemicals draft proposal for a new guideline 487. In vitro mammalian cell micronucleus test (MN vit).

Oskoueian, E., Abdullah, N., Saad, W.Z., Omar, A.R., Kuan, W.B., Zolkifli, N.A., Hendra, R., Ho, Y.W. 2011. Antioxidant and anticancer activities of methanolic extracts from *Jatropha curcas* Linn. Journal of Medicinal Plants Research: 5: 49-57.

Oyaizu M (1986). Studies on product of browning reaction prepared from glucose amine. Japanese Journal of Nutrition:44: 307-315.

Paliwal, P., Pancholi, S.S. and Patel, R.K. 2011. Pharmacognostic parameters for evaluation of the rhizomes of *Curcuma caesia*. Journal of Advance Pharmaceutical Technology and Research: 2: 56-61.

Pandey, A and Tripathi, S. 2014. Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. Pharmacognosy and Phytochemistry: 2(5): 115-119.

Pandey, A.K. and Chowdhary, A.R. 2003. Volatile constituents of rhizome oil of *Curcuma caesia* Roxb. form central India. Flavour Fragrance Journal: 18-864.

Papaldo, P., Lopez, M., Marolla, P., Cortesi, E., Antimi, M., Terzoli, E., Vici, P., Barone, C., Ferretti, G., Cosimo, S.D., Carlini, P., Nistico, C., Conti, F., Lauro, L.D., Botti, C., Fillippo., Patel, D., Shukla, S and Gupta, S. 2007. Apigenin and cancer chemoprevention: progress,

potential and promise (review). International Journal of Oncology: 30(1):233-245.

Pary, J. 1997. A proposal for a new OECD Guideline for the in vitro micronucleus test. UKEMS.

Pham-Huy, L.A., He, H., Pham-Huy, C. 2008. Free radicals, Antioxidants in Disease and Health. International Journal of Biomedical Science: 4(2).

Peklak,S.C., Townsend ,A.J and Morrow, C.S. 2005. Dynamics of glutathione conjugation and conjugate efflux in detoxification of the carcinogen, 4- nitroquinoline 1-oxide, Contributions of glutathione, glutathione Transferase, and MRP1. Biochemistry:44: 4426–4433.

Pico, Y and Kozmutza, C. 2007. Evaluation of pesticide residue in grape juices and the effect of natural antioxidants on their degradation of natural antioxidants on their degradation rate. Analytical and Bioanalytical Chemistry: 389: 1805-1814.

Pimentel, D., Cooperstein, S., Randell, H., Filiberto, D., Sorrentino, S., Kaye, B., Niclin, C., Yagi, J., Brian, J., O'Hern, J., Habas, A. and Weinstein, C. (2007). Ecology of increasing diseases: population growth and environmental degradation. Human Ecology:35: 653-68.

Plaa, G.L. 1991. Toxic responses of the liver. In: Amdur, M.O., Doull, J., Klassen, C.D.(Eds.). Casserett and Doull's Toxicology. Pergamon, Press, New York. 1991. 876.

Pompella, A., Visvikis, A., Paolichhi, A., Tata, V.D.and Casini, A.F. 2003. The changing face of glutathione, a cellular protagonist. Biochemical Pharmacology: 66: 1499-1503.

Prashant, T., Bimlesh, K., Mandeep, K., Gurpreet, K and Harleen K. 2011. Phytochemical screening and Extraction. A Review. Internationale Pharmaceutica Sciencia. 1(1).

Prior, R.L., Lazarus, S.A., Cao, G., Mucitelli, H., Hammerstone, J.F. 2001. identification of procyanidines and anthocyanins in blueberries and craneberries (*Vaccinium* spp) using high performance liquid chromatography/ mass spectrometry. *Journal of Agriculture and Food Chemistry*: 49: 1270-1276.

Prior, R.L. and Cao, G. 1999. *In vivo* total antioxidant capacity: comparison of different analytical methods. *Free Radical Biology and Medicine*: 27: 1173-81.

Prochaska, H.J., Santamaria, A.B and Talalay, P. 1992. Rapid detection of inducers of enzymes that protect against carcinogens. *The Proceedings of National Academy of Sciences, USA*: 89: 2394-98.

Promega Corporation, 2015: Protocols and Applications Guide. Cell Viability.

Promega Corporation, 2015: Protocols and Applications Guide. Apoptosis.

Pritchard, K.I., Paterson, A.H., Fine, S., Paul, N.A., Zee, B., Shepherd, L.E., Abu Z.H., Ragaz, J., Knowling, M., Levine, M.N., Verma, S., Perrault, D., Walde, P.L., Bramwell, V.H., Poljicak, M., Boyd, N., War, D., Norris, B.D., Bowman, D., Armitage, G.R., Weizel, H and Buckman, R.A. 1997. Randomise trial of Cyclophosphamide, methotrexate and fluorouracil chemotherapy added to tamoxifen as adjuvant therapy in postmenopausal women with node-positive estrogen and / or progesterone receptor- positive breast cancer: a report of the National Cancer Institute of Canada Clinical Trials Group, Breast Cancer Site Group. *Clinical Oncology*: 15(6): 2302- 11.

Pulido, R., Bravo, L., Saura, C.F. 2000. Antioxidant activity of dietary polyphenols as determined by a modified ferric reducing/ antioxidant power assay. *Journal of Agriculture and Food Chemistry*: 48: 3396- 3402.

Rajamma, A.G., Bai, V. and Nambisan, B. 2012. Antioxidant and antibacterial activities of oleoresins isolated from nine *Curcuma* species. Journal of Phytopharmaceuticals: 2: 312-7.

Rajesh, R., Chitra., k., Paarakh, P.M., Chidambaranatham, N. 2011. Anticancer activity of aerial parts of *Aerva lanata* Linn Juss ex Schult against Dalton's Ascitic Lymphoma. European Journal of Integrated Medicine: 3: 245-250.

Ramel, C., Alekperov, U.K., Ames, B.N., Kada, T. and Wattenberg, L.W. 1986. Inhibitors of mutagenesis and their relevance to carcinogenesis. Mutation Research: 168: 47-65.

Rao, R., Shammo, J.M. and Enschede, S.H. 2005. The combination of fludarabine, cyclophosphamide and granulocyte-macrophage colony stimulating factor in the treatment of patients with relapsed chronic lymphocytic leukemia and low grade non Hogdekin's lymphoma. Clinical Lymphoma: 6(1):26-30.

Ray, S., Pandit, B., Ray, S.D., Das, S and Chakraborty, S. 2010. Cyclophosphamide induced lipid peroxidation and changes in cholesterol content: protective role of reduced glutathione. International Journal of Pharm Tech Research: 2: 704-718.

Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. and Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. Free Radical Biology and Medicine: 26(9-10): 1231-37.

Reitmen, S and Frankel, S. 1957. A colorimetric determination of serum glutamate oxaloacetate and glutamate pyruvate transaminases. American Clinical Pathology: 28:56-63.

Revathi, P., Jeyaseelansenthinath, T., Subramanian, T. 2014. Preliminary Phytochemical Screening and GC-MS Analysis of Ethanolic

Extract of Mangrove Plant-*Bruguiera cylindrical* (Rhizho) L. Int. J. Pharmacognosy and Phytochemical research: 6(4): 729-740.

Rhiouani, H., El-Hilaly., Israili, Z.H. and Lyoussi, B. 2008. Acute and sub-chronic toxicity of an aqueous extract of the leaves of *Heriaria glabra* in rodents. Journal of Ethnopharmacology. 118: 378-386.

Rice-Evans, C.A., Miller, N.J. and Paganga, G. 1997. Antioxidant properties of phenolic compounds. Trends in Plant Science: 2: 152-59.

Ridnour, L.A., Thomas, D.D., Mancardi, D., Espey, M.G., Miranda, K.M., Paolocci, N., Feelisch, M., Fukuto, J and Wink., D.A. 2004. The Journal of Biological chemistry: 385: 1-10.

Riss, T.L., Moravec,R.A and Moravec. 2004. Use of multiple assay endpoints to investigate the effects of incubation time, dose of toxin, and plating density in cell- based cytotoxicity assays. Assay and Drug Developmental Technology: 2(1): 51-62.

Rizzo, A.M., Berselli, P., Zava, S., Montorfano, G., Negroni, M., Corsetto, P and Berra, B. 2010. Endogenous antioxidants and Radical Scavengers. Bio-Farms for Nutraceuticals Advances in Experimental Medicine and Biology: 698: 52-67.

Robertson, D.G. 2005. Metabolomics in toxicology. A Review. Toxicol Sci: 85: 809-822.

Robbins, R.J. 2003. Phenolic acids in foods: an overview of analytical methodology. Journal of Agriculture and Food Chemistry: 51: 2866-87.

Ron, E. 2003. Cancer risk from medical radiation. Health Physics: 85: 47-59.

Ruan, C. 1989. Antimutagenic effect of foods and chemoprevention of cancer. Acta of Guangxi Medical College: 1: 68–71.

Sahaya, S, Janakiraman, N and Johnson, M. 2012. Phytochemical Analysis of *Vitex altissima* L.using UV-Visible, FTIR and GC-MS. International Journal of Pharmaceutical Sciences and Drug Research: 4(1): 56-62.

Sahu, N and Saxena,J .2013. Phytochemical Analysis of Bougainvillea Glabra Choisy by FTIR and UV-VIS Spectroscopic Analysis. International Journal of Pharmaceutical Science Review and. Research: 21(1): 196-198.

Salvi, M., Battaglia, V., Brunati, A.M., Rocca, N.L., Tibaldi, E., Pietrange, P., Marcocco, I., Mondov, B., Rossi, C.A and Toninello, A.2007. Catalase takes part in rat liver mitochondria oxidative stress defense. Journal of Biological Chemistry: 282(33): 24407-24415.

Salam, A.E., Hussein, E.H.A., El-Ilriby, H.A., Anwar, W.A and Mansour, S.A. 1993. The mutagenicity of Gramoxone (paraquat) on different eukaryotic systems. Mutation research: 319: 89-101.

Saeed, M.E., Abdelgadri, H., Sugimoto, Y., Khalid, H.E and Efferth, T. 2015. Cytotoxicity of 35 medicinal plants from Sudan towards sensitive and multidrug-resistant cancer cells. Journal of Ethnopharmacology: 4(174): 644-658.

Sandosh, T.A., Peter, M.P.J and Raj, J.Y. 2013. Phytochemical analysis of *Stylosanthes fruticosa* using UV-Vis, FTIR and GC-MS. Research Journal of Chemical Sciences: 3(11): 14-23.

Sangwan, N.S., Shanker, S., Sangwan, R.S. and Kumar, S. 1998. Plant-derived Products as Antimutagens. Phytotherapy Research: 12: 389-99.

Sang, N. and Li, G. 2004. Genotoxicity of municipal landfill leachate on root tips of *Vicia faba*. Mutation Research: 560: 159-165.

- Sanner, T and Dybing, E. 1996. Chemoprevention of cancer. Prevention of cancer in groups with increased risk: 20: 116(19): 2329-33.
- Sarangthem, K. and Haokip, M.J. 2010. Bioactive components in *Curcuma caesia* Roxb. grown in Manipur. The Bioscan: 1: 113-15.
- Sladek, N.E. 1971. Metabolism of cyclophosphamide by rat hepatic microsomes. Cancer Research: 1:901–908.
- Sladek, N.E. 1988. Metabolism of oxazaphosphorines. Pharmacology and Therapeutics: 37(3):301–355.
- Saroglu, V., Arfan, M., Shabir, A., Hadjipavlou, L.D and Skaitsa, H. 2007. Composition and antioxidant activity of the essential oil of *Teucrium royleanum* wall.ex Benth growing in Pakistan. Flavour Fragrance Journal: 22: 154-157.
- Sasidharan, S., Chen, Y and Latha, L.Y. 2011. Extraction, Isolation, and Characterisation of Bioactive Compounds from Plants' Extracts. African Journal of Traditional, Complementary, and Alternative Medicines: 8(1): 1-10.
- Shakya, G., PajExtract. aniradedje, S., Hoda, M., Durairaj, V and Rajagopalan, R. 2014. GC-MS Analysis, In Vitro Antioxidant and Cytotoxicity Studies of Wheatgrass: AJPCT: 2(7): 877-893.
- Siddique, Y.H. and M. Afzal. 2005. Evaluation of genotoxic potential of norethynodrel in human lymphocytes in vitro. Journal of Environmental Biology: 26, 387-392
- Singh, G., Marimuthu, P., De-Heluani, C.S and Catalan, C.A. 2006. Antioxidant and biocidal activities of *Carum nigrum* (seed) essential oil, oleoresin, and their selected components. Journal of Agriculture and Food chemistry: 11: 54(1): 174-81.

Singh, R.P., Dhanalakshmi, S and Rao, A.R. 2000. Chemomodulatory action of *Aloe vera* on the profiles of enzymes associated with carcinogen metabolism and antioxidant status regulation in mice. *Phytomedicine*: 7: 209-19.

Sharma, N., Trikha ,P., Athar, M., Raisuddin, S. 1999. Protective effect of *Cassia occidentalis* extract on chemicallyinduced chromosomal aberrations in mice. *Drug and Chemical Toxicology*: 22: 643-53.

Sharma, N., Trikha, P., Athar, M. and Raisuddin, S. 2000. Inhibitory effect of *Emblica officinalis* on the invivo clastogenicity of benzo[a]pyrene and cyclophosphamide in mice. *Human Experimental Toxicology*: 19: 377-84.

Satinder, A., Karen, M.A. 2003. *Handbook of Isolation and Characterisation of impurities in Pharmaceuticals*. Academic Press, California: 214-220.

Sawagado, W.R., Schumacher, M., Teiten, M.H., Dicato, M. and Diederich, M. 2012. Traditional west African pharmacopeia, plants and derived compounds for cancer therapy. *Biochemical Pharmacology*: 84: 1225-1240.

Schmid, W. 1975. The micronucleus test. *Mutation Research*: 31: 9-15.

Schwartz, J., Domcheck, S.M., Hwang, W.T and Fox, K.2005. Evaluation of anemia, neutropenia and skin toxicities in standard or dose dense doxorubicin/ cyclophosphamide(AC)-paclitaxel or docetaxel adjuvant chemotherapy in breast cancer. *Annals of Oncology*: 16:247-52.

Senthikumar, S., Yogeeta, S.K., Subashini, R. and Devaki, T. 2006. Attenuation of cyclophosphamide induced toxicity by squalene in experimental rats. *Chemico- Biological Interactions*: 160: 252-260.

Serpeloni, J.M., Bisarrodos, R.M., Rodrigues, J., Campanerdos, S.L., Vilegas, W., Varanda, E., Dokkedal, A., Mara, S. and Colus, I. 2008. In vivo assessment of DNA damage and protective effects of

juices from Miconia species using the comet assay and micronucleus test. *Mutagenesis*: 23(6): 501-507.

Sharma, P., Jha, A.B., Dubey, A.S and Pessarakli, M. 2012. Reactive Oxygen species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under stressful Conditions. *Journal of Botany*: 2012.26

Sharma, V and Agrawal, R.C.2015. Evaluation of anticlastogenic effects of *Glycyrrhiza glabra* root extract against Cyclophosphamide induced Chromosomal aberration in Swiss albino mice. *Journal of Applied Pharmaceutical Science*:5(6): 127-132.

Sheetla, C., Khan, N., Chauhan, R., Raguwanshi, A. K and Shrivastava, V. K. 2013. Cyclophosphamide induced changes in certain hematological and biochemical parameters of adult male *Rattus norvegicus*. *Int. J. Applied Biology and Pharmaceutical Technology*: 4(2): 74-78.

Shi, J., Nawaz, H., Pohorly, J., Mittal, G., Kakuda, Y., Jiang, Y. 2005. Extraction of polyphenolics from plant material for functional foods engineering and technology. *Food Reviews International*: 21: 139-166.

Shobha, R.I. and Andallu, B. 2013. Oxidative stress and cancer: Role of Anti-Carcinogenic herbs and spices. *American Journal of Phytomedicine and Clinical Therapeutics*: 3: 351-369.

Shubharani, R., Sivaram, V and Kishore, B.R. 2014.. In vitro cytotoxicity of Indian Bee Propolis on cancer cell lines. *International Journal of Pharma and Bio Sciences*: 5(4): 698-706.

Shokrzadeh, M., Chabra, A., Naghshvar, F and Ahmadi, A. 2013. Mitigating Effect of *Citrullus colocynthis* (L) Fruit Extract against Genotoxicity Induced by Cyclophosphamide in Mice Bone Marrow Cells. *The Scientific World Journal*: 2013, 8..

Silva,C.E.L., Sandro, M., Silva, R.C.L., Matos, M.F.C., Tofoli, D., Carvalho, j.E., Ruiz, A.L.T., Costa, W.F., Simionatto, E.2015. Chemical Composition and Cytotoxic Activity of the Root Essential oil from *Jatropa ribifolia* (Pohl) Bail (Euphorbiaceae). Journal of Brazilian. Chemical Society: 26(2).

Singh G, Fries JF, Williams CA, Zatarain E, Spitz p, Bloch DA: 1991. Toxicity profiles of disease modifying antirheumatic drugs in rheumatoid arthritis. Journal of Rheumatology: 18(2): 188-94.

Singh, M., Kumar, N., Shuaib, M., Garg, V.K and Sharma, A. 2014. A review on renal protective agents for cyclophosphamide induced toxicity. International Journal of Pharmacy and Pharmaceutical Science: 3(3): 737-747.

Singh, P., Shrivastav, B.R and Shrivastav, A. 2015. Efficacy of wheat grass juice and side effects of chemotherapy in breast cancer: A systemic review. World Journal of Pharmaceutical Science: 4(2): 241-246.

Singleton, V.L., Orthofer, R. and Lamuela-Raventos, R.M. 1999. Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteureagent Methods. Enzymology: 299: 152-178.

Sofowora,A. (1993). Medicinal plants and Traditional Medicinal in Africa. 2nd Ed. Sunshine House, Ibadan, Nigeria: Spectrum Books Ltd. Screening Plants for Bioactive Agents. 134-156.

Sotto, A.D., Evandr, M.D and Mazzanti, G. 2008. Antimutagenic and mutagenic activities of some terpenes in the bacterial reverse mutation assay. Mutation Research-Genetic toxicology and Environmental Mutagenesis: 653(1-2): 130-133.

Steward, W.P and Brown, K. 2013. Cancer chemoprevention: a rapidly evolving field. *British Journal of Cancer*: 109: 1-7.

Stevigney, C., Baily, C and Quetin J.L. 2005. Cytotoxic and antitumor potentialities of aporphinoid alkaloids. *Current Medicinal chemistry*: 5(2): 173-182.

Stewart, B.W and Wild, C.P. 2014. Cancer etiology. *World Cancer Report 2014*. World Health Organisation.

Stiff, P.J., Shpall, E.J., Liu, P.Y., Wilczynski, S.P., Callander, N.S., Scudder, S.A., Jazieh, A.R., Samlowski, W., McCoy and Alberts, D.S. 2004. Randomised phaseii trial of two high-dose chemotherapy regimens with stem cell transplantation for the treatment of advanced ovarian cancer in first remission or chemosensitive relapse: a Southwest Oncology Group Study. *Gynecologic Oncology*: 94(1): 98-106.

Stoczynska, K., Beata, P., Elzbieta, P and Anna, M.W. 2014. Antimutagenic compounds and their possible mechanisms of action. *Journal of Applied Genetics*: 55(2): 273-285.

Sulaiman, S.F., Sajak, A.A.B., Ooi, K.L., Supriatno, Seow, E.M. 2011. Effect of solvents in extracting polyphenols and antioxidants of selected raw vegetables. *Journal of Food Composition and Analysis*: 24: 506-515.

Sumalatha, D. 2013. Antioxidant and antitumor activity of *Phyllanthus emblica* in colon cancer cell lines. *International Journal of Current Microbiology and Applied Science*: 2(5): 189-195.

Surh, Y.J and Ferguson, L.R. 2003. Dietary and medicinal antimutagens and anticarcinogens: molecular mechanisms and chemopreventive potential – highlights of a symposium. *Mutation Research*: (523-524):1-8.

Surh, Y.J., Kundu, J.K., Na, H.K and Lee, J.S. 2005. Redox-sensitive transcription factors as prime targets for chemoprevention with

anti-inflammatory and antioxidative phytochemicals. The Journal of Nutrition: 135: 2993S-3001S.

Swarnlata., Singh, S., Tiwari, K.N., Upadhyay, R. 2014. Evaluation of the Antioxidant and Hepatoprotective Effects of *Phyllanthus fraternus* Against a Chemotherapeutic Drug Cyclophosphamide . Applied Biochemistry and Biotechnology: 173: 2163-2173.

Takimoto, Chris H; Calvo, Emiliano. 2005. Principles of oncologic pharmacotherapy In Pazdur, Richard; Coia, Lawrence R; Hoskins, William J et al. Cancer management, A multidisciplinary approach: 23-42.

Tan, X.L. and Spivack, S.D. 2009. Dietary chemoprevention strategies for induction of phase II xenobiotic-metabolising enzymes in lung carcinogenesis: A review. Lung Cancer: 65: 129-37.

Tarlovsky, V.F. 2012. Role of antioxidants in cancer therapy. Nutrition: 1-7.

Tearf,C.M amd Middendorf, P.J. 2000. Mutagenesis and genetic toxicology. In: Williams PL, James, R.C., Roberts, S.M, editors. Principles of Toxicology: Environmental and Industrial Applications. 2nd ed. New York: John Wiley and Sons: 239-64.

Tezs, S. 2008. The Ames test: a methodological short review. Environmental Biotechnology: 4(1): 7-14.

The MSDS HyperGlossary. 2006. Acute toxicity. Safety Emporium.

Trease, G.E and Evans, W.C. 2002. Pharmacognosy. 10th ed. Tidal, London: Berilliee: 519-547.

Tobacco Fact Sheet N°339. 2014.

Todorova, T., Pesheva, M., Gregan, F and Chankoya, S. Antioxidant, antimutagenic and anticarcinogenic effects of *Papaver*

rhoeas L. extracts on *saccharomyces cerevisiae*. Journal of Medicinal Food: 2014.

Tornaletti, S and Pfeifer, G.P. 1996. UV damage and repair mechanisms in mammalian cells. Bioassay: 18: 221-32.

Tripathi, P., Tripathi, R., Patel, R.K and Pancholi, S.S. 2013. Investigation of antimutagenic potential of *Foeniculum vulgare* essential oil on cyclophosphamide induced genotoxicity and oxidative stress in mice. Drug and Chemical Toxicology: 36(1): 35-41.

Trease, G.E and Evans, W.C. 2002. Pharmacognosy. 10th ed. Tidal, London: Berilliee: 519-547.

Tsai, S.J., Jeng, S.N and Lee, H. 1996. Naturally occurring daily disulfide inhibits the formation of carcinogenic heterocyclic amines in boiled pork juice. Mutagenesis: 11: 253-240.

Tsao, A.S., Kim, E.S and Hong, W.K. 2004. Chemoprevention of Cancer. CA Cancer Journal of Clinicians: 54(3): 150-80.

Tyler, D.D. 1975. Polarographic assay and intracellular distribution of superoxide dismutase in rat liver. Biochemical Journal: 147(3): 493-504.

Ugbogu, A.E., akubugwo, A.E., Iweala, E.J.J, Uhegbu, F.O., Chinyere, G.C and Obasi, N.A. 2013. Role of phytochemicals in Chemoprevention of Cancer. International Journal of Pharmaceutical and Chemical Sciences: Review Article.

Umar, T., Nasir, Mohamed, S., Mohamed, S., Rosil, R., Din, L.B and Lai, L.C. 2004. Genotoxicity of goniothalamin in CHO cell line. Mutation Research: 562: 91-102.

Umthong,S., Phuwapraisirisan and Puthong,S., Chanchao, C. 2011. In Vitro antiproliferative activity of partially purified *Trigona laeviceps* proThailand on human cancer cell lines. BMC Complementary Alternative Medicine: 11(1): 1-8.

Valavanidis, a., Vlachogianni, t., Fiotakis, K and Loridas, S. 2013. Pulmonary oxidative stress, inflammation and cancer: respirable particulate matter, fibrous dust and ozone as major causes of lung carcinogenesis through reactive oxygen soecies mechanisms. International Journal of Environment Research and Public Health: 10(9): 3886-907.

Valko, M., Rhodes, C.J., Mazur, M., Rapta, P and Bilton, R.F. 2001. Oxygen free radical generating mechanisms in the colon: Do the semiquinones of Vitamin K play a role in the aetiology of colon cancer? Biochimica et Biophysica Acta: 1527: 161-66.

Valko, M., Rhodes, C.J., Moncol, J., Izakovic,M., Mazur, M. 2006. Free radicals, metals and antioxidants in oxidative stress-induced cancer. Chemico-Biological Interactions: 160: 1-40.

Valko, M., Leibfritz, D., Monocol, J., Cronin, M.T.D., Mazur, M and Telser,J. 2007. Free radicals and antioxidants in normal physiological functions and human disease. International Journal Of Biochemistry and Cell Biology: 39: 44-84.

Valluru, L., Dasari, S and Wudayagiri, R. 2014. Role of free radicals and antioxidants in gyanecological cancers: present status and future prospects. Oxidants and Antioxidants in Medical Science: 3(1): 15-26.

Vilela, A.L.M., Resck, I.S and Grisolia, C.K. 2008. Antigenotoxic activity and antioxidant properties of organic and aqueous extracts of pequi fruit(*Caryocar brasiliense* Camb.) pulp. Genetics and Molecular Biology: 31: 4: 956-963.

Vishnoi, N.R. Advanced Practical Chemistry. 1979. Ghaziabad-India: Yikas Publication House, PVT Ltd: 447-449.

Walsh and Declan. 2013. Genotoxic Drugs. Cancerquest.org.

Wattenberg, L.W. 1985. Cancer Res. 45.1.

Weidinger, A and Kozlov, A.V. 2015. Activities of Reactive Oxygen and Nitrogen Species: Oxidative Stress Versus signal Transduction. *Biomolecules*: 5: 472-484.

Weij, N.I, Cleton FJ, Osanto S. 1997. Free radicals and antioxidants in chemotherapy-induced toxicity. *Cancer Treatment Reviews*: 23: 209-240.

Weisger, R.A., Fridovich. 1973: Mitochondria superoxide dismutase. Site of synthesis and intramitochondrial localization. *Journal of Biological Chemistry*: 248(13): 4793-4796.

Williams, G.M., Iatropoulos, M.J and Whysner, J. 1999. Safety assessment of butylated hydroxyanisole and butylated hydroxytoluene as antioxidant food additives. *Food and Chemical Toxicology*: 37: 1027-38.

Wojdyio. A, Oszmianski.J, Czemerys .R..(2007). Antioxidant activity and phenolic compounds in 32 selected herbs. *Food Chemistry*: 105: 940–949

World Cancer Research Fund/ American Institute for Cancer Research. 2007. Food, physical activity. And the prevention of cancer: A global perspective, AICR, USA.

World Health Organisation. 2008. World cancer report 2008, IARC, France.

World Health Organization. 2011. Cancer.

Worthington, D.J and Rosemeyer, M.A. 1965. *Eur. J. Biochem*: 67: 231-238.

Wycisk, K., Kim, E.J., Schroeder, J.I and Kramer, U. 2004. Enhancing the first enzymatic step in the histidine biosynthesis pathway increases the free histidine pool and nickel tolerance in *Arabidopsis thaliana*. *FEBS Letters*: 578: 128-34.

Xu, B.J., Chang, S.K. 2007. A comparative study of phenolic profiles and antioxidant activities of legumes as affected by extraction solvents. Food Science: 72: 159-166.

Yakubu, M.T., Bilbis, I.S., Lawal, M and Akanji, M.A. 2003. Effect of repeated administration of sildenafil citrate on selected enzyme activities of liver and kidney of male albino rats. Nigerian Journal of Pure and Applied Science: 18: 1395-1400.

Yildirim, A and mavi, A. 2000. Comparison of antioxidant and antimicrobial activities of Tilia (*Tilia argentea* Desf Ex DC), saga (*Salvia triloba* L.) and black tea (*Camellia sinensis*) extracts. J. Agricultural and Food chemistry: 48: 5030-5034.

Yu, Y. Y., Kumar .V. and Bennett, M. 1992. Murine natural killer cells and marrow graft rejection. Annual Reviews of Immunology:10: 189-213.

Yuan, Z.M; Smith, P.B; Brundrett, R.B; Colvin,M; Fenselau,C. 1991. Glutathione conjugation with phosphoramide mustard and cyclophosphamide. A mechanistic study using tandem mass spectrometry. Drug Metabolism and Disposition: 19: 625-629.

Zengin, H and Baysal, A.S. 2014. Antibacterial and antioxidant Activity of Essential Oil Terpenes against Pathogenic and Spoilage-Forming Bacteria and Cell Structure- Activity Relationships Evaluated by SEM Microscopy. Molecules: 19: 17773-17798.

Zer, A., Ercag, E and Apak, R. 2005. Selective spectrophotometric determination of TNT in soil and water with dicyclohexylamine extraction. Analytica Chimica Acta: 534: 307-317.

Zhao, R.C., Gao, H.Z and Qu, J.X.2010. Nrf2- ARE signaling pathway and natural products for cancer chemoprevention. International Journal of Cancer Epidemiology, Detection and Prevention: 34:523-533.

Zhu, H.B., Wang, Y.Z., Liu, Y.X., Xia, Y.L., Tang. T. 2010. Analysis of flavanoids in *Portulaca oleracea* L. by UV-Vis

spectrophotometry with comparative study on different extraction technologies. Food Analytical Methods: 3: 90-97.