

**Declaration** 

I hereby declare that the thesis entitled "Antioxidant and immunomodulatory

effects of lead acetate and sodium arsenite exposure on macrophage

response in freshwater fish Channa punctatus" submitted to the Department

of Biotechnology, Assam University for the award of Doctor of Philosophy

(Sc.), is an original research work done by me under the supervision of Dr.

Mahuya Sengupta (Supervisor), Assistant Professor, Department of

Biotechnology, Assam University, Silchar and Prof. Gauri Dutta Sharma (Co-

Supervisor), Vice- Chancellor, University of Bilaspur, and this work or any part

thereof has not been submitted for any degree in any other University.

(Nilantika Paul)

Ph.D. Scholar

Place: Ph.D. Reg. No: Ph.D/807/09

Date:

School of Life Science

**Department of Biotechnology** 

**Assam University** 

Silchar-788011.

i

#### ACKNOWLEDGEMENT

I gratefully acknowledge the help and guidance of my supervisor Dr. Mahuya Sengupta, Assistant Professor, Department of Biotechnology, Assam University, Silchar, Assam, India and my co-supervisor Prof. Gauri Dutt Sharma, Vice-Chancellor, University of Bilaspur, India, under whom this thesis has been completed. I would like to express my deepest gratitude to my supervisor Dr. Sengupta for her excellent guidance, caring, patience and providing me with an ambient atmosphere for doing research.

I would like to thank Dr. Pranab Behari Mazumder, Head, Department of Biotechnology, Assam University, Silchar, Assam, India, all the Teachers, Technical and Office Staff of the Department who have been always helpful and cooperative.

Special thanks and gratitude to Dr. Ritwik Mazumder, Assistant Professor, Department of Economics, Assam University, Silchar, Assam, India, who helped me with the statistical interpretation of data. Without his assistance, analysis of a significant part of the work would have been difficult.

I am deeply indebted to Dr. Sudip Dey, Scientific Officer and all the Technical Staff, Sophisticated Analytical Instrumentation Facility, North- Eastern Hill University, Shillong, Meghalaya, India, for kindly providing me with the instrumentation facility.

I also thank my laboratory seniors, Dr. Biswajit Chakraborty, Dr. Sneha Gang, Ishita Deb, Sumana Chakraborty, Shamim Ahmed Barbhuiya and colleagues, Moriom Begam, Ramkrishna Pal, Leichombam Mohindro Singh for their immense support and help.

Last but not the least, I express my deepest gratitude to my parents for their unwavering support and sincere encouragement. I would also like to pay regards to my sister and brother for their love and constant moral support.

I would like to thank the people mentioned above and many more who contributed in many ways to the success of this study.

#### List of abbreviations:

%- Percentage AAS- Atomic absorption spectrophotometry Ar- Argon As- Arsenic **CAT- Catalase** Cu- Copper DNA- Deoxyribonucleic acid DPA- Diphenylamine DPBS- Dulbecco's phosphate buffered saline EDTA- Ethylene diamine tetraacetic acid ELISA- Enzyme- linked immunosorbent assay ERK- Extracellular regulated kinase FBS- Fetal bovine serum GPx- Glutathione peroxidase GR- Glutathione reductase GSH- Reduced glutathione GSSG- Oxidized glutathione GST- Glutathione S- Transferase H<sub>2</sub>O<sub>2</sub>- Hydrogen peroxide HBSS- Hanks balanced salt solution IFN-γ- Interferon- gamma IL-β- Interleukin- beta iNOS- Inducible nitric oxide synthase

L-15- Leibovitz-15 medium

LD50- Lethal dose<sub>50</sub>

LDH- Lactate dehydrogenase

LPO- Lipid peroxidation

LPS- Lipopolysaccharide

MAPK- Mitogen activated protein kinase

MCO- Metal catalyzed oxidative reactions

MDA- Malonaldialdehyde

MPO- Myeloperoxidase

MTT- 3-(4,5-<u>Dimethylthiazol</u>-2-yl)-2, 5-di<u>phenyl</u>tetrazolium bromide

NADPH- Nicotinamide adenine dinucleotide phosphate

NFκB- Nuclear factor kappa-light-chain-enhancer of activated B cells

NK cells- Natural killer cells

NO- Nitric oxide

NOS2- Nitric oxide synthase 2

OPD- Orthophenylene dihydrochloride

PAMPs- Pathogen-associated molecular patterns

Pb- Lead

PBS- Phosphate buffer saline

PC- Protein carbonylation

PI3K- Phosphoinositide 3 kinase

PKC- Protein kinase C

PRRs- Pattern recognition receptors

ROS- Reactive oxygen species

S.E.- Standard error

SDS- Sodium dodecyl sulfate

SEM- Scanning electron microscopy

SOD- Superoxide dismutase

TBARS- Thiobarbituric acid reactive substance

TLR- Toll-like receptor

TNF-α- Tumor necrosis factor- alpha

Zn- Zinc

Figure 7: (a) TNF-α released from cell lysate of lead and arsenic treated group
(b) TNF-α released from plasma of lead and arsenic treated group
Figure 8: IL-1b released from plasma of lead and arsenic treated group
Chapter 2
4.4. In vitro study of effect of lead acetate and sodium arsenite on oxidative stress and
antioxidant defenses in fish Channa punctatus
Figure 1: Respiratory burst activity in macrophages of fish treated with lead and arsenic 67
Figure 2: Estimation of protein carbonylation (PC) in macrophages of fish treated with lead
and arsenic
Figure 3: Percentage of DNA fragmentation in lead and arsenic treated fish
Figure 4: Catalase (CAT) activity in control and heavy metal exposed fish macrophages70
Figure 5: Superoxide dismutase (SOD) activity in control and heavy metal exposed fish
macrophages
Figure 6: Reduced glutathione (GSH) consumed in macrophages of fish treated with lead
and arsenic
4.5. <i>In vitro</i> study of effect of lead acetate and sodium arsenite on innate immune
responses in fish Channa punctatus
Figure 1: Phagocytic activity in macrophages of fish treated with lead and arsenic
Figure 2: Nitric oxide release in macrophages of fish treated with lead and arsenic74
Figure 3: Myeloperoxidase release in macrophages of fish treated with lead and arsenic75
Figure 4: (a) TNF-α released from cell lysate of lead and arsenic treated group
(b) TNF-α released from plasma of lead and arsenic treated group
Figure 5: IL-1b released from plasma of lead and arsenic treated group
Chapter 3
4.6. Interactivity effects from combined exposure of lead acetate and sodium arsenite or
bioaccumulation, morphological alteration and DNA damage in Channa punctatus
Figure 1: Combined effect of lead and arsenic on the morphological alteration of
(a) intestinal and (b) liver macrophages
Figure 3: Interactive effect of lead and arsenic on percentage of DNA fragmentation in fish
macrophages
4.7. Interactive effect of lead acetate and sodium arsenite on oxidative stress and
antioxidant defenses in fish Channa punctatus
Figure 1: Respiratory burst activity in macrophages of fish treated simultaneously with lead
and arsenic
Figure 2: Estimation of lipid peroxidation (LPO) in multi- metal (lead and arsenic) exposed
fish macrophages
Figure 3: Estimation of protein carbonylation (PC) in multi- metal (lead and arsenic) exposed
fish macrophages 87

Figure 4: Catalase (CAT) released from control and multi-metal (lead and arsenic) exposed
fish macrophages
Figure 5: Superoxide dismutase (SOD) released from control and multi-metal (lead and
arsenic) exposed fish macrophages
Figure 6: Glutathione S-transferase (GST) activity in macrophages of fish treated
simultaneously with lead and arsenic
Figure 7: Glutathione peroxidase (GPx) activity in macrophages of fish treated
simultaneously with lead and arsenic
Figure 8: Glutathione reductase (GR) activity in macrophages of fish treated
simultaneously with lead and arsenic
Figure 9: Reduced glutathione (GSH) consumed in macrophages of fish treated
simultaneously with lead and arsenic
4.8. Interactive effect of lead acetate and sodium arsenite on innate immune responses
in fish Channa punctatus
Figure 1: Phagocytic activity in macrophages of fish treated simultaneously with lead
and arsenic
Figure 2: Intracellular killing activity in macrophages of fish treated simultaneously
with lead and arsenic
Figure 3: Chemotactic index in macrophages of fish treated simultaneously with lead
and arsenic96
Figure 4: In vitro cell adhesion in macrophages of fish treated simultaneously with lead
and arsenic
Figure 5: Nitric oxide release in macrophages of fish treated simultaneously with lead
and arsenic
Figure 6: Myeloperoxidase release in macrophages of fish treated simultaneously with lead
and arsenic
Figure 7: (a) TNF-α released from cell lysate of multi- metal treated group
(b) TNF-α released from plasma of multi- metal treated group
Figure 8: IL-1b released from plasma of multi- metal treated group
Chapter 4
4.9. Determination of synergy by an isobologram approach between lead acetate and
sodium arsenite
Figure 1: Isobol for lead and arsenic interaction of NO release from multi-metal
exposed macrophages
Figure 2: Isobol for lead and arsenic interaction of CAT activity from multi-metal
exposed macrophages

#### **C. DISCUSSION**

Chapter 1 4.1. Study of effects of lead acetate and sodium arsenite (in vivo) singly on bioaccumulation, morphological alteration and DNA damage				
Table 1: Heavy metal analysis in different organs of untreated and treated fish (ppb/g tissue)				
Chapter 3				
4.6. Study of effects from combined exposure of lead acetate and sodium arsenite (in				
vivo) on bioaccumulation, morphological alteration and DNA damage in Channa				
punctatus				
Table 1: Heavy metal analysis in different organs of untreated group and group with				
simultaneous treatment of lead and arsenic (ppm/g tissue) 108				

List of Tables:

Page no.

$\mathbf{L}$	ist	of	<b>Photo</b>	grap	hic	Pla	ites:
--------------	-----	----	--------------	------	-----	-----	-------

Page no.

Chapter	1
---------	---

1
4.1. Effects of lead acetate and sodium arsenite on bioaccumulation, morphological
alteration and DNA damage
Plate 1(a), (b): Ultramicroscopic photographs of untreated fish showing
prominent mucosal foldings and normal epithelium
Fig 2(c), (d): Ultramicroscopic photographs of lead treated fish showing debris of mucosal
folds, damaged and degenerated epithelium
Fig 2(e), (f): Ultramicroscopic photographs of arsenic treated fish showing inflammatory
damage in epithelium, disarrangement and fragmentation of mucosal foldings secretion of
mucus
Chapter 3
4.6. Interactivity effects from combined exposure of lead acetate and sodium arsenite on
bioaccumulation, morphological alteration and DNA damage in Channa punctatus
Fig 2(a), (b): Ultramicroscopic photographs of untreated fish showing prominent mucosal
foldings and normal epithelium
Fig 2(c), (d): Ultramicroscopic photographs of lead treated fish showing debris of mucosal
folds, damaged and degenerated epithelium
Fig 2(e), (f): Ultramicroscopic photographs of arsenic treated fish showing severe damage in
epithelium, disarrangement and fragmentation of mucosal foldings and secretion of mucus
Fig 2(g), (h): Ultramicroscopic photographs of multi- metal treated fish showing large
areas of disarranged and degenerated mucosal folds and severe damage in epithelium83

CONTENTS	Page no

1. <b>INTRODUCTION</b>
1.1.HEAVY METALS
1.2.ANTIOXIDANT SYSTEM AND IMMUNE DEFENSES OF FISH
1.3.HEAVY METALS, OXIDATIVE STRESS AND ANTIOXIDANT SYSTEM
1.4.HEAVY METALS AND INNATE IMMUNE RESPONSES
1.5.THE FRESHWATER FISH Channa punctatus (Bloch.)
1.6.OBJECTIVE OF THE PRESENT STUDY
2. <b>REVIEW OF LITERATURE</b>
2.1. DEFINING TOXICOLOGY
2.2. HEAVY METAL TOXICITY
2.3. LEAD
2.3.1. Properties of lead
2.3.2. Sources and uses of lead
2.3.3. Distribution of lead in the environment
2.3.4. Mode of action of lead
2.3.5. Toxicokinetics of lead
a) Absorption
b) Distribution
c) Metabolism
d) Elimination
2.3.6. Effect of lead in different organ systems
2.4. ARSENIC
2.4.1. Properties of arsenic
2.4.2. Sources and uses of arsenic
2.4.3. Distribution of arsenic in the environment
2.4.4. Mode of action of arsenic
2.4.5. Toxicokinetics of arsenic
a) Absorption
b) Distribution
c) Metabolism
d) Elimination
2.4.6. Effects of arsenic in different organ systems
2.5. A COMPARATIVE STUDY OF LEAD AND ARSENIC TOXICITY IN DIFFERENT
SPECIES
2.6. HEAVY METALS (LEAD AND ARSENIC) AND OXIDATIVE STRESS

2.7. LEAD AND ARSENIC AS POTENT TOXICANTS AND THEIR EFFECTS ON
ANTIOXIDANT SYSTEM AND IMMUNE DEFENSES
2.7.1. Effect of lead exposure
2.7.2. Effect of arsenic exposure
2.7.3. Molecular basis of heavy metal induced toxicity on the dual defenses in the body
a) Antioxidant defenses
b) Innate immune response
3. <b>MATERIALS AND METHODS</b>
3.1. EXPERIMENTAL DESIGN 1: IN VIVO STUDY OF EXPOSURE TO LEAD AND
ARSENIC SINGLY ON FISH INTESTINAL AND LIVER MACROPHAGES
a) Biological material
b) Exposure to lead and arsenic singly
c) Separation of macrophages
d) Bioaccumulation, Morphological Alteration and DNA damage
i) Heavy metal bioaccumulation by Atomic Absorption Spectrophotometer
ii) Morphological alteration of macrophages
iii) Ultrastructural analysis of tissue by Scanning Electron Microscope
iv) DNA fragmentation assay
e) In vivo study of effect of lead acetate and sodium arsenite on oxidative stress and
antioxidant defenses in fish Channa punctatus
i) Respiratory Burst Activity
ii) Estimation of Lipid Peroxidation (LPO)
iii) Estimation of Protein Carbonylation (PC)
iv) Catalase (CAT) activity
v) Superoxide Dismutase (SOD) activity
vi) Glutathione S- Transferase (GST) Activity
vii) Glutathione Peroxidase (GPx) Activity
viii) Glutathione Reductase (GR) Activity
ix) Reduced Glutathione (GSH) Assay
f) In vivo study of effect of lead acetate and sodium arsenite on innate immune
responses in fish Channa punctatus
i) Phagocytosis assay
ii) Intracellular killing assay
iii) In vitro cell adhesion assay
iv) Chemotactic migration of macrophages
v) Nitric oxide (NO) release assay
vi) Myeloperoxide (MPO) release assay
vii) Cytokine assays
g) Statistical analysis

- 3.2. EXPERIMENTAL DESIGN 2: *IN VITRO* STUDY OF EXPOSURE TO LEAD AND ARSENIC SINGLY ON FISH INTESTINAL AND LIVER MACROPHAGES.
  - a) Biological material
  - b) Separation of macrophages
  - c) Exposure to lead and arsenic singly
- d) In vitro study of effect of lead acetate and sodium arsenite on oxidative stress and antioxidant defenses in fish Channa punctatus
  - i) Respiratory Burst Activity
  - ii) Estimation of Protein Carbonylation (PC)
  - iii)DNA fragmentation assay
  - iv)Catalase (CAT) activity
  - v) Superoxide Dismutase (SOD) activity
  - e) In vitro study of effect of lead acetate and sodium arsenite on innate immune responses in fish Channa punctatus
    - i) Phagocytosis assay
    - ii) Nitric oxide (NO) release assay
    - iii)Myeloperoxidase (MPO) release assay
    - iv)Cytokine assays
  - f) Statistical analysis
- 3.3. EXPERIMENTAL DESIGN 3: *IN VIVO* STUDY OF LEAD ACETATE AND SODIUM ARSENITE EXPOSURE SIMULTANEOUSLY ON INTESTINAL AND LIVER MACROPHAGES OF FISH *CHANNA PUNCTATUS* 
  - a) Biological material
  - b) Exposure to lead and arsenic simultaneously
  - c) Separation of macrophages
- d)Interactivity effects of lead acetate and sodium arsenite on bioaccumulation, morphological alteration and DNA damage
  - i) Heavy metal bioaccumulation by Atomic Absorption Spectrophotometer
  - ii) Morphological alteration of macrophages
  - iii) Ultrastructural analysis of tissue by Scanning Electron Microscope
  - iv) DNA fragmentation assay
- e) Interactivity effects of lead acetate and sodium arsenite on oxidative stress and antioxidant defenses in *Channa punctatus* 
  - i) Respiratory Burst Activity
  - ii) Estimation of Lipid Peroxidation (LPO)
  - iii) Estimation of Protein Carbonylation (PC)
  - iv) Catalase (CAT) Activity
  - v) Superoxide Dismutase (SOD) Activity
  - vi) Glutathione S- Transferase (GST) Activity
  - vii) Glutathione Peroxidase (GPx) Activity
  - viii) Glutathione Reductase (GR) Activity
    - ix) Reduced Glutathione (GSH) Assay

g)	Interactivity effects of lead acetate and sodium arsenite on innate immune
	functions in Channa punctatus

- i) Phagocytosis assay
- ii) Intracellular killing assay
- iii) Chemotactic migration of macrophages
- iv) In vitro cell adhesion assay
- v) Nitric oxide (NO) release assay
- vi) Myeloperoxidase (MPO) release assay
- vii) Cytokine assays

#### h) Determination of synergy by an isobologram approach between lead acetate and sodium arsenite on

- i) Innate immune functions- Nitric oxide (NO)
- ii) Antioxidant system- Catalase (CAT)
- 3.4. STATISTICAL ANALYSIS AND ISOBOLOGRAM STUDY ON THE INTERACTIVITY EFFECTS BETWEEN LEAD AND ARSENIC EXPOSURE (*IN VIVO*) IN MACROPHAGES FROM FISH *CHANNA PUNCTATUS*

4	RESULTS		44-124

CHAPTER 1: *IN VIVO* EFFECTS OF LEAD ACETATE AND SODIUM ARSENITE EXPOSURE SINGLY ON OXIDATIVE STRESS, ANTIOXIDANT DEFENSES AND IMMUNE FUNCTIONS IN MACROPHAGES FROM FISH *CHANNA PUNCTATUS* 

## 4.1. Effects of lead acetate and sodium arsenite on bioaccumulation, morphological alteration and DNA damage $\,$

- i) Heavy metal analysis in different organs of untreated and treated fish (ppb/g tissue)
- ii) Effect of lead and arsenic on morphological alteration of macrophages
- iii)Ultrastructural analysis of tissue by Scanning Electron Microscope
- iv)Percentage of DNA fragmentation in lead and arsenic treated fish

### 4.2. *In vivo* study of effect of lead acetate and sodium arsenite on oxidative stress and antioxidant defenses in fish *Channa punctatus*

- i) Effect of lead and arsenic on respiratory burst activity of fish macrophages
- ii) Effect of lead and arsenic on lipid peroxidation of fish macrophages
- iii) Effect of lead and arsenic on protein carbonylation of fish macrophages
- iv) Effect of lead and arsenic on catalase (CAT) activity of fish macrophages
- v) Effect of lead and arsenic on superoxide dismutase (SOD) activity of fish macrophages
- vi) Effect of lead and arsenic on glutathione S- transferase (GST) activity of fish macrophages
- vii) Effect of lead and arsenic on glutathione peroxidase (GPx) activity of fish macrophages

- viii) Effect of lead and arsenic on glutathione reductase (GR) activity of fish macphages
- ix) Effect of lead and arsenic on reduced glutathione (GSH) activity of fish macrophages

#### 4.3. *In vivo* study of effect of lead acetate and sodium arsenite on innate immune responses in fish *Channa punctatus*

- i) Effect of lead and arsenic on phagocytic activity of fish macrophages
- ii) Effect of lead and arsenic on intracellular killing activity of fish macrophages
- iii) Effect of lead and arsenic on chemotactic migration of fish macrophages
- iv) Effect of lead and arsenic on the in vitro cell adhesion property of fish macrophages
- v) Effect of lead and arsenic on nitric oxide (NO) release of fish macrophages
- vi) Effect of lead and arsenic on myeloperoxidase (MPO) release of fish macrophages
- vii) Effect of lead and arsenic on TNF-α release of fish macrophages
- viii) Effect of lead and arsenic on IL-1b release of fish macrophages

CHAPTER 2: *IN VITRO* STUDY OF EFFECT OF LEAD ACETATE AND SODIUM ARSENITE ON OXIDATIVE STRESS, ANTIOXIDANT DEFENSES AND IMMUNE FUNCTIONS IN MACROPHAGES FROM FISH *CHANNA PUNCTATUS* 

#### 4.4. *In vitro* study of effect of lead acetate and sodium arsenite on oxidative stress and antioxidant defenses in macrophages from fish *Channa punctatus*

- i) Effect of lead and arsenic on respiratory burst activity of fish macrophages
- ii) Effect of lead and arsenic on protein carbonylation of fish macrophages
- iii) Percentage of DNA fragmentation in lead and arsenic treated fish macrophages
- iv) Effect of lead and arsenic on catalase (CAT) activity of fish macrophages
- v) Effect of lead and arsenic on superoxide dismutase (SOD) activity of fish macrophages
- vi) Effect of lead and arsenic on reduced glutathione (GSH) activity of fish macrophages

### 4.5. *In vitro* study of effect of lead acetate and sodium arsenite on innate immune responses in macrophages from fish *Channa punctatus*

- i) Effect of lead and arsenic on phagocytic activity of fish macrophages
- ii) Effect of lead and arsenic on nitric oxide (NO) release of fish macrophages
- iii) Effect of lead and arsenic on myeloperoxidase (MPO) release of fish macrophages
- iv) Effect of lead and arsenic on TNF-αrelease of fish macrophages
- v) Effect of lead and arsenic on IL- 1b release of fish macrophages

Chapter 3: *IN VIVO* STUDY OF LEAD ACETATE AND SODIUM ARSENITE EXPOSURE SIMULTANEOUSLY ON INTESTINAL AND LIVER MACROPHAGES OF FISH *CHANNA PUNCTATUS* 

# 4.6. Interactive effects from combined exposure of lead acetate and sodium arsenite on bioaccumulation, morphological alteration and DNA damage in macrophages from *Channa punctatus*

- i) Heavy metal analysis in different organs of untreated and treated fish (ppb/g tissue)
- ii) Effect of multi-metal exposure on morphological alteration of macrophages
- iii)Ultrastructural analysis of tissue by Scanning Electron Microscope
- iv) Percentage of DNA fragmentation in multi-metal treated fish

#### 4.7. Interactive effect of lead acetate and sodium arsenite on oxidative stress and antioxidant defenses in macrophages from fish *Channa punctatus*

- i) Effect of multi-metal exposure on respiratory burst activity of fish macrophages
- ii) Effect of multi-metal exposure on lipid peroxidation of fish macrophages
- iii) Effect of multi-metal exposure on protein carbonylation of fish macrophages
- iv) Effect of multi-metal exposure on catalase (CAT) activity of fish macrophages
- v) Effect of multi-metal exposure on superoxide dismutase (SOD) activity of fish macrophages
- vi) Effect of multi-metal exposure on glutathione S- transferase (GST) activity of fish macrophages
- vii) Effect of multi-metal exposure on glutathione peroxidase (GPx) activity of fish macrophages
- viii) Effect of multi-metal exposure on glutathione reductase (GR) activity of fish macrophages
- ix) Effect of multi-metal exposure on reduced glutathione (GSH) activity of fish macrophages

#### 4.8. Interactive effect of lead acetate and sodium arsenite on innate immune responses in macrophages from fish *Channa punctatus*

- i) Effect of multi-metal exposure on phagocytic activity of fish macrophages
- ii) Effect of multi-metal exposure on intracellular killing activity of fish macrophages
- iii) Effect of multi-metal exposure on chemotactic migration of fish macrophages
- iv) Effect of multi-metal exposure on the *in vitro* cell adhesion property of fish macrophages
- v) Effect of multi-metal exposure on nitric oxide (NO) release of fish macrophages
- vi) Effect of multi-metal exposure on myeloperoxidase (MPO) release of fish macrophages
- vii) Effect of multi-metal exposure on TNF-αrelease of fish macrophages
- viii)Effect of multi-metal exposure on IL- 1b release of fish macrophages

Chapter 4: ISOBOLOGRAM STUDY ON THE INTERACTIVITY EFFECTS BETWEEN LEAD AND ARSENIC EXPOSURE (*IN VIVO*) IN MACROPHAGES FROM FISH CHANNA PUNCTATUS

### 4.9. Determination of synergy by an isobologram approach between lead acetate and sodium arsenite on

- i) Innate immune function- Nitric oxide (NO)
- ii) Antioxidant status- Catalase (CAT)

5. <b>DISCUSSION</b>
5.1. Oxidative stress, altered antioxidant and immune defense system upon <i>in vivo</i> exposure to lead acetate and sodium arsenite in macrophages of <i>Channa punctatus</i>
5.2. Oxidative stress, altered antioxidant and immune defense system upon <i>in vitro</i> exposure to lead acetate and sodium arsenite in macrophages of <i>Channa punctatus</i>
5.3. Oxidative stress, altered antioxidant and immune defense system upon simultaneous exposure to lead acetate and sodium arsenite <i>in vivo</i> in macrophages of <i>Channa punctatus</i> 5.4. Synergistic effects on CAT and NO release upon simultaneous exposure to lead acetate and sodium arsenite <i>in vivo</i> in macrophages of <i>Channa punctatus</i>
6. <b>SUMMARY</b>
7. <b>CONCLUSION</b>
8. <b>REFERENCES</b>
9 APPENDIX