

Bibliography

1. T. Jea, V. K. Chavan, V. Govindaraju and J. K. Schneider, “Security and matching of partial fingerprint recognition systems”, In Proceeding of SPIE, 5404: 39–50, 2004.
2. S. Pankanti, S. Prabhakar and A. Jain. “On the individuality of fingerprints”, IEEE Transactions on Pattern Analysis and Machine Intelligence, 24(8): 1010–1025, 2002.
3. C. Gibbs Richard, “Fundamentals of Dermatoglyphies Arch Derm”, 96: 721-725, 1967.
4. B.V. Subramanyam Modi, “Medical Jurisprudence and Toxicology”, 22 Edition, 1999.
5. W.Cashin, Division of Criminal Justice Service. <http://criminaljustice.ny.gov/ojis/history/wcashin.html>
6. K.R. Moses,P. Higgins,M. McCabe,S. Prabhakar,S. Swann, “Automated fingerprint identification system (AFIS)”. Scientific Working Group on Friction Ridge Analysis Study and Technology and National institute of Justice (eds.) SWGFAST-The fingerprint sourcebook. 2011:1-33.
7. R.M. Stock, “An historical overview of automated fingerprint identification systems”, proceedings of the international forensic symposium on latent prints, 51-60, 1987. <https://www.ncjrs.gov/App/publications/Abstract.aspx?id=113513>
8. L.O‘Gorman and J.V. Nickerson, “An approach to fingerprint filter design”, Pattern Recognition, 22(1):29-38. 1989.
9. B.M. Mehtre, “Fingerprint image analysis for automatic identification”, Machine Vision and Applications, 6:124-139, 1993.
10. B.G.Sherlock, D.M. Monro, and K.Millard, “Fingerprint enhancement by directional Fourier filtering”, IEE Proc. Vis Image Signal Processing, 141(2): 87-94,1994.

11. L.Hong, A.K. Jain, S. Pankanti, and R. Bolle, “Fingerprint enhancement”, IEEE, 5: 202-207, 1996.
12. D. Gabor, “Theory of communication”, Journal of IEE, 92: 429-457, 1946.
13. L.Hong, Y. Wan and A. K. Jain, “Fingerprint image enhancement: algorithm and performance evaluation”, IEEE Transactions on Pattern Analysis and Machine Intelligence, 20(8): 777-789, 1998.
14. J. Yang, L. Liu, T. Jiang and Y. Fan, “A modified Gabor filter design method for fingerprint image enhancement”, Pattern Recognition letter, 24: 1805-1817, 2003.
15. Q. Xiao and H. Raafat, “Fingerprint image post-processing: A combined statistical and structural approach”, Pattern Recognition, 24(10):985-992,1991.
16. D.C. Hung, “Enhancement and feature purification of fingerprint images”, Pattern Recognition, 26(11):1661-1671, 1993.
17. Z. Chen and C.H. Kuo, “A topology-based matching algorithm for fingerprint authentication”, Proceedings 25th Annual 1991 IEEE International Carnahan Conference, 84-87, 1991.
18. B. Moayer and K.S. Fu, “A tree system approach for fingerprint recognition”, IEEE Trans. Pattern Anal. Mach. Intell, 8(3):376-387, 1986.
19. J.D. Stosz and L.A. Alyea, “Automated system for fingerprint authentication using pores and ridge structure”, Proc. SPIE 2277: 210-223,1995.
20. T.C. Malleswara, “Feature extraction for fingerprint classification”, Pattern Recognition, 8(3): 181-192, 1976.
21. A.P. Fitz and R.J. Green, “Fingerprint classification using a hexagonal fast Fourier transform”, Pattern Recognition, 29(10): 1587-1597, 1996.
22. K. Ratha, S. Chen and A.K. Jain, “Adaptive flow orientation-based feature extraction in fingerprint images”, Pattern Recognition, 28 (11): 1657–1672, 1995.
23. K. Teddy “Fingerprint Enhancement by spectral analysis technique” IEEE, Applied Imagery Pattern Recognition workshop, 2002.
24. A.K. Jain and J. Feng, “Latent fingerprint matching”, IEEE Transaction on Pattern Analysis and machine intelligence,33(1):88-100,2011.

25. A.K. Jain, L.Hong, S.Pankanti and R.Bolle, “An identity authentication system using fingerprints”, Proc. IEEE, 85(9): 1365-1388, 1997.
26. A.K. Jain, L. Hong, R. Bolle, “On-line fingerprint verification”, IEEE Trans. Pattern Anal. Machine Intell. 19 (4): 302–313, 1997.
27. Y. Chen and A. K. Jain, “Dots and incipients: Extended features for partial fingerprint matching,” Presented at Biometric Symposium, BCC, Baltimore, September, 2007.
28. K. Nandakumar, A. K. Jain, and A. Ross, “Fusion in Multibiometric Identification Systems: What about the Missing Data?” in Proc. 2nd International Conference on Biometrics (ICB),743–752, June 2009
29. D. Maio and D. Maltoni, “Direct gray-scale minutiae detection in fingerprints”, IEEE Trans. Pattern Anal. And Machine Intell., 19(1): 27-40,1997.
30. Q.Zhao, L. Zhang, Z. David and N. Luo, “Direct Pore Matching for Fingerprint Recognition”, Springer, ICB 2009, LNCS 5558: 597-606, 2009.
31. D. Arpit and V. Namboodiri, “Fingerprint Feature Extraction from Gray Scale Images by Ridge Tracing”, IEEE, International Joint Conference on Biometrics (IJCB), 1- 8, 2011.
32. J.R. Parker, “Grey Level thresholding in badly illuminated images”, IEEE Trans. Pattern Anal. Mach. Intell. , 13(8): 813-837, 1991.
33. D. Rutovitz, “Pattern recognition”. J. Roy. Stat. Soc., 129: 504–530, 1966.
34. L.C. Jain, U. Halici, I. Hayashi, S.B. Lee and S. Tsutsui, “Intelligent biometric techniques in fingerprint and face recognition”, the CRC Press, 1999.
35. F. Zhao and X. Tang, “Preprocessing and Postprocessing for skeleton-based fingerprint minutiae extraction”, Pattern Recognition, 40: 1270-1281, 2007.
36. Zhao and A.K. Jain, “On the utility of extended feature: A study on poses”, CVPR, Workshop on Biometrics, 2010
37. F. Galton, “Finger Prints”, London Macmillan and Co. and New York, 1892.

38. Q. Zhao, D. Zhang, L. Zhang and N. Luo, “High resolution partial fingerprint alignment using pore–valley descriptors”, *Pattern Recognition*, 43:1050-1061, 2010.
39. Q. Zhao, J. Feng and A.K. Jain, “Latent Fingerprint Matching: Utility of Level 3 Features”, MSU Technical Report, MSU-CSE-10-14, August 2010 (Submitted to IEEE TIFS).
40. S. Yoon, J. Feng and A.K. Jain, “Altered Fingerprints: Analysis and Detection”, To appear in the IEEE transactions on pattern analysis and machine intelligence, 2011.
41. J. Feng, A.K. Jain and A. Ross, “Detecting Altered Fingerprints”, 2010 International Conference on Pattern Recognition, IEEE Computer Society, 2010.
42. “The Fingerprint (Source book)”, US Department of Justice, National Institute of Justice. www.nij.gov .
43. Q. Zhao and A. K. Jain, “On the utility of extended fingerprint features: A study on pores,” Proc. of IEEE Workshop on Biometrics, CVPR, June 2010.
44. Y. Chen, “Extended Feature Set and Touchless Imaging for Fingerprint Matching”, PhD Thesis, Michigan State University, 2009.
45. Q.Zhao, “High Resolution fingerprint additional features Analysis”, PhD Thesis, The Hong Kong Polytechnic University, 2009.
46. L. Hong, “Automated Personal Identification Using Fingerprints”, PhD Thesis, Michigan State University, 1998.
47. M. Tico and P. Kuosmanen, “An algorithm for fingerprint image post-processing”, In Proceedings of the Thirty-Fourth Asilomar Conference on Signals, Systems and Computers, 2:1735–1739, 2000.
48. N. Otsu. A threshold selection method from gray level histograms. *IEEE Transactions on Systems, Man and Cybernetics*, 9:62–66, 1979.
49. C. Wu, “Advanced Feature Extraction Algorithms for Automatic Fingerprint Recognition System”, PhD Thesis, University of New York, 2007.

50. T.Y. Jea, “Minutiae-Based Partial Fingerprint Recognition”, PhD Thesis, University of New York, 2005.
51. R. Thai, “Fingerprint Image Enhancement and Minutiae Extraction”, Software Engineering Honours program Thesis, The University of Western Australia, 2005.
52. S.S. Chikkerur, “Online Fingerprint Verification System”, MSc Thesis, State University of New York, 2005.
53. V. Beal, “Fingerprint Template”,www.webopedia.co/term/F/fingerprint_template.html
54. S. A. Mahmood, “Fingerprint identification based on Skeleton Minutiae extraction”, ICGST AIML-11Conference, Dubai, UAE, April 12-14, 2011.
55. B. David, “Fingerprints: Orientation Free Minutiae Extraction and Using Distances between Minutiae for Identification and Verification”, dissertation submitted to the Faculty of Engineering and the Built Environment, University of the Witwatersrand, Johannesburg, 2010.
56. A. Chandrasekaran and B. Thuraisingham, “Fingerprint Matching Algorithm Based on Tree Comparison using Ratios of Relational Distances”, In second International Conference on Availability, Reliability and Security, Vienna, 273-280, 2007.
57. A. Jain, A. Ross, S. Prabhakar, “Fingerprint matching using minutiae and texture features”, Proc. of Int'l Conference on Image Processing (ICIP), 282-285, 2001.
58. B. I. Gabriel, C. A. Oluwole, and J. D. Olumuyiwa, “Minutiae Inter-Distance Measure for Fingerprint Matching”, Int'l Conference on Advanced Computational Technologies and Creative Media (ICACTCM’2014), IEEE, Pattaya (Thailand), 1-7, 2014.
59. B. Subhas, C. Samiran, S. Debasis, B. Sujoy and S. Goutam, “An Efficient Fingerprint Matching Approach Based on Minutiae to Minutiae Distance Using Indexing With Effectively Lower Time Complexity”, International Conference on Information Technology, IEEE, 179-183, 2014.

60. J. Feng, Z. Ouyang and A. Cai, “Fingerprint matching using ridges, Pattern Recognition”, 39 :2131-2140, 2006.
61. K. Andrej, K. Alexej, K. Justas, “Fingerprint Minutiae Matching without Global Alignment Using Local Structures”, Informatica, vol 19, no. 1, 31-44, 2008.
62. K. Ito, H. Nakajima, K. Kobayashi, T. Aoki and T. Higuchi, “A Fingerprint Matching Technique Based on Phase-Only Correlation”, IEEJ Transactions on Sensors and Micromachines, vol 126, no. 2, 38-46, 2006.
63. L. Ning, Y. Yilong and Z. Hongwei, “A Fingerprint Matching Algorithm Based on Delaunay Triangulation Net”, Fifth International Conference on Computer and Information Technology (CIT'05), Shanghai, 591-595, 2005.
64. M. B. Asker and H. G. Sahib, “Elastic minutiae matching by means of Thin-Plate Spline Models”, International Conference on Pattern Recognition, 2002.
65. N. Karthik, “Fingerprint Matching Based On Minutiae Phase Spectrum”, 5th IAPR International Conference on Biometrics, 216-221, 2012.
66. T. Xifeng, H. Jianhua, T. Xianglong, S. Daming, “Fingerprint minutiae matching using the adjacent feature vector”, Pattern Recognition Letters, 26 :1337-1345, 2005.
67. T. Xuejun and B. Bir, “Fingerprint matching by genetic algorithms”, Pattern Recognition, 39 :465-477, 2006.
68. V. S. Srinivasan, “Identification of Core and Delta Points in Fingerprint Images”, IAPR Workshop on Machine Vision Applications, 263-266, 1990.
69. W. Sheng, G. Howells, M. Fairhurst and F. Deravi, “A Memetic Fingerprint Matching Algorithm”, IEEE Transactions on Information Forensics and Security, vol 2 no. 3, 402-412, 2007.
70. Z. Shi and V. Govindaraju, “Robust fingerprint matching using spiral partitioning scheme, Chapter in Advances in Biometrics”, Springer Berlin Heidelberg, 647-655, 2009.
71. Z. Wu, “Fingerprint Classification Through Self Organization Maps Modified to Treat Uncertainties”, Report for the IS Project, 2002.

72. L. Guoqiang, Y. Bian, B. Christoph, “A Fingerprint Indexing Scheme with Robustness against Sample Translation and Rotation”. [Biometrics Special Interest Group \(BIOSIG\), International Conference](#),pp. IEEE Explorer,2015.
73. L.Tong, Z.Chao, and H.Pengwei, “Fingerprint Indexing Based on LAS Registration”, ICIP, IEEE Explorer, 2006.
74. F.Jianjiang, C.Anni, “Fingerprint Indexing Using Ridge Invariants”, The 18th International Conference on Pattern Recognition (ICPR'06), IEEE Computer Society, 2006.
75. L. Tong, Z.Guocai, Z.Chao, H.Pengwei, “Fingerprint Indexing Based on Singular Point Correlation”, IEEE Explorer, 293-296, 2005.
76. V. Akhil, N. Anoop, “Fingerprint Indexing Based on Local Arrangements of Minutiae Neighborhood”, IEEE Explore, 71-76, 2012.
77. R. Singh, M. Vatsa, A. Noore, “Fingerprint Indexing using Minutiae and Pore Features”, Proceedings of the 2009 International Conference on Image Processing, Computer Vision, & Pattern Recognition, IPCV 2009, July 13-16, Las Vegas.
78. L. Xuefeng, A. Tetsuo, B. Arijit, “Distorted Fingerprint Indexing Using Minutia Detail and Delaunay Triangle”, IEEE Transactions On Information Forensics And Security, Vol. 2, No. 4, 721-733,December 2007
79. M. Uysal, S. Gorgunoglu, “Ridge Pattern Representation for Fingerprint Indexing”, Elektronika Ir Elektrotehnika, 65-68, Vol.20,No.7, 2014.
80. D.B. Johan, M.B. Asker, H.G. Sabih, “Indexing Fingerprint Databases Based on Multiple Features”. Proc ProRISC 2001 Workshop on Circuits, Systems and Signal Processing, November 2001.
81. I. Ogechukwu, G. Aglika, R. Arun, “Indexing Fingerprints using Minutiae Quadruplets”, Appeared in Proc. of IEEE Computer Society Workshop on Biometrics at the CVPR Conference, (Colorado Springs, USA), June 2011.
82. Lalhmingliana, D.K. Bhattacharyya, K.R. Singh, “Fingerprint Indexing And Verification”, International Journal of Computer Science Engineering and Information Technology Research, Vol. 3, Issue 2, 167-176, Jun 2013.

83. A. Alessandra, E.L. Paulino, C. Kai, A.K. Jain, “Latent Fingerprint Indexing: Fusion of Level 1 and Level 2 Features”, Appear in Biometrics: Theory, Applications and Systems (BTAS), 2013.
84. B. Bhanu and X. J. Tan, “Fingerprint indexing based on novel features of minutiae triplets,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 25, no. 5, 616–622, May 2003.
85. D. Maltoni, D. Maio, A. K. Jain, and S. Prabhakar, “Handbook of Fingerprint Recognition”, Springer, New York, NY, 2003.
86. Wuzhili, “Fingerprint Recognition”, Student project, HongKong Baptist University, April 2002.
87. R.C. Gonzales and R.E. Wood, “Digital Image processing”, Tata McGraw Hill, 2002
88. S. Chikkerur, A.N. Cartright, V.Govindaraju, “Fingerprint enhancement using STFT analysis”, Pattern recognition, no(40), 198-211, 2007.
89. S. Neethu, S. Sreelakshmi, D. Sankar, “Enhancement of fingerprint using FFT x $|FFT|^n$ Filter”, Proceedings of the international conference on information and communication technologies, Kochi, India, 2014.
90. S. Tulyakov, F. Farooq, P. Mansukhani and V. Govindaraju, “Symmetric hash functions for secure fingerprint biometric systems”, Pattern Recognition Letters, 28, no. 16, 2427-2436, 2007.