

REFERENCES

- Aho, Alfred V. John E. Hopcroft, and Jeffrey D. Ullman, (1974), The Design and Analysis of Computer Algorithms, Addison Wesley, Reading, MA
- Antony, P. J., M. Anand Kumar, and K. P. Soma, (2010)."Paradigm based Morphological Analyzer for Kannada Language Using Machine Learning Approach." *Advances in Computational Sciences & Technology* 3.4
- Bhat, D. N. S., Ningomba, M. S., (1997), Manipuri Grammar. Munchen, New Castle, Lincom Europa.
- Beesley, Kenneth R.(2001) "Finite-state morphological analysis and generation of Arabic at Xerox Research: Status and plans in 2001." *ACL Workshop on Arabic Language Processing: Status and Perspective*. Vol. 1.
- Chomsky, N. and Halle, M. (1968). *The Sound Pattern of English*. Harper and Row, New York.
- Dalrymple, Mary, Maria Liakata, and Lisa Mackie, (2005) "A two-level morphology of Malagasy." *Proceedings of PACLIC 19, the 19th Asia-Pacific Conference on Language, Information, and Computation*.
- Jurafsky, D., & Martin, J. H. (2000). *Speech & Language Processing*. Pearson Education India.
- Dhanalakshmi, V., Anand Kumar, M., Rekha, R. U., Arun Kumar, C., Soman, K. P., & Rajendran, S. (2009, October). Morphological Analyzer for Agglutinative Languages Using Machine Learning Approaches. In *Advances in Recent Technologies in Communication and Computing, 2009. ARTCom'09. International Conference on* (pp. 433-435). IEEE.
- Dhonnchadha, Elaine Úí, (2002) "A Two-level Morphological Analyser and Generator for Irish using Finite-State Transducers." *LREC*.
- Evan L. Antworth, (1990), PC-KIMMO: A two-level processor for Morphological Analysis. Summer Institute of Linguistics, Dallas, Texas
- Gross, Maurice, (1989) The use of finite automata in the lexical representation of natural language. *Lecture Notes in Computer Science*, 377.

Harald Trost, (1991), X2MORF: A Morphological Component Based on Augmented Two-Level Morphology, In Proceedings of the 12th International Joint Conference on Artificial Intelligence (IJCAI-91).

Harald Trost. (2003), Morphology. In: The Oxford Handbook of Computational linguistics, p. 25–47. Oxford University Press.

Islam, M. (2006), JKIMMO: A Multilingual computational mophology frame work for PC-KIMMO.

Jayan, Jisha P., R. R. Rajeev, and Dr S. Rajendran, (2011), "Morphological Analyser and Morphological Generator for Malayalam-Tamil Machine Translation." International Journal of Compter Applications 13.8.

Johnson, C. D., (1972), Formal Aspects of Phonological Description. Mouton, The Hague.

John Goldsmith, (2001), Unsupervised Learning of the Morphology of a Natural Language, University of Chicago.

JOHN GOLDSMITH, (2005), An algorithm for the unsupervised learning of morphology, Natural Language Engineering 1 (1): 000{000. Printed in the United Kingdom © 1998 Cambridge University Press

Karttunen, Lauri, Ronald M. Kaplan, and Annie Zaenen, (1992), Two-level morphology with composition. In Proceedings of the Fifteenth International Conference on Computational Linguistics (COLING-92), Nantes, France. COLING.

Karttunen, Lauri, (2003), "Finite-state technology." The Oxford Handbook of Computational Linguistics. Oxford University Press: Oxford: 339-357.

Karttunen, L., 1983, KIMMO: a General Morphological Processor. Texas Linguistics Forum, 22:217-228.

Karttunen, Lauri, (1994), "Constructing lexical transducers." In Proceedings of the 15th conference on Computational linguistics-Volume 1, pp. 406-411. Association for Computational Linguistics.

KARTTUNEN, L. CHANOD, J.P. GREFENSTETTE, G. SCHILLER, A. 1997, Regular Expressions for Language Engineering, Natural Language Engineering, Cambridge University Press

Kaplan, Ronald M. and Kay, Martin. Regular Models of Phonological Rule Systems, Computational Linguistics, 20: 331-378.

Karttunen, Lauri., (2001), "Applications of finite-state transducers in natural language processing." Implementation and application of automata. Springer Berlin Heidelberg, 34-46.

Karttunen, Lauri, and Kenneth R. Beesley, (1992), Two-level rule compiler. Xerox Corporation. Palo Alto Research Center

Kenneth R. Beesley, (2001) "Finite-state morphological analysis and generation of Arabic at Xerox Research: Status and plans in 2001." ACL Workshop on Arabic Language Processing: Status and Perspective. Vol. 1.

Kenneth R. Beesley, (1996), Arabic Finite State Morphological Analysis and Generation, In COLING-96, Cophenagen, pp. 89-94.

Kenneth R. Beesley and Lauri Karttunen, (2000), Finite-State Non-Concatenative Morphotactics, SIGPHON-2000, Proceedings of the Fifth Workshop of the ACL Special Interest Group in Computational Phonology, p. 1-12, August 6, 2000, Luxembourg.

Kenneth R. Beesley. Arabic morphology using only finite-state operations. In Michael Rosner, editor, Computational Approaches to Semitic Languages: Proceedings of the Workshop, pages 50–57, Montréal, Québec, August 16 1998. Université de Montréal.

Kenneth R Beesley, L Karttunen, (2003), Finite State Morphology, CSLI Publications, Stanford, CA.

Koskenniemi, Kimmo., (1983), "Two-Level Model for Morphological Analysis." IJCAI. Vol. 83. 1983.

Koskenniemi, K. (1983). Two-level morphology: A general computational model for word-form recognition and production. Publication 11, University of Helsinki, Department of General Linguistics, Helsinki.

Koskenniemi, K. (1984). A general computational model for word-form recognition and production. In COLING'84, pages 178–181.

Karttunen, Lauri. (2003), Finite-State Technology. In: The Oxford Handbook of Computational linguistics, p. 339–357. Oxford University Press

Kumar, Deepak, Manjeet Singh, and Seema Shukla, (2012), "FST Based Morphological Analyzer for Hindi Language." International Journal of Computer Science Issues (IJCSI) 9.4.

Leihorambam Sarbjit Singh, Kabita Thaorijam, Pradip Kumar Das, (2007), WRITTEN MANIPURI (MEITEIRON) -PHONEME TO GRAPHEME CORRESPONDENCE, "LANGUAGE IN INDIA Strength for Today and Bright Hope for Tomorrow" Volume 7 : 6 June.

Hulden, M. (2009, April). Foma: a finite-state compiler and library. InProceedings of the 12th Conference of the European Chapter of the Association for Computational Linguistics: Demonstrations Session (pp. 29-32). Association for Computational Linguistics.

Mathias Creutz, Krista Lagus, (July 2002), Unsupervised Discovery of Morphemes, Proceedings of the 6th Workshop of the ACL Special Interest Group in Computational Phonology (SIGPHON), Philadelphia, pp. 21-30. Association for Computational Linguistics.

Mark Aronoff, Kirsten Fudeman, (2005), What is Morphology, Oxford: Blackwell Publishing

Mohri, Mehryar, Fernando C. N. Pereira, and Michael Riley. (1996). Weighted automata in text and speech processing. In ECAI-96 Workshop, Budapest, Hungary. ECAI.

Mohri, Mehryar (1997). Finite State Transducers in Language and Speech Processing. In:*Computational Linguistics*, 23, 2, 1997, S. 269-311.

Oflazer, Kemal, (1994), "Two-level description of Turkish morphology." Literary and linguistic computing 9.2): 137-148.

Pretorius, Laurette, and Sonja E. Bosch. 18.3 (2003): 195-216, "Finite-state computational morphology: An analyzer prototype for Zulu." Machine Translation.

Purna C. Thoudam, "Nouns in Meiteiron", Linguistics of the Tibeto-Burman area, Volume 6.2, Spring, 1982.

Ramasamy Veerappan, Antony P J, S Saravanan and Dr. Soman K P. (August 2011), Article: A Rule based Kannada Morphological Analyzer and Generator using Finite State Transducer. International Journal of Computer Applications 27(10):45-52, Published by Foundation of Computer Science, New York, USA

Ritchie, G. D., G. J. Russell, A. W. Black, S. G. Pulman, (1991), Computational Morphology. Practical Mechanisms for the English Lexicon. The MIT Press, Cambridge, MA.

Roche, E., and Schabes, Y., (1996), Introduction to Finite-State Devices in Natural Language Processing. Technical report, Mitsubishi Electric Research Laboratories, TR-96-13.

Schmid, Hulden., Fitschen, A., & Heid, U. (2004). SMOR: A German Computational Morphology Covering Derivation, Composition and Inflection. In *LREC*.

Silberztein, Max. (1993), Dictionnaires electroniques et analyse automatique de textes:le syst~me IN

Sirajul Islam Choudhury, Leihoramambam Sarbajit Singh, Samir Borgohain, P. K. Das, (2004), Morphological analyzer for Manipuri: Design and Implementation, AACCI, pages 123-129, Kathmandu.

Tikaram Poudel, (2008), Ergative/Nominative Alternations in Manipuri Intransitive Constructions, Workshop on Transitivity and Case Alternations University of Stuttgart, Stuttgart, Germany January 14-15.

Singh, T. D., & Bandyopadhyay, S. (2008, January). Morphology Driven Manipuri POS Tagger. In *IJCNLP* (pp. 91-98).

Yona, S. & Wintner, S. (2005), A Finite State morphological grammar for Hebrew. Proceedings of the ACL Workshop on Computational Approaches to Semitic Languages, pp. 9-16