

Chapter 8

8 REFERENCES

A. Ekbal and S. Bandyopadhyay 2008, "Named Entity Recognition using Support Vector Machine: A Language Independent Approach," International Journal of Computer, Systems Sciences and Engg (IJCSSE).

A. Ekbal, R. Hague, and S. Bandyopadhyay, "Named Entity Recognition in Bengali: A Conditional Random Field," in Proceedings of ICON, India, pp. 123–128.

A. Goyal , "Named Entity Recognition for South Asian Languages Jan 2008," in Proceedings of the IJCNLP-08 Workshop on NER for South and South-East Asian Languages, Hyderabad, India.

Abney, S. (1991). Parsing by chunks. In: Berwick, R., Abney, S. and Tenny, C., principle-Based Parsing", Kluwer Academic Publishers

Abney, S. (1995). Chunks and Dependencies: Bringing Processing Evidence to Bear on Syntax. In: Computational linguistics and the Foundations of Linguistic Theory. CSLI.

Ali, W. and Hussain, S. (2010). A hybrid approach to Urdu verb phrase chunking. In: Proceedings of the 8th Workshop on Asian Language Resources (ALR-8), COLING-2010. Beijing, China.

Anastasia Rita Widiarti, and Phalita Nari Wastu 2009, "Javanese Character Recognition Using Hidden Markov Model"World Academy of Science, Engineering and Technology 33.

Animesh Nayan,, B. Ravi Kiran Rao, Pawandeep Singh,Sudip Sanyal and Ratna Sanya “Named Entity Recognition for Indian Languages” .In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian Languages ,Hyderabad (India) pp.97–104, 2008.

Anup Patel, Ganesh Ramakrishnan, Pushpak Bhattacharya, ” Relational Learning Assisted Construction of Rule Base for Indian Language NER” ICON 2009 conference.

Arindam Dey, Abhijit Paul, Dr.Bipul Syam Purkayastha,” Named Entity Recognition for Nepali language: A Semi Hybrid Approach”(IJEIT) Working paper February 2014.

Arindam Dey, Dr.Bipul Syam Purkayastha, “Named Entity Recognition using Gazetteer Method and N-gram Technique for an Inflectional Language: A Hybrid Approach” (IJCA) International Journal of Computer Applications, Vol. 84, 2013

Asif Ekbal, Rajewanul Hague, Amitava Das, Venkateswarlu Poka and Sivaji Bandyopadhyay 2008 “Language Independent Named Entity Recognition in Indian Languages” Proceedings of the IJNLP-08 Workshop on NER for South and South East Asian Languages, Hyderabad, India.

Bal Krishna Bal, Prajol Shrestha, “A Morphological Analyser and a Stemmer for Nepali”, Working Paper 2004-2007.

Bowen Sun “Named entity recognition Evaluation of Existing Systems” Norwegian University of Science and Technology Department of Computer and Information Science, Thesis.

Brants, T. (1999). Cascaded Markov models, In: Proceedings of the ninth conference on European chapter of the Association for Computational Linguistics. EACL-99. Bergen, Norway.

David Nadeau, Peter D. Turney and Stan Matwin March 11 , 2011, “Unsupervised Named-Entity Recognition: Generating Gazetteers and Resolving Ambiguity” National Research Council Canada.

David Nadeau, Satoshi Sekine , “A survey of named entity recognition and classification” National Research Council Canada/New York University.

Deepti Chopra, Sudha Morwal Dec 12, 2012, “Named Entity Recognition in Punjabi Using Hidden Markov Model”, “International Journal of Computer Science and Engineering Technology (IJCSET)”.

Ijaz, M., Hussain, S., Corpus Based Lexicon Development, in the Proceedings of Conference on Language Technology. 2007.

Kashif Riaz,” Rule-based Named Entity Recognition in Urdu” Proceedings of the 2010 Named Entities Workshop, ACL 2010.

Kutlu, M. (2010). Noun phrase chunker for Turkish using dependency parser. Doctoral dissertation, Bilkent University.

Lewis, P., Simons, F. and Fennig D. (2013). Ethnologue: Languages of the World, Seventeenth edition. Dallas, Texas: SIL International.

M. Hasanuzzaman, A. Ekbal, and S. Bandyopadhyay, May 2009, "Maximum Entropy Approach for Named Entity Recognition in Bengali and Hindi," *International Journal of Recent Trends in Engineering*, vol. 1.

M. N. Karthik, Moshe Davis "Search Using N-gram Technique Based Statistical Analysis for Knowledge Extraction in Case Based Reasoning Systems" .

Molina, A. and Pla, F. (2002). Shallow parsing using specialized HMMs. *The Journal of Machine Learning Research*, 2, pp. 595-613.

P. K. Gupta and S. Arora, "An Approach for Named Entity Recognition System for Hindi: An Experimental Study," in *Proceedings of ASCNT-2009*, CDAC, Noida, India, pp. 103–108.

P. Srikanth, K. Murthy, Named Entity Recognition for Telugu, Workshop on NER for South and South East Asian Languages, IJCNLP 2008.

Padmaja Sharma , Utpal Sharma, Jugal Kalita"Named Entity Recognition: A Survey for the Indian Languages.".(LANGUAGE IN INDIA. Strength for Today and Bright Hope for Tomorrow.Volume 11:5 May 2011 ISSN 1930-2940.) Available at: <http://www.languageinindia.com/may2011/v11i5may2011.pdf>.

Ramshaw, A. and Marcus, P. (1995). Text chunking using transformation-based learning. In *Proceedings of the Third ACL Workshop on Very Large Corpora* pp. 82-94

Riccardi, Theodore (2003), "Nepali", in Cardona, George; Jain, Dhanesh, The Indo-Aryan Languages, Routledge, pp. 538–579, ISBN 978-0-415-77294-5.

S. K. Saha, S. Sarkar, and P. Mitra January 2008, "A Hybrid Feature Set based Maximum Entropy Hindi Named Entity Recognition," in Proceedings of the 3rd International Joint Conference on NLP, Hyderabad , India.

Shilpi Srivastava, Mukund Sanglikar and D.C Kothari. "Named Entity Recognition System for Hindi Language: A Hybrid Approach" International Journal of Computational Linguistics(IJCL),Volume (2):Issue(1): 2011. Available at:<http://cscjournals.org/csc/manuscript/Journals/IJCL/volume2/Issue1/IJCL-19.pdf>

Sujan Kumar Saha Sanjay Chatterji Sandipan Dandapat. "A Hybrid Approach for Named Entity Recognition in Indian Languages".

Sujan Kumar Saha, Sudeshna Sarkar, Pabitra Mitra "Gazetteer Preparation for Named Entity Recognition in Indian Languages".Available at: <http://www.aclweb.org/anthology-new/I/I08/I08-7002.pdf>

Suleiman H. Mustafa and Qasem A. Al-Radaideh 2004 "Using N-Grams for Arabic Text Searching" journal of the american society for information science and technology.

Thao, H., Thai, P., Minh N., and Thuy, Q. (2009). Vietnamese noun phrase chunking based on conditional random fields. In International Conference on Knowledge and Systems Engineering (KSE'09). pp. 172-178.

Tjong, E. F., Sang, K. and Buchholz, S. (2000). Introduction to the CoNLL-2000 shared task: Chunking. In Proceedings of the 2nd workshop on Learning language in logic and the 4th conference on Computational natural language learning, Volume 7 pp. 127-132.

W. Li and A. McCallum, Sept 2003 “Rapid Development of Hindi Named Entity Recognition using Conditional Random Fields and Feature Induction(Short Paper),” ACM Transactions on Computational Logic.

Xu, F., Zong, C. and Zhao, J. (2006). A Hybrid Approach to Chinese Base Noun Phrase Chunking. In Proceedings of the Fifth SIGHAN Workshop on Chinese Language Processing , Sydney.

Yangarber, R. and Grishman, R. (1998). NYU: Description of the Proteus/PET system as used for MUC-7. In: Proceedings of the Seventh Message Understanding Conference. MUC-7, Washington, DC.

Zubek, R. 2006. Introduction to Hidden Markov Models. In Rabin, S. (ed.), AI Game Programming Wisdom 3. Charles River Media, Hingham, MA.