

# BIBLIOGRAPHY

---

- [1] Meryeme Hadni, Said Alaoui Ouatik1, Abdelmonaime Lachkar and Mohammed Mekkassi : Hybrid Part-Of-Speech Tagger for Non-Vocalized Arabic Text
- [2] Kanak Mohnot, Neha Bansal, Shashi Pal Singh, Ajai Kumar: Hybrid approach for Part of Speech Tagger for Hindi language
- [3] Bilel Ben Ali and Fethi Jarray: Genetic approach for Arabic part of speech tagging.
- [4] <https://en.wikipedia.org/wiki/Linguistics>.
- [5] [en.wikipedia.org/wiki/Languages\\_of\\_Nepal](https://en.wikipedia.org/wiki/Languages_of_Nepal).
- [6] [en.wikipedia.org/wiki/Gurkha](https://en.wikipedia.org/wiki/Gurkha).
- [7] Similarity search for bangla: Mahbub Morshed.
- [8] [https://en.wikipedia.org/wiki/Part-of-speech\\_tagging](https://en.wikipedia.org/wiki/Part-of-speech_tagging).
- [9] Part-of-Speech Tagging for Bengali: Sudheshna Sarkar, Basu Anupam.
- [10] Ms. M. Humera Khanam, Prof. K. V. Madhu Murthy: Part-Of-Speech Tagging Of Urdu in Limited Resources Scenario.
- [11] L. E. Baum. "An inequality and associated maximization technique in statistical estimation for probabilistic functions of a Markov process". Inequalities, 1972, pp 3:1-8.

- [12] J. M. Kupiec. "Augmenting a Hidden Markov model for phrase-dependent word tagging". In Proceedings of the DARPA Speech and Natural Language Workshop, Morgan Kaufmann, Cape Cod, MA, 1989, pp 92-98.
- [13]. R. Weischedel, R. Schwartz, J. Pahnueci, M. Meteer, and L. Ramshaw. "Coping with Ambiguity and Unknown words through Probabilistic Models". Computational Linguistics, 1993, pp 19(2):260-269.
- [14]. Klein, Sheldon and Simmons, Robert. "A computational approach to Grammatical coding of English words". JACM 10, 1963, pp 334-47.
- [15] Anisha: Part Of Speech Tagging for Malayalam
- [16] S. DeRose. "Grammatical category disambiguation by statistical optimization". Computational Linguistics, 1988, pp 14:31-39
- [17]. A. M. Derouault and B. Merialdo. "Natural language modeling for phoneme-to-text transcription". IEEE Transactions on Pattern Analysis and Machine Intelligence, PAMI-8, 1986, pp 742-749.
- [18]. K. W. Church. "A stochastic parts program and noun phrase parser for unrestricted text". In Proceedings of the Second Conference on Applied Natural Language Processing (ACL), 1988, pp 136-143.
- [19]. F. Jelinek. "Markov source modeling of text generation". In J. K. Skwirzinski, editor, Impact of Processing techniques on Communication. Nijhoff, Dordrecht, 1985. 112
- [20] K. Church, A Stochastic Parts Program and Noun Phrase Parser for Unrestricted Text. In: Proceedings of the Second Conference on Applied Natural Language Processing, ACL, 1988.
- [21] Z. Harris, String Analysis of Sentence Structure, The Hague: Mouton, 1962.

- [22] M. R. Jaishi., Hidden Markov Model Based Probabilistic Part Of Speech Tagging For Nepali Text, (Masters Dissertation, Central Department of Computer Science and IT ,Tribhuvan University, Nepal).
- [23] G.M. Rubin, B. B Greene, Automatic Grammatical Tagging of English. Providence, Rhode Island: Brown University Department of Linguistics, 1971.
- [24] E. Brill, A Simple Rule-Based Part of Speech Tagger. In: Proceedings of the ThirdConference on Applied Natural Language Processing (ANLP-1992), Torento, 1992.
- [25] S. Klein, RF. Simmons, A Computational Approach to Grammatical Coding of English Words, Journal of the Association for computing machinery (JACM), 1963 pp 334-347.
- [26] Tej Bahadur Shahi: Support Vector Machines Based Part of Speech Tagging for Nepali Text.
- [27] L. M´arquez, H. Rodr´ıguez, J. Carmona, and J. Montolio. Improving POS Tagging Using Machine-Learning Techniques. In Proceedings of EMNLP/VLC, 1999.
- [28] Jesus Gim´enez and Llu´ıs M´arquez , SVMTool: A General POS Tagger Generator Based on Support Vector Machines, In: Proceedings of the 4th International Conference on Language Resources and Evaluation (LREC-2004). Lisbon, Portugal, 2004.
- [29] T. Nakagawa, T. Kudoh, and Y. Matsumoto, Unknown Word Guessing and Part -of-Speech Tagging using Support Vector Machines, In: Proceedings of the Sixth Natural Language Processing Pacific Rim Symposium, 2001.
- [30] Fahim Muhammad Hasan : Comparison of different POS tagging Techniques for some South Asian languages.

- [31] Karthik Kumar G, Sudheer K, Avinesh Pvs, “Comparative Study of Various Machine Learning Methods For Telugu Part of Speech Tagging”, In Proceedings of the NLP AI Machine Learning 2006 Competition.
- [32] Rakesh Dugad, U.B.Desai, “A Tutorial on Hidden Markov Models”, IIT Bombay.
- [33] Andrew MacKinlay, “The Effects of Part-of-Speech Tagsets on Tagger Performance”, Undergraduate Thesis, University of Melbourne, 2005.
- [34] Yair Halevi, “Part of Speech Tagging”, Seminar in Natural Language Processing and Computational Linguistics (Prof. Nachum Dershowitz), School of Computer Science, Tel Aviv University, Israel, April 2006.
- [35] Manoj Kumar C, “Stochastic Models for POS Tagging”, IIT Bombay.
- [36] Kanak Mohnot, Neha Bansal, Shashi Pal Singh, Ajai Kumar: Hybrid approach for Part of Speech Tagger for Hindi language.
- [37] Linda Van Guilder, “Automated Part of Speech Tagging: A Brief Overview”, Handout for LING361, Fall 1995, Georgetown University.
- [38] Jiayun Han: Building an efficient, scalable, and trainable probability-and-rule-based part-of-speech tagger of high accuracy
- [39] Hassan Sajjad : Statistical part of speech tagger for Urdu.
- [40] Berna Arslan and Özlem Patan: Developing Methods for Part of Speech Tagging in Turkish
- [41] Bal Krishna Bal: Towards Building Advanced Natural Language Applications - An Overview of the Existing Primary Resources and Applications in Nepali
- [42] Eric Brill: A Report of Recent Progress in Transformation-Based Error-Driven Learning.
- [43] Bal Krishna Bal, Prajol Shrestha: A Morphological Analyzer and a Stemmer for Nepali

- [44] <http://idibon.com/nlp-for-all/>
- [45] Scott M. Thede , Mary P. Harper: A Second-Order Hidden Markov Model for Part-of- Speech Tagging
- [46] Eric Brill: Transformation-Based Error-Driven Learning and Natural Language Processing: A Case Study in Part-of-Speech Tagging
- [47] D Cutting: A Practical Part-of-Speech Tagger
- [48] Jesus Gimenez , Lluís Marquez: A general POS tagger generator based on Support Vector Machines
- [49] Jes´us Gim´enez Llu´ıs M´arquez SVMTool
- [50] Dinesh simkhada: Implementing the GF Resource Grammar for Nepali Language
- [51] <http://iris.lib.virginia.edu/tibet/education/nepali/index.html>
- [52]“THDL: Nepali Language” <http://www.thdl.org/education/nepali/>
- [53]<http://www.omniglot.com/writing/nepali.htm>
- [54] Mitkov R. (2009) (2nd ed.). The Oxford Handbook of Computational Linguistics. New York: Oxford University Press.
- [55] Bal Krishna Bal Madan Puraskar Pustakalaya, Nepal Structure of Nepali Grammar.
- [56] Mathew, D. A Course in Nepali, Ratna Pustak Bhandar, 1998
- [57] Acharya, J. A Descriptive Grammar of Nepali and an Analyzed Corpus, Georgetown University Press, 1991
- [58]Spoken languages in the world, <http://www.infoplease.com/askeds/many-spokenlanguages.html>
- [59] Tej Bahadur Shahi:Support Vector Machines Based Part of Speech Tagging for Nepali Text

- [60] T. Nakagawa, T. Kudoh, and Y. Matsumoto, Unknown Word Guessing and Part -of-Speech Tagging using Support Vector Machines, In: Proceedings of the Sixth Natural Language Processing Pacific Rim Symposium, 2001.
- [61] B. Prasain, LP. Khatiwada, B.K. Bal, and P. Shrestha. Part-of-speech Tagset for Nepali, Madan Puraskar Pustakalaya, 2008.
- [62] J. M. Kupiec. “Robust part-of-speech tagging using a hidden markov model”, Computer Speech and Language, 1992
- [63] [en.wikipedia.org/wiki/Maximum-entropy\\_Markov\\_model](http://en.wikipedia.org/wiki/Maximum-entropy_Markov_model).
- [64] John Lafferty , Andrew Mccallum , Fernando Pereira: Conditional Random Fields: Probabilistic Models for Segmenting and Labelling Sequence Data
- [65] Bal Krishna Bal: Structure of Nepali Grammar
- [66] <http://www.bhashasanchar.org/index.php>

- [67] Bal Krishna Bal: A Morphological Analyzer and a Stemmer for Nepali
- [68] Jyoti Singh, Nisheeth Joshi: Development of Marathi Part of Speech Tagger Using Statistical Approach
- [69] <http://searchsoa.techtarget.com/definition/Web-site>
- [70] Shashi Pal Singh, Neha Bansal :Hybrid approach for Part of Speech Tagger for Hindi language.
- [71] Akshar Bharathi and Prashanth R. Mannem:Introduction to the Shallow Parsing Contest for South Asian Languages.
- [72] [www.bhashasanchar.org/](http://www.bhashasanchar.org/)
- [73] Prajadhrip Sinha, Nuzotalu M Veyie, Bipul Syam Purkayastha: Enhancing the Performance of Part of Speech tagging of Nepali language through Hybrid approach.
- [74] Aniket Dalal, Kumar Nagaraj, Uma Sawant, Pushpak Bhattacharyya Building Feature Rich POS Tagger for Morphologically Rich Languages: Experiences in Hindi.