

Department of: COMPUTER SCIENCE School of: ALBERT EINSTEIN SCHOOL OF PHYSICAL SCIENCE ASSAM UNIVERSITY, SILCHAR (A Central University constituted under the Act of Parliament) Silchar-788011, Assam, India.

#### **DECLARATION**

I, Hrituparna Paul bearing Registration No. Ph.D/2376/13 Dated: 11.09.13, hereby declare that the subject matter of the Ph.D thesis entitled "Base Station Positioning and Location Aware Cluster Based Routing in Wireless Sensor Networks" is the record of work done by me and that the contents of this thesis did not form the basis for award of any degree to me or to anybody else to the best of my knowledge. The thesis has not been submitted in any other University/Institute for award of the degree.

Place: Date:

(Hrituparna Paul)

# <u>ACKNOWLEDGEMENTS</u>

At first I would like to express my genuine gratitude and respect to my admirable Ph.D supervisor Dr. Prodipto Das of the Department of Computer Science, Assam University for his valuable guidance, inspiration and advice during the course of this research work. Not only this he give me the freedom to pursue my own ideas but also kept track of me and my work. He was always willing to help me in all academic matters.


Apart from my Ph.D supervisor, I am also grateful to the Head of Computer Science, Department, for his kind permission to use the facilities in the department for carrying out my research work. I would also like to convey my thankfulness to all the faculty members in the Computer Science, Department of Assam University.

During the course of my research work I found extremely fine atmosphere in the Computer Laboratory in the Department of Computer Science, Assam University .The Laboratory is well equipped to carry out most of the basic and advanced level of experimental works. The research scholars and the students working in the laboratory are also very supportive in nature.

Though it is beyond the scope of any acknowledgement for all that I have received from my parents Mr. Pradip Kr Paul and Mrs. Bhabani Paul, by the way of inspiration, patience and encouragement at all times but most conspicuously during this period, yet I make an effort to express my cordial and affectionate gratitude to them. May God guide me to the wishes of my parents so that they feel the joy of having lived a contained life in my conduct to them. I also want to express my deep gratitude to my younger sister Pujaparna Paul who helped me by giving time to complete my thesis. I want to thank my husband Dr. Bireswar Paul, who supported me in every step of my life and encouragement to pursue Ph.D from this reputed institute, Assam University. Specially, I thank my mother and my husband for their constant encouragement and support. It is only due to their constant encouragement that I was able to finish.

Finally, I want to express my profound gratitude to my in-laws, all relatives and friends for providing the necessary atmosphere of understanding, encouragement and support during the entire research period.

Hrituparna Paul



### Contents

#### **1** Introduction

1.1 Motivation	
1.2 Objective	
1.3 Methodology	
1.4 Major Contributions	21
1.5 Thesis Organization	

#### 2. Background and Literature Survey

2.1 Introduction	25
2.2 Literature Review of Some Existing Protocols	31

#### 3. Low Energy Adaptive Clustering Hierarchy

3.1 Introduction.	41
3.2 WSN Routing Protocols	
3.3 Low Energy Adaptive Clustering Hierarchy (Leach): Overview	44
3.4 Running Process of Leach	46
3.5 Deficiencies in Classical Leach Protocol	49
3.6 Simulation and Results	50
3.7 Results and Performance Analysis	51
3.8 Leach Assumption/Limitations	
3.9 Conclusion	57

#### 4. Base Station Positioning Algorithm in a Wireless Sensor Network

4.1 Introduction	59
4.2 Problem Formulation	60
4.3 Algorithm for Base Station Location	
4.4 Simulation and Results	67
4.5 Conclusion.	72

#### 5. Energy-Balanced Routing Algorithm in a Wireless Sensor Network

5.2 Basic BBV Weighted Network Model and Local-World Theory	74
5.3 Forward-Aware Factor–Based Energy-Balanced Routing Algorithm	76
5.4 Performance Evaluation	
5.5 Conclusion.	91
<ul><li>6. Location Aware Cluster Based Routing Algorithm in Wireless Sensor</li><li>6.1 Introduction.</li></ul>	
6.2 Proposed Scheme	95
6.3 Performance Evaluation	101
6.4 Conclusion	

#### 7. Result Analysis and Discussion

7.1 Introduction	109
7.2 Simulation Set Up	109
7.3 Results and Discussions	112

#### 8. Conclusion and Scope of Future Work.....117

Appendix: 1: Research Publication......I Appendix: 2: CD containing NS-2 Programs, Soft copy of all documents.

### List of Figures:

- Figure 1.1: Wireless Sensor Network as Subset of Wireless Network
- Figure 1.2: A Wireless Sensor Network
- Figure 1.3: Block diagram of Sensor Node
- Figure 1.4: Hardware Architecture of a Sensor Node
- Figure 1.5: A Sensor Node
- Figure 1.6: A Base Station Node
- Figure 1.7: Clustering in WSN
- Figure 3.1: Classification of WSN Routing Protocols
- Figure 3.2: Formation of Clusters in LEACH
- Figure 3.3: cluster based mechanism of LEACH in WSN
- Figure 3.4: Flow chart of the Set-up phase of the LEACH protocol
- Figure 3.5: Layout of LEACH Simulation
- Figure 3.6: Simulation Time Vs Energy Values
- Figure 3.7: Simulation Time Vs Latency Values
- Figure 3.8: Simulation Time Vs PDR Values
- Figure 3.9: Simulation Time Vs Residual Energy Values
- Figure 4.1: A Wireless Sensor Network topology
- Figure 4.2: Weights calculation for Algorithm
- Figure 4.3: Layout of BSP Simulation
- Figure 4.4: Simulation Time Vs Energy Values
- Figure 4.5: Simulation Time Vs Latency Values
- Figure 4.6: Simulation Time Vs PDR Values
- Figure 4.7: Simulation Time Vs Residual Energy Values
- Figure 5.1 Change of node strength
- Figure 5.2 Distribution map of sink and sensor node
- Figure 5.3 Forward transmission area
- Figure 5.4 Minimum area of FTA(i)
- Figure 5.5 Maximum area of FTA(i)
- Figure 5.6: Simulation Time Vs Energy Values

Figure 5.7: Simulation Time Vs Latency Values
Figure 5.8: Simulation Time Vs PDR Values
Figure 5.9: Simulation Time Vs Residual Energy Values
Figure 6.1 System architecture
Figure 6.2: Simulation Time Vs Energy Values
Figure 6.3: Simulation Time Vs Latency Values
Figure 6.4: Simulation Time Vs PDR Values
Figure 6.5: Simulation Time Vs Residual Energy Values
Figure 7.1 Simulation View
Figure 7.2: Simulation Time Vs Energy Values
Figure 7.3: Simulation Time Vs Latency Values
Figure 7.4: Simulation Time Vs PDR Values
Figure 7.5: Simulation Time Vs Residual Energy Values

# **List of Tables:**

- Table 2.1: Different Deployment Technique
- Table 2.2: Some of the Localization Techniques
- Table 2.3: Different Routing Techniques
- Table 3.1: Simulation Results
- Table 4.1: Simulation Results BSP
- Table 5.1: Routing Parameters of Nodes
- Table 5.2: Simulation Parameters
- Table 5.3: Simulation Results BEC
- Table 6.1: Location Information of Sensor Node
- Table: 6.2: Simulation Results
- Table 7.1: Simulation Parameters
- Table: 7.2: Simulation Results: LEACH
- Table: 7.3: Simulation Results: BSP
- Table: 7.4: Simulation Results: BEC
- Table: 7.5: Simulation Results: LACBRP