

APPENDIX- I

HOUSEHOLD CODE	Food access	Food availability	Food utilization	Z-score	Z-score	Z-score
				(index child)wfh	(index child)wfa	(index child)hfa
RC-S01	Vulnerable	Vulnerable	Food secured	Overnutrition	Well nourished	Overnutrition
RC-S02	Food secured	Food secured	Food secured			
RC-S03	Vulnerable	Vulnerable	Food secured	Wasting	Well nourished	Well nourished
RC-S04	Vulnerable	Vulnerable	Food secured	Overnutrition	Underweight	Overnutrition
RC-S05	Vulnerable	Vulnerable	Highly food secured			
RC-S06	Vulnerable	Vulnerable	Food insecure			
RC-S07	Vulnerable	Vulnerable	Food secured	Below 1 month	Below 1 month	Below 1 month
RC-S08	Vulnerable	Vulnerable	Food secured			
RC-S09	Food secured	Highly food secured	Highly food secured			
RC-S10	Vulnerable	Vulnerable	Highly food secured			
RC-S11	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-S12	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-S13	Vulnerable	Vulnerable	Food secured	Moderately malnourished	Underweight	Severely malnourished
RC-S14	Food secured	Food secured	Highly food secured			
RC-S15	Vulnerable	Food insecure	Food secured			
RC-S16	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
RC-S17	Vulnerable	Vulnerable	Highly food secured			
RC-S18	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-S19	Vulnerable	Vulnerable	Food secured			
RC-S20	Vulnerable	Vulnerable	Highly food secured			
RC-S21	Vulnerable	Vulnerable	Highly food secured			
RC-S22	Vulnerable	Vulnerable	Food secured			
RC-E01	Vulnerable	Vulnerable	Highly food secured			
RC-E02	Vulnerable	Vulnerable	Food insecure			
RC-E03	Vulnerable	Vulnerable	Highly food secured			
RC-E04	Food secured	Vulnerable	Highly food secured	Wasting	Underweight	Moderately malnourished
RC-E05	Vulnerable	Vulnerable	Vulnerable			

RC-E06	Vulnerable	Vulnerable	Food secured			
RC-E07	Vulnerable	Vulnerable	Highly food secured			
RC-E08	Vulnerable	Vulnerable	Highly food secured			
RC-E09	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-E10	Highly food secured	Highly food secured	Highly food secured			
RC-E11	Vulnerable	Vulnerable	Highly food secured	Well nourished	Underweight	Severely malnourished
RC-E12	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-E13	Vulnerable	Vulnerable	Highly food secured			
RC-E14	Vulnerable	Vulnerable	Vulnerable			
RC-E15	Vulnerable	Vulnerable	Vulnerable			
RC-E16	Highly food secured	Vulnerable	Highly food secured			
RC-E17	Vulnerable	Food insecure	Highly food secured			
RC-E18	Highly food secured	Vulnerable	Highly food secured			
RC-E19	Food secured	Vulnerable	Highly food secured			
RC-E20	Food secured	Highly food insecure	Food secured	Well nourished	Well nourished	Moderately malnourished
RC-E21	Vulnerable	Vulnerable	Highly food secured			
RC-E22	Vulnerable	Vulnerable	Highly food secured			
RC-E23	Vulnerable	Vulnerable	Food secured			
RC-E24	Vulnerable	Vulnerable	Food secured			
RC-E25	Vulnerable	Food secured	Highly food secured			
RC-E26	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
RC-E27	Highly food secured	Vulnerable	Highly food secured			
RC-E28	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-E29	Highly food secured	Vulnerable	Highly food secured	Wasting	Underweight	Moderately malnourished
RC-N01	Vulnerable	Vulnerable	Highly food secured			
RC-N02	Vulnerable	Vulnerable	Highly food secured			
RC-N03	Food secured	Vulnerable	Highly food secured			
RC-N04	Vulnerable	Vulnerable	Food secured			
RC-N05	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	INAdequate height

RC-N06	Vulnerable	Vulnerable	Highly food secured			
RC-N07	Food secured	Vulnerable	Highly food secured			
RC-N08	Vulnerable	Vulnerable	Highly food secured			
RC-N09	Vulnerable	Vulnerable	Highly food secured			
RC-N10	Vulnerable	Vulnerable	Highly food secured	Well nourished	Severely underweight	Severely malnourished
RC-N11	Food secured	Vulnerable	Highly food secured			
RC-N12	Vulnerable	Vulnerable	Highly food secured			
RC-N13	Food secured	Food secured	Highly food secured			
RC-N14	Food secured	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
RC-N15	Vulnerable	Vulnerable	Highly food secured			
RC-N16	Food secured	Vulnerable	Highly food secured			
RC-N17	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Severely malnourished
RC-N18	Vulnerable	Vulnerable	Food secured	Moderately malnourished	Well nourished	Well nourished
RC-N19	Food secured	Vulnerable	Food secured	NA	Overweight	INAdequate height
RC-N20	Food secured	Vulnerable	Vulnerable	Moderately malnourished	Well nourished	Well nourished
RC-N21	Vulnerable	Vulnerable	Food insecure	Overnutrition	Overweight	Severely malnourished
RC-N22	Vulnerable	Vulnerable	Vulnerable	Moderately malnourished	Well nourished	Moderately malnourished
RC-N23	Vulnerable	Vulnerable	Food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-N24	Food secured	Vulnerable	Vulnerable	Wasting	Moderately underweight	Well nourished
RC-N25	Food secured	Vulnerable	Vulnerable	Well nourished	Well nourished	Moderately malnourished
RC-N26	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-N27	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
RC-N28	Vulnerable	Food insecure	Food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-N29	Food secured	Vulnerable	Food secured	Wasting	Moderately underweight	Well nourished
RC-W1	Food secured	Vulnerable	Highly food secured			
RC-W2	Food secured	Vulnerable	Highly food secured			
RC-W3	Food secured	Vulnerable	Highly food secured			

RC-W4	Vulnerable	Vulnerable	Food secured			
RC-W5	Vulnerable	Food insecure	Food secured			
RC-W6	Vulnerable	Food insecure	Food secured			
RC-W7	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
RC-W8	Vulnerable	Vulnerable	Food secured			
RC-W9	Vulnerable	Vulnerable	Highly food secured			
RC-W10	Vulnerable	Vulnerable	Food secured			
RC-W11	Vulnerable	Vulnerable	Food secured			
RC-W12	Vulnerable	Vulnerable	Vulnerable			
RC-W13	Vulnerable	Vulnerable	Highly food secured	Well nourished	Underweight	Severely malnourished
RC-W14	Vulnerable	Vulnerable	Highly food secured	Severely malnourished	Severely underweight	Moderately malnourished
RC-W15	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Severely underweight	Severely malnourished
RC-W16	Food secured	Food secured	Highly food secured	NA	Moderately underweight	Severely malnourished
RC-W17	Vulnerable	Vulnerable	Highly food secured	Wasting	Underweight	Moderately malnourished
RC-W18	Vulnerable	Vulnerable	Highly food secured			
RC-W19	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Stunted
RC-W20	Vulnerable	Vulnerable	Vulnerable	Well nourished	Severely underweight	Severely malnourished
RC-W21	Vulnerable	Vulnerable	Highly food secured			
RC-W22	Food secured	Vulnerable	Highly food secured			
RC-W23	Vulnerable	Food secured	Highly food secured	Severely malnourished	Severely underweight	Well nourished
RC-W24	Vulnerable	Vulnerable	Food secured	Wasting	Underweight	Moderately malnourished
RC-W25	Vulnerable	Vulnerable	Vulnerable			
RC-SIL01	Vulnerable	Vulnerable	food secured			
RC-SIL02	Vulnerable	Vulnerable	Food secured			
RC-SIL03	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-SIL04	Vulnerable	Vulnerable	Highly food secured			
RC-SIL05	Vulnerable	Vulnerable	Vulnerable	Wasting	Moderately underweight	Well nourished
RC-SIL06	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Moderately malnourished
RC-SIL07	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-SIL08	Highly food secured	Vulnerable	Vulnerable	Severely malnourished	Severely underweight	Stunted

RC-SIL09	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Underweight	Stunted
RC-SIL10	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
RC-SIL11	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-SIL12	Food secured	Vulnerable	Food secured	Moderately malnourished	Moderately underweight	Well nourished
RC-SIL13	Vulnerable	Vulnerable	Vulnerable	Well nourished	Well nourished	Well nourished
RC-SIL14	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
RC-SIL15	Vulnerable	Vulnerable	Food secured	Well nourished	Moderately underweight	Moderately malnourished
RC-SIL16	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
RC-SIL17	Highly food secured	Food secured	Food secured			
RC-SIL18	Vulnerable	Vulnerable	Vulnerable			
RC-SIL19	Food secured	Vulnerable	Highly food secured	Overnutrition	Well nourished	Severely malnourished
RC-SIL20	Food secured	Vulnerable	Highly food secured	Wasting	Moderately underweight	Well nourished
SU-N1	Min=5040 vulnerable	Vulnerable	Highly food secured	Severely malnourished	Under weight	Well nourished
SU-N2	Vulnerable	Vulnerable	Highly food secured	Severely malnourished	Severely underweight	Severely malnourished
SU-N3	Vulnerable	Vulnerable	Vulnerable	Wasting	Under weight	Moderately malnourished
SU-N4	Vulnerable	Vulnerable	Food insecure	Overnutrition	Well nourished	Moderately malnourished
SU - N5	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-N6	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-N7	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-N8	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
SU-N9	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-N10	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
SU-N11	Vulnerable	Vulnerable	Highly food insecure	Moderately malnourished	Overweight	Overnutrition
SU-N12	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-N13	Vulnerable	Vulnerable	Vulnerable	Severely malnourished	Moderately underweight	Overnutrition
SU-N14	Vulnerable	Vulnerable	Highly food secured	Wasting	Severely underweight	Stunted
SU-N15	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Under weight	Stunted
SU-N16	Highly food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished

SU-N17	Vulnerable	Vulnerable	Highly food secured	Wasting	Moderately underweight	Well nourished
SU-N18	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-N19	Food secured	Vulnerable	Food secured	Severely malnourished	Under weight	Well nourished
SU-N20	Food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-S1	Vulnerable	Vulnerable	Vulnerable	Well nourished	Severely underweight	Overnutrition
SU-S2	Vulnerable	Vulnerable	Food secured	Moderately malnourished	Under weight	Overnutrition
SU-S3	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-S4	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-S5	Highly food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-S6	Vulnerable	Vulnerable	Food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-S7	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-S8	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
SU-S9	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Well nourished	Moderately malnourished
SU-S10	Vulnerable	Vulnerable	Highly food secured	Well nourished	Under weight	Stunted
SU-S11	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Well nourished	Stunted
SU-S12	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-S13	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Stunted
SU-S14	Highly food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-S15	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-S16	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
SU-S17	Vulnerable	Vulnerable	Highly food secured	Overnutrition	Moderately underweight	Stunted
SU-S18	Food secured	Vulnerable	Food secured	Well nourished	Moderately underweight	Well nourished
SU-S19	Food secured	Vulnerable	Highly food secured	Well nourished	Overweight	Overnutrition
SU-S20	Vulnerable	Vulnerable	Highly food secured	Overnutrition	Overweight	Well nourished
SU-S21	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-W1	Vulnerable	Vulnerable	Highly food secured	Overnutrition	Moderately underweight	Severely malnourished
SU-W2	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished

SU-W3	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Under weight	Stunted
SU-W4	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-W5	Vulnerable	Vulnerable	Highly food secured	Wasting	Well nourished	Overnutrition
SU-W6	Food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Severely malnourished
SU-W7	Vulnerable	Vulnerable	Food secured	Severely malnourished	Under weight	Well nourished
SU-W8	Vulnerable	Vulnerable	Food secured	Well nourished	Moderately underweight	Well nourished
SU-W9	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-W10	Vulnerable	Vulnerable	Food secured	Wasting	Moderately underweight	Well nourished
SU-W11	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-W12	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
SU-W13	Vulnerable	Vulnerable	Highly food secured	Wasting	Under weight	Moderately malnourished
SU-W14	Highly food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-W15	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-W16	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-W17	Food secured	Vulnerable	Highly food secured	Wasting	Moderately underweight	Well nourished
SU-W18	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-W19	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
SU-W20	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-W21	Vulnerable	Vulnerable	Food secured	Wasting	Moderately underweight	Well nourished
SU-W22	Highly food secured	Food secured	Highly food secured	Wasting	Well nourished	Well nourished
SU-W23	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Well nourished	Moderately malnourished
SU-W24	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Moderately malnourished
SU-W25	Food secured	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
SU-W26	Vulnerable	Vulnerable	Food secured			
SU-E01	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-E02	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-E03	Food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished

SU-E04	Vulnerable	Vulnerable	Food secured	Wasting	Moderately underweight	Well nourished
SU-E05	Highly food secured	Vulnerable	highly food secured	Well nourished	Well nourished	Well nourished
SU-E06	Highly food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-E07	Vulnerable	Vulnerable	Vulnerable	Moderately malnourished	Well nourished	Stunted
SU-E08	Vulnerable	Vulnerable	Highly food secured	Overnutrition	Severely underweight	Severely malnourished
SU-E09	Food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
SU-E10	Highly food secured	Vulnerable	Food secured	Moderately malnourished	Well nourished	Well nourished
SU-E11	Vulnerable	Food secured	Highly food secured	Wasting	Well nourished	Moderately malnourished
SU-E12	Highly food secured	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Severely malnourished
SU-E13	Vulnerable	Food secured	Highly food secured	Moderately malnourished	Under weight	Stunted
SU-E14	Highly food secured	Food secured	Highly food secured			
SU-E15	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-E16	Food secured	Vulnerable	Vulnerable	Moderately malnourished	Moderately underweight	Well nourished
SU-E17	Food secured	Vulnerable	Vulnerable	Wasting	Under weight	Stunted
SU-E18	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-E19	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-M01	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-M02	Vulnerable	Highly food secured	Highly food secured	Wasting	Well nourished	Overnutrition
SU-M03	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-M04	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Well nourished
SU-M05	Vulnerable	Vulnerable	Vulnerable	Moderately malnourished	Moderately underweight	Severely malnourished
SU-M06	Highly food secured	Food secured	Highly food secured	Severely malnourished	Moderately underweight	Overnutrition
SU-M07	Vulnerable	Vulnerable	Food secured	Well nourished	Well nourished	Moderately malnourished
SU-M08	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Well nourished	Well nourished
SU-M09	Vulnerable	Vulnerable	Highly food secured	Wasting	Under weight	Moderately malnourished
SU-M10	Vulnerable	Vulnerable	Vulnerable	Moderately malnourished	Moderately underweight	Well nourished
SU-M11	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished

SU-M12	Food secured	Vulnerable	Highly food secured	NA	Moderately underweight	NA
SU-M13	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-M14	Highly food secured	Vulnerable	Vulnerable	Severely malnourished	Under weight	Well nourished
SU-M15	Vulnerable	Vulnerable	Highly food secured	Severely malnourished	Severely underweight	Stunted
SU-M16	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
SU-M17	Vulnerable	Vulnerable	Food secured	Moderately malnourished	Well nourished	Moderately malnourished
SU-M18	Food secured	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Over nutrition
SU-M19	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Moderately malnourished
SU-M20	Vulnerable	Vulnerable	Highly food secured	Moderately malnourished	Moderately underweight	Moderately malnourished
SU-M21	Vulnerable	Vulnerable	Highly food secured	Severely malnourished	Severely underweight	Severely malnourished
SU-M22	Vulnerable	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-M23	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
SU-M24	Highly food secured	Food secured	Highly food secured	Well nourished	Moderately underweight	Moderately malnourished
SU-M25	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
SU-M26	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Stunted
SU-M27	Food secured	Vulnerable	Food secured	Well nourished	Well nourished	Well nourished
ULKH-01	Food secured	Vulnerable	Food secured	Moderately malnourished	Under weight	Severely malnourished
ULKH-02	Vulnerable	Vulnerable	Highly food secured	Well nourished	Moderately underweight	Severely malnourished
ULKH-02A	Vulnerable	Vulnerable	Food secured	Wasting	Moderately underweight	Moderately malnourished
ULKH-03	Vulnerable	Vulnerable	Food secured	Well nourished	Moderately underweight	Stunted
ULKH-04	Vulnerable	Vulnerable	Vulnerable	Moderately malnourished	Moderately underweight	Well nourished
ULKH-05A	Vulnerable	Vulnerable	Food insecure	Moderately malnourished	Moderately underweight	Well nourished
ULKH-06	Food secured	Vulnerable	Highly food secured	Wasting	Under weight	Moderately malnourished
ULKH-07A	Food secured	Vulnerable	Highly food secured	Severely malnourished	Moderately underweight	Moderately malnourished
ULKH-07B	Vulnerable	Vulnerable	Vulnerable	Well nourished	Moderately underweight	Stunted
ULKH-08	Vulnerable	Vulnerable	Vulnerable			
ULKH-09	Food secured	Vulnerable	Highly food secured	Well nourished	Well nourished	Well nourished
ULKH-10	Food secured	Vulnerable	Highly food secured	Wasting	Under weight	Moderately malnourished

“Food Security at Household Level- An Empirical Study of Cachar District”

FIELD SURVEY SCHEDULE

Part A: General information

Schedule code No.....

1. SL No.....

2. a) Name of the Head of Household :

b) Age..... c) Sex..... d) Category ST/SC.....

e) Village/town:

f) G.P:

g) Block:

h) Religion

3. Household Characteristics (including HOH) (All members)

Name of members	Relation with HOH	Sex	Age	Education (in years)	Marital status	Occupation(active in Previous 30 days)		Income (yearly)	Weight (in Kg)	Height (In Inches)
						primary	secondary			

4. Dwelling: (i) Area under roof:

(ii) Homestead:

(iii) No. of Rooms:

(iv) Sanitation: Pucca/ Katcha/ Attached/separate

(v) Source of Drinking water: Supply/ Pond/Tubewell/ well/ within premises/ outside premises.

(vi) Water treatment: Boiled/ not boiled/Filtered/not filtered.

Part B: Food Availability Particulars (Last Month/ last 7 days- Household)

5. Purchased Food (from market/vendor/shops)

Category of Food	Purchased from	Quantity Purchased (mention Monthly/ Weekly)	Local Price

For category of food- see the Food Calorie chart.

9. Food in Stock: (carefully exclude Food shown in sl. 4,5,6,7)

Category of Food in stock	Quantity	Price(local)	Source

10. Household Expenditure: (last month, in Rs)(Use separate sheet to calculate)

Category	Quantity	Expenditure
Food		
Housing		
Fuel and Light		
Clothing		
Nondurable goods		
Durable goods		
Household service		
Health		
Transport		
Communication		
Recreation		
Education		
Donation		

Ceremonies		
Alcohol and Cigarettes		
Miscellaneous		

** Calculation is to be made separately category wise in attached sheet.

.Part C: Access to Food:

11. Purchasing power of household members: (Monthly Record in Rs for 12 months)

Month	Household Income(monthly)	Household Savings	Remittance/ Repayment of Loans	PCI
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

Part D: Food Utilization:

12. Consumption by Adults (Last week- 7 days- Record)

Name of Member (Adult only-above 18 years)	Food Consumed (List Items with Quantity)					
	Early morning	Morning	Noon	Afternoon	Evening	Night

13. Food Consumed by Index Child: (1 Child pre-school stage)

Name of the Index Child (Pre-school Stage)	Food Consumed (List Items with Quantity)					
	Early morning	Morning	Noon	Afternoon	Evening	Night

14. Child care Services (for Index Child): Write Note

Vaccination Status	Bathing	Dress	Sleep time	Play time	Feeding Practices	Education Care and Practices

15. Indirect Measures of Calorie deficiency of Members (Adults and Index Child): Yes/No in last week/month.

Name of Member	Tiredness	Weakness	Poor concentration	Hair loss	Weight loss	Frequent illness

16. Indirect Measure of Income: Household Picture

Gender of HOH	No. of Working-age individuals	Caste/ Ethnicity	Materials Used for Roof, floor, Wall of house	Method Of Water collection	Sanitation Hygene practices	Assets

17. Coping Strategies: During hard time(short supply of food, short of money)- practices adopted by household during last one year :

Strategy	3-6 times Per week	1-2 times Per week	0 time Per week	Never	Every day
Less expensive food					
Borrowing food, money					
Purchasing food on credit					
Assistance from friend, relative					
Limiting intake of adult					
Reduces no of meal per day					
Skipping meal					

18. Note on special feature, if any:

19. Household Food Insecurity Access Scale (HFIAS) Measurement Tool

<p>1. <i>In the past one year, did you worry that your household would not have enough food?</i> 0 = No (skip to Q2) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks), 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	<p>Last 4 weeks</p>
<p>2. <i>In the past one year, were you or any household member not able to eat the kinds of foods you preferred because of a lack of resources?</i> 0 = No (skip to Q3) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past few weeks)</p>	<p>Last 4 weeks</p>
<p>3. <i>In the past one year, did you or any household member have to eat a limited variety of foods due to a lack of resources?</i> 0 = No (skip to Q4) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	
<p>4. <i>In the past one year, did you or any household member have to eat some foods that you really did not want to eat because of a lack of resources to obtain other types of food?</i> 0 = No (skip to Q5) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	<p>Last 4 weeks</p>
<p>5. <i>In the past one year, did you or any household member have to eat a smaller meal than you felt you needed because there was not enough food?</i> 0 = No (skip to Q6) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	<p>Last 4 weeks</p>

<p>6. <i>In the past one year, did you or any other household member have to eat fewer meals in a day because there was not enough food?</i> 0 = No (skip to Q7) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	Last 4 weeks
<p>7. <i>In the past one year, was there ever no food to eat of any kind in your household because of lack of resources to get food?</i> 0 = No (skip to Q8) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	Last 4 weeks
<p>8. <i>In the past one year, did you or any household member go to sleep at night hungry because there was not enough food?</i> 0 = No (skip to Q9) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	Last 4 weeks
<p>9. <i>In the past one year, did you or any household member go a whole day and night without eating anything because there was not enough food?</i> 0 = No (questionnaire is finished) 1 = Yes</p> <p>(i) How often did this happen? 1 = Rarely (once or twice in the past four weeks) 2 = Sometimes (three to ten times in the past four weeks) 3 = Often (more than ten times in the past four weeks)</p>	Last 4 weeks

Date of Survey:

Signature of Investigator

APPENDIX – III

MAP – I

GEOGRAPHICAL MAP OF CACHAR

